

Index to volume 183

Author index*

A

- Aarnoudse JG (see Oosterhof et al). 2000;183:226-9
 Abel DE (see Whitsel et al). 2000;183:1170-5
 Abramovici H (see Bornstein et al). 2000;183:583-7
 Abuhamad AZ (see Mari et al). 2000;183:211-7
 Achiron R (see Gotlieb et al). 2000;183:541-6
 Ahtari C, Hohlfeld P. Cardiotoxic transplacental effect of idarubicin administered during the second trimester of pregnancy. 2000;183:511-2
 Adair CD (see Lewis et al). 2000;183:777-8 (Letter reply)
 Adzick NS (see Flake et al). 2000;183:1059-66
 Adzick NS (see Walsh et al). 2000;183:1067-9
 Aguan K (see Buhimschi et al). 2000;183:1512-9
 Ahmed AR (see Engineer et al). 2000;183:483-91 (AJOG reviews)
 Ahokas RA (see McKinney et al). 2000;183:874-7
 Aiello R (see Valerio et al). 2000;183:222-5
 Ajami M (see Gonen et al). 2000;183:1296-300
 Albanese CT (see Paek et al). 2000;183:1119-23
 Alcalay M, Thompson PK, Boone TB. Ball urethroplasty combined with Marshall-Marchetti-Krantz urethropepy versus suburethral sling in patients with intrinsic sphincter deficiency and urethral hypermobility. 2000;183:1348-54
 Alexander JM, Mercer BM, Miodovnik M, Thurnau GR, Goldenberg RL, Das AF, Meis PJ, Moawad AH, Iams JD, VanDorsten JP, Paul RH, Dombrowski MP, Roberts JM, McNellis D. The impact of digital cervical examination on expectantly managed preterm rupture of membranes. 2000;183:1003-7
 Allen MH (see Quintero et al). 2000;183:324-33
 Alsip NL, Hornung JW, Henzel MK, Asher EF. Pregnancy-induced alterations of uterine arteriolar reactivity in the rat: observations with a new in vivo microcirculatory preparation. 2000;183:621-6
 Althuisius SM, Dekker GA, van Geijn HP, Bekedam DJ, Hummel P. Cervical Incompetence Prevention Randomized Cerclage Trial (CIPRACT): study design and preliminary results. 2000;183:823-9
 Altieri V (see Valerio et al). 2000;183:222-5
 Alvarez B (see Rose et al). 2000;183:507-8
 Amankwah K (see Kopecky et al). 2000;183:424-30
 Ambrosioni E (see Borghi et al). 2000;183:140-7
 Amundsen CL (see Barber et al). 2000;183:1402-11
 Ananiev V (see Coleman et al). 2000;183:643-8
 Andrews JL, Diekema DJ, Hunter SK, Rhomberg PR, Pfaller MA, Jones RN, Doern GV. Group B streptococci causing neonatal bloodstream infection: antimicrobial susceptibility and serotyping results from SENTRY centers in the Western Hemisphere. 2000;183:859-62
 Andrews RG (see Shields et al). 2000;183:732-7
 Andrews WW, Goldenberg RL, Mercer B, Iams J, Meis P, Moawad A, Das A, VanDorsten JP, Caritis SN, Thurnau G, Miodovnik M, Roberts J, McNellis D, National Institute of Child Health and Human Development Maternal-Fetal Medicine Units Network. The Preterm Prediction Study: association of second-trimester geni-

tourinary chlamydia infection with subsequent spontaneous preterm birth. 2000;183:662-8

- Angioli R (see Mirhashemi et al). 2000;183:1375-80
 Ångström T (see Kjellberg et al). 2000;183:1238-42
 Anthony J (see Penny et al). 2000;183:658-61
 Antonucci FR (see Valerio et al). 2000;183:222-5
 Anttila L (see Jokimaa et al). 2000;183:1495-8
 Antypas CE (see Kouvaris et al). 2000;183:498-9
 Apodaca CC, Moore KH, Rossignol TM, Pierce B, Matej LA, Hume RF Jr, Calhoun BC. Localization of messenger ribonucleic acid for adrenomedullin and adrenomedullin receptor in the human placenta in normal pregnancies and pregnancies complicated by oligohydramnios. 2000;183:1213-9
 Apodaca CC (see Pierce et al). 2000;183:863-7
 Armstrong JC (see Reddy et al). 2000;183:1166-9
 Asbill KK, Higgins RV, Bahrani-Mostafavi Z, Vachris JC, Kotrotsios SH, Elliot MC, Price DK. Detection of *Neisseria gonorrhoeae* and *Chlamydia trachomatis* colonization of the gravid cervix. 2000;183:340-6
 Ascher-Landsberg J (see Elovitz et al). 2000;183:674-81
 Ascher-Landsberg J (see Elovitz et al). 2000;183:799-804
 Asher EF (see Alsip et al). 2000;183:621-6
 Ashfaq R (see Lin et al). 2000;183:39-45
 Ashok PW, Flett GMM, Templeton A. Mifepristone versus vaginally administered misoprostol for cervical priming before first-trimester termination of pregnancy: a randomized, controlled study. 2000;183:998-1002
 Ashton-Miller JA (see Deyer et al). 2000;183:156-9
 Atar D (see Krähenmann et al). 2000;183:1308-9 (Letter)
 Athayde N (see Maymon et al). 2000;183:94-9
 Atlas RO (see Rust et al). 2000;183:830-5
 Aufderhaar U (see Surbek et al). 2000;183:1587 (Letter)
 Auslender R (see Bornstein et al). 2000;183:583-7
 Austin H (see Dilley et al). 2000;183:1271-7
 Averette HE (see Mirhashemi et al). 2000;183:1375-80
 Azuma C (see Koyama et al). 2000;183:1537-43
 Azziz R (see Moran et al). 2000;183:1468-74

B

- Bachofen C (see Shull et al). 2000;183:1365-74
 Bäckström T (see Björn et al). 2000;183:1419-26
 Bader D (see Gonen et al). 2000;183:1296-300
 Badger GJ (see Bernstein et al). 2000;183:883-6
 Baessler K, Schuessler B. Measurements of the pelvic floor in women and their relationship to genital prolapse. 2000;183:1590 (Letter reply)
 Bahado-Singh RO, Oz AU, Hsu C-D, Kovanci E, Deren O, Onderoglu L, Mari G. Middle cerebral artery Doppler velocimetric deceleration angle as a predictor of fetal anemia in Rh-alloimmunized fetuses without hydrops. 2000;183:746-51
 Bahado-Singh RO, Oz U, Shahabi S, Mahoney MJ, Baumgarten A, Cole LA. Comparison of urinary hyperglycosylated human chorionic gonadotropin concentration with the serum triple screen for Down syndrome detection in high-risk pregnancies. 2000;183:1114-8

*July, 1-260, S1-S22; August, 261-522, S1-S94; September, 523-786; October, 787-1048; November, 1049-1312; December, 1313-1660.

- Bahrani-Mostafavi Z (see Asbill et al). 2000;183:340-6
- Baker PN (see Smith et al). 2000;183:697-9
- Baker RS (see Carpenter et al). 2000;183:46-51
- Baker RS (see Clark et al). 2000;183:12-7
- Baker SL (see Sanderson et al). 2000;183:1504-11
- Bakewell J (see Cooperstock et al). 2000;183:63-7
- Bakketeig LS (see Skjærven et al). 2000;183:689-96
- Balducci J (see Rust et al). 2000;183:830-5
- Balodimos N (see Vongthavaravat et al). 2000;183:505-6
- Barber MD. Clinical assessment of paravaginal defects. 2000;183:519-20 (Letter reply)
- Barber MD, Visco AG, Weidner AC, Amundsen CL, Bump RC. Bilateral uterosacral ligament vaginal vault suspension with site-specific endopelvic fascia defect repair for treatment of pelvic organ prolapse. 2000;183:1402-11
- Barber MD (see Weidner et al). 2000;183:1390-401
- Barbieri RL. Induction of ovulation in infertile women with hyperandrogenism and insulin resistance. 2000;183:1412-8 (Clin. opinion)
- Barker GH (see Daryani et al). 2000;183:752-4
- Barnhart E (see Dilley et al). 2000;183:1271-7
- Barnhart KT (see Sawin et al). 2000;183:1448-55
- Bar-Oz B, Moretti ME, Bishai R, Mareels G, Van Tittelboom T, Verspeelt J, Koren G. Pregnancy outcome after in utero exposure to itraconazole: a prospective cohort study. 2000;183:617-20
- Barrett JFR (see Kopecky et al). 2000;183:424-30
- Barrilleaux PS (see Lewis et al). 2000;183:777-8 (Letter reply)
- Bartok B (see Par et al). 2000;183:126-30
- Barton JR (see Haddad et al). 2000;183:444-8
- Barton JR (see Haddad et al). 2000;183:1475-9
- Barton JR (see O'Brien et al). 2000;183:921-4
- Baum M, Schiff E, Kreiser D, Dennery PA, Stevenson DK, Rosenthal T, Seidman DS. End-tidal carbon monoxide measurements in women with pregnancy-induced hypertension and preeclampsia. 2000;183:900-3
- Baumann P, Blackwell SC, Schild C, Berry SM, Friedrich H-J. Mathematic modeling to predict abruptio placentae. 2000;183:815-22
- Baumgarten A (see Bahado-Singh et al). 2000;183:1114-8
- Baumgartner R (see Hillemanns et al). 2000;183:52-7
- Beatty B (see Galan et al). 2000;183:1158-61
- Behan M (see Fitzpatrick et al). 2000;183:1220-4
- Bekedam DJ (see Althuisius et al). 2000;183:823-9
- Belfort M (see Olson et al). 2000;183:995-7
- Belizán JM (see Conde-Agudelo and Belizán). 2000;183:1046 (Letter reply)
- Bellone S (see Santin et al). 2000;183:601-9
- Ben-Baruch G (see Gotlieb et al). 2000;183:541-6
- Benham BN (see Rust et al). 2000;183:830-5
- Bennet L (see Gunn et al). 2000;183:1564-72
- Bennink HJTC (see Dören et al). 2000;183:575-82
- Beresford SAA (see Hill et al). 2000;183:1456-61
- Berghella V (see Davis et al). 2000;183:836-9
- Berghella V (see Jenkins et al). 2000;183:847-52
- Bergman F (see Kjellberg et al). 2000;183:1238-42
- Berkowitz RL (see Eddleman et al). 2000;183:1078-81
- Berkowitz RL (see Malone et al). 2000;183:1591-2 (Letter reply)
- Berlin JA (see Sawin et al). 2000;183:1448-55
- Bernstein IM, Plociennik K, Stahle S, Badger GJ, Secker-Walker R. Impact of maternal cigarette smoking on fetal growth and body composition. 2000;183:883-6
- Berry SM (see Baumann et al). 2000;183:815-22
- Berry SM (see Romero et al). 2000;183:1070-7
- Bethel J (see Watts et al). 2000;183:100-7
- Bhol K (see Engineer et al). 2000;183:483-91 (AJOG reviews)
- Bianchi S (see Fedele et al). 2000;183:1462-7
- Bianco K (see Maymon et al). 2000;183:914-20
- Bielfeld P (see Rönnau et al). 2000;183:502-4
- Biffi A (see Locatelli et al). 2000;183:878-82
- Bigsby RM (see Hurd et al). 2000;183:1525-31
- Biondi C (see Pavan et al). 2000;183:76-82
- Birdsall M (see Pattison et al). 2000;183:1008-12
- Birkhead GS, Chang H-G, Smith PF, Warren BL, Glaros R, Pass KA, DeBuono BA. Consented testing of newborns and childbearing women for human immunodeficiency virus through a newborn metabolic screening program. 2000;183:245-51
- Bishai R (see Bar-Oz et al). 2000;183:617-20
- Bixo M (see Björn et al). 2000;183:1419-26
- Bjarnason NH, Byrjalsen I, Hassager C, Haarbo J, Christiansen C. Low doses of estradiol in combination with gestodene to prevent early postmenopausal bone loss. 2000;183:550-60
- Björn I, Bixo M, Nöjd KS, Nyberg S, Bäckström T. Negative mood changes during hormone replacement therapy: a comparison between two progestogens. 2000;183:1419-26
- Blackwell SC (see Baumann et al). 2000;183:815-22
- Blanchette H (see Vongthavaravat et al). 2000;183:505-6
- Bland ML, Vermillion ST, Soper DE. Late third-trimester treatment of rectovaginal group B streptococci with benzathine penicillin G. 2000;183:372-6
- Bland ML (see Vermillion et al). 2000;183:925-9
- Bloch DA (see Chitkara et al). 2000;183:230-4
- Bloom SL (see Yost et al). 2000;183:131-5
- Boehm FH (see Garite et al). 2000;183:1049-58
- Boer K (see Lunshof et al). 2000;183:460-1
- Bofill JA. Comments on sequential use of instruments at operative vaginal delivery. 2000;183:515-6 (Letter reply)
- Boggess KA, Kay HH, Crapo JD, Moore WF, Suliman HB, Oury TD. Differential localization of placental extracellular superoxide dismutase as pregnancy progresses. 2000;183:199-205
- Bongiovanni AM (see Korneeva et al). 2000;183:18-21
- Boone TB (see Alcalay et al). 2000;183:1348-54
- Borghi C, Esposti DE, Immordino V, Cassani A, Boschi S, Bovicelli L, Ambrosioni E. Relationship of systemic hemodynamics, left ventricular structure and function, and plasma natriuretic peptide concentrations during pregnancy complicated by preeclampsia. 2000;183:140-7
- Borgida AF, Mills AA, Feldman DM, Rodis JF, Egan JFX. Outcome of pregnancies complicated by ruptured membranes after genetic amniocentesis. 2000;183:937-9
- Borgmann CE, Jones BS. Legal issues in the provision of medical abortion. 2000;183:S84-94 (Symposium)
- Bornick PW (see Quintero et al). 2000;183:324-33
- Bornstein J, Auslender R, Goldstein S, Kohan R, Stolar Z, Abramovici H. Increased endometrial thickness in women with hypertension. 2000;183:583-7
- Boschi S (see Borghi et al). 2000;183:140-7
- Boubli L (see Sabatier et al). 2000;183:1558-63
- Bovicelli L (see Borghi et al). 2000;183:140-7
- Bovicelli L (see Guerra et al). 2000;183:476-82
- Bowling S (see McEvoy et al). 2000;183:895-9
- Boyle MB (see Buhimschi et al). 2000;183:68-75
- Bozzo M (see Galan et al). 2000;183:1158-61
- Brand A (see Lim et al). 2000;183:1144-51
- Brännström M (see Ekerhovd et al). 2000;183:610-6
- Brasch RC (see Gossmann et al). 2000;183:956-63
- Brehm WT (see Jones et al). 2000;183:356-60
- Breitbart V. Counseling for medical abortion. 2000;183:S26-33 (Symposium)
- Breitbart V, Rogers MK, VanDerhei D. Medical abortion service delivery. 2000;183:S16-25 (Symposium)
- Bretelle F (see Sabatier et al). 2000;183:1558-63
- Brewster WR (see DiSaia and Brewster). 2000;183:517 (Letter)
- Brewster WR (see Garite et al). 2000;183:1544-8
- Brocklehurst P (see Spencer et al). 2000;183:1308 (Letter)

- Brockman WW (see Toledo et al). 2000;183:377-82
Bronstein M (see Zimmer and Bronstein). 2000;183:755-8
Brost BC (see Jones et al). 2000;183:356-60
Brown HL (see Hurd et al). 2000;183:1525-31
Brubaker L (see FitzGerald et al). 2000;183:964-6
Bruna I (see Pascual et al). 2000;183:638-42
Buchbinder A, Miodovnik M, McElvy S, Rosenn B, Kranias G, Khoury J, Siddiqi TA. Is insulin lispro associated with the development or progression of diabetic retinopathy during pregnancy? 2000;183:1162-5
Buckens P (see Xiong et al). 2000;183:148-55
Buhimschi CS, Saade GR, Buhimschi IA, Gokdeniz R, Boyle MB, Garfield RE. Effect of stimulatory and inhibitory drugs on uterine electrical activity measured noninvasively from the abdominal surface of pregnant rats. 2000;183:68-75
Buhimschi IA, San Martin-Clark O, Aguan K, Thompson LP, Weiner CP. Differential alterations in responsiveness in particulate and soluble guanylate cyclases in pregnant guinea pig myometrium. 2000;183:1512-9
Buhimschi IA (see Buhimschi et al). 2000;183:68-75
Buller JL (see Lambrou et al). 2000;183:1355-60
Bump RC (see Barber et al). 2000;183:1402-11
Bump RC (see Weidner et al). 2000;183:1249-56
Bump RC (see Weidner et al). 2000;183:1390-401
Bundrick CM (see Helfgott et al). 2000;183:347-55
Burciu B (see Clapp et al). 2000;183:1484-8
Bürk M (see Surbek et al). 2000;183:1152-7
Burkert G (see Diro et al). 2000;183:516-7 (Letter reply)
Buscombe JR (see Lieberman et al). 2000;183:534-40
Buys S (see Hartge et al). 2000;183:1232-7
Buzzi M (see Pavan et al). 2000;183:76-82
Bwayo JJ (see Mostad et al). 2000;183:948-55
Byrjalsen I (see Bjarnason et al). 2000;183:550-60
Bytautienė E (see Garfield et al). 2000;183:118-25

C

- Calhoun BC (see Apodaca et al). 2000;183:1213-9
Calhoun BC (see Hoeldtke et al). 2000;183:1573-8
Calhoun BC (see Pierce et al). 2000;183:863-7
Camann W. Epidural anesthesia in severe preeclampsia. 2000;183:258 (Letter)
Canick JA (see Malone et al). 2000;183:1591-2 (Letter reply)
Cannon MJ (see Santin et al). 2000;183:601-9
Cantuarra G (see Mirhashemi et al). 2000;183:1375-80
Capeless EC (see Whitsel et al). 2000;183:1170-5
Capobianco G (see Dessole et al). 2000;183:396-9
Caputo TA (see Korneeva et al). 2000;183:18-21
Careda S (see Dessole et al). 2000;183:396-9
Carey JC (see Goldenberg et al). 2000;183:469-75
Carey JC (see Serra et al). 2000;183:778 (Letter)
Caritis SN (see Andrews et al). 2000;183:662-8
Caritis SN (see Goepfert et al). 2000;183:1480-3
Caritis SN (see Mercer et al). 2000;183:738-45
Caritis SN (see Sibai et al). 2000;183:1520-4
Carmina E (see Moran et al). 2000;183:1468-74
Carpenter LB, Baker RS, Greenberg S, Clark KE. The role of nitric oxide in mediating adenosine-induced increases in uterine blood flow in the oophorectomized nonpregnant sheep. 2000;183:46-51
Carr DB, Clark AL. Nifedipine as a safe and effective tocolytic agent in the treatment of preterm labor. 2000;183:514 (Letter reply)
Caruana P (see Muzii et al). 2000;183:588-92
Caruana R (see Sims et al). 2000;183:1198-206
Cassani A (see Borghi et al). 2000;183:140-7
Castelain B (see Occelli et al). 2000;183:529-33
Castro L (see Panting-Kemp et al). 2000;183:1207-12

- Castro LC (see Chammas et al). 2000;183:853-8
Catalano GF (see Muzii et al). 2000;183:588-92
Catalano PM (see Levine et al). 2000;183:787-92
Catalano PM (see Shao et al). 2000;183:1263-70
Caudron J (see Donders et al). 2000;183:431-7
Cavallo D (see Valerio et al). 2000;183:222-5
Cecere F (see Novicoff et al). 2000;183:291-300
Cefilli D (see Markovic et al). 2000;183:627-32
Cerralaza J (see Pascual et al). 2000;183:638-42
Chahine R (see Haddad et al). 2000;183:444-8
Chahine R (see Haddad et al). 2000;183:1475-9
Chakravarty B, Konar H, Chowdhury NNR. Pregnancies after reconstructive surgery for congenital cervicovaginal atresia. 2000;183:421-3
Chamley LW (see Pattison et al). 2000;183:1008-12
Chammas MF, Nguyen TM, Li MA, Nuwayhid BS, Castro LC. Expectant management of severe preterm preeclampsia: is intrauterine growth restriction an indication for immediate delivery? 2000;183:853-8
Chan L (see Chua et al). 2000;183:235-44
Chan LYS (see Lau et al). 2000;183:712-6
Chang C-C (see Hsieh et al). 2000;183:496-7
Chang H-G (see Birkhead et al). 2000;183:245-51
Chauhan SP (see Scardo et al). 2000;183:911-3
Chen Y-T (see Howell et al). 2000;183:407-13
Cheng DKL (see Wong et al). 2000;183:1579-82
Cherchi PL (see Dessole et al). 2000;183:396-9
Chez RA. Fetal hypothalamic-pituitary-adrenal axis. 2000;183:1310 (Letter)
Chi EY (see Vaezy et al). 2000;183:6-11
Chin R (see Livingston et al). 2000;183:1554-7
Chitkara U, Lee L, El-Sayed YY, Holbrook RH Jr, Bloch DA, Oehlert JW, Druzin ML. Ultrasonographic ear length measurement in normal second-and third-trimester fetuses. 2000;183:230-4
Chohan B (see Mostad et al). 2000;183:948-55
Chou B (see Lambrou et al). 2000;183:1355-60
Choudhary G (see Levine et al). 2000;183:787-92
Chowdhury NNR (see Chakravarty et al). 2000;183:421-3
Christensen HD (see Rayburn et al). 2000;183:1225-31
Christiansen C (see Bjarnason et al). 2000;183:550-60
Chu W (see Hunt et al). 2000;183:682-8
Chua BA, Chan L, Kindler PM, Perks AM. The association between meconium and the production and reabsorption of lung liquid and lactate loss by in vitro lungs from fetal guinea pigs. 2000;183:235-44
Chyu J (see Galan et al). 2000;183:1158-61
Ciani F (see De Leo et al). 2000;183:945-7
Clapp JF III, Kim H, Burciu B, Lopez B. Beginning regular exercise in early pregnancy: effect on fetoplacental growth. 2000;183:1484-8
Clapp JF III, Stepanchak W, Tomaselli J, Kortan M, Faneslow S. Portal vein blood flow—effects of pregnancy, gravity, and exercise. 2000;183:167-72
Clark AL (see Carr and Clark). 2000;183:514 (Letter reply)
Clark JF (see Thomson et al). 2000;183:206-10
Clark KE, Baker RS, Lang U. Premarin-induced increases in coronary and uterine blood flow in nonpregnant sheep. 2000;183:12-7
Clark KE (see Carpenter et al). 2000;183:46-51
Clarke L (see Heasman et al). 2000;183:1257-62
Coates KW (see Shull et al). 2000;183:1365-74
Cociancich G (see Londero and Cociancich). 2000;183:782-3 (Letter)
Cock ML (see Duncan et al). 2000;183:1013-22
Cohen A (see Zelop et al). 2000;183:1184-6
Cole LA (see Bahado-Singh et al). 2000;183:1114-8
Coleman MAG, France JT, Schellenberg J-C, Ananiev V, Townend K, Keelan JA, Groome NP, McCowan LME. Corticotropin-releasing

- hormone, corticotropin-releasing hormone-binding protein, and activin A in maternal serum: prediction of preterm delivery and response to glucocorticoids in women with symptoms of preterm labor. 2000;183:643-8
- Collins J (see McEvoy et al). 2000;183:895-9
- Concato J (see Howell et al). 2000;183:407-13
- Conde-Agudelo A, Belizán JM. Cigarette smoking during pregnancy. 2000;183:1046 (Letter reply)
- Cooperstock MS, Tummaru R, Bakewell J, Schramm W. Twin birth weight discordance and risk of preterm birth. 2000;183:63-7
- Corey L (see Mostad et al). 2000;183:948-55
- Coste E (see Occelli et al). 2000;183:529-33
- Cowie CC (see Troisi et al). 2000;183:389-95
- Crapo JD (see Bogges et al). 2000;183:199-205
- Creinin MD. Medical abortion regimens: historical context and overview. 2000;183:S3-9 (Symposium)
- Creinin MD (see Kruse et al). 2000;183:S65-75 (Symposium)
- Creinin MD (see Pymar and Creinin). 2000;183:S54-64 (Symposium)
- Critchlow CW (see Dublin et al). 2000;183:986-94
- Crombleholme TM (see Flake et al). 2000;183:1059-66
- Crombleholme TM (see Walsh et al). 2000;183:1067-9
- Crum LA (see Vaezy et al). 2000;183:6-11
- Cundiff GW (see Lambrou et al). 2000;183:1355-60
- Cunningham FG (see Yost et al). 2000;183:131-5
- Curet LB (see Levine et al). 2000;183:787-92
- Curtis NE, King RG, Moseley JM, Ho PWM, Rice GE, Wlodek ME. Preterm fetal growth restriction is associated with increased parathyroid hormone-related protein expression in the fetal membranes. 2000;183:700-5
- Custodio D (see Hallak et al). 2000;183:793-8
- D
- Daling JR (see Hill et al). 2000;183:1456-61
- D'Alton ME (see Malone et al). 2000;183:1591-2 (Letter reply)
- Danaceau MA (see Schmidt et al). 2000;183:414-20
- Darney P (see MacIsaac and Darney). 2000;183:S76-83 (Symposium)
- Daryani YP, Barker GH, Penna LK, Patton MA. Transcervical sampling as a means of detection of fetal cells during the first trimester of pregnancy. 2000;183:752-4
- Das A (see Andrews et al). 2000;183:662-8
- Das A (see Mercer et al). 2000;183:738-45
- Das AF (see Alexander et al). 2000;183:1003-7
- Dashe JS, McIntire DD, Santos-Ramos R, Leveno KJ. Impact of head-to-abdominal circumference asymmetry on outcomes in growth-discordant twins. 2000;183:1082-7
- Davidson B (see Gotlieb et al). 2000;183:541-6
- Davies JK, Shikes RH, Sze C-I, Leslie KK, McDuffie RS Jr, Romero R, Gibbs RS. Histologic inflammation in the maternal and fetal compartments in a rabbit model of acute intra-amniotic infection. 2000;183:1088-93
- Davis G, Berghella V, Talucci M, Wapner RJ. Patients with a prior failed transvaginal cerclage: a comparison of obstetric outcomes with either transabdominal or transvaginal cerclage. 2000;183:836-9
- Dayal AK, Manning FA. Have they really gone as far as they can go? 2000;183:783 (Letter reply)
- DeBuono BA (see Birkhead et al). 2000;183:245-51
- de Haan HH. Vaginal breech deliveries. 2000;183:516 (Letter)
- de Haan HH (see Gunn et al). 2000;183:1564-72
- Dekker GA (see Althuisius et al). 2000;183:823-9
- Dekker GA (see Papatsonis et al). 2000;183:513 (Letter)
- De Leo V, la Marca A, Morgante G, Ciani F, Zammarchi E, Setacci C. Low-dose folic acid supplementation reduces plasma levels of the cardiovascular risk factor homocysteine in postmenopausal women. 2000;183:945-7
- Delgado R (see Pascual et al). 2000;183:638-42
- Delles C (see John et al). 2000;183:28-33
- Dellinger EH (see Garite et al). 2000;183:1049-58
- Dembinski TC (see Liu et al). 2000;183:181-7
- Demianczuk NN (see Xiong et al). 2000;183:148-55
- Denbow ML (see Taylor et al). 2000;183:1023-8
- Dennerstein GJ (see Marin et al). 2000;183:34-8
- Dennery PA (see Baum et al). 2000;183:900-3
- Denny L, Kuhn L, Risi L, Richart RM, Pollack A, Lorincz A, Kostecki F, Wright TC Jr. Two-stage cervical cancer screening: an alternative for resource-poor settings. 2000;183:383-8
- d'Ercole C (see Sabatier et al). 2000;183:1558-63
- Deren O (see Bahado-Singh et al). 2000;183:746-51
- Dessole S, Rubattu G, Capobianco G, Caredda S, Cherchi PL. Utility of bipolar electrocautery scissors for abdominal hysterectomy. 2000;183:396-9
- de Swiet M (see Penny et al). 2000;183:658-61
- de Swiet M (see Waugh et al). 2000;183:633-7
- Detti L (see Mari et al). 2000;183:211-7
- DeVane GW, Gangrade BK, Wilson R, Loy RA. Optimal pregnancy outcome in a minimal-stimulation in vitro fertilization program. 2000;183:309-15
- Devoe L, Golde S, Kilman Y, Morton D, Shea K, Waller J. A comparison of visual analyses of intrapartum fetal heart rate tracings according to the new National Institute of Child Health and Human Development guidelines with computer analyses by an automated fetal heart rate monitoring system. 2000;183:361-6
- Dewailly D (see Moran et al). 2000;183:1468-74
- Deyer TW, Ashton-Miller JA, Van Baren PM, Pearlman MD. Myometrial contractile strain at uteroplacental separation during parturition. 2000;183:156-9
- Diekema DJ (see Andrews et al). 2000;183:859-62
- Dignat-George F (see Sabatier et al). 2000;183:1558-63
- Dildy GA (see Garite et al). 2000;183:1049-58
- Dildy GA (see Olson et al). 2000;183:995-7
- Dilley A, Austin H, El-Jamil M, Hooper WC, Barnhart E, Evatt BL, Sullivan PS, Ellingsen D, Patterson-Barnett A, Eller D, Randall H, Philipp C. Genetic factors associated with thrombosis in pregnancy in a United States population. 2000;183:1271-7
- Dillner J (see Elfgrén et al). 2000;183:561-7
- Dillner J (see Kjellberg et al). 2000;183:1238-42
- Di Pirro G (see Locatelli et al). 2000;183:878-82
- Diro M, Burkett G, O'Sullivan MJ. Vaginal breech deliveries. 2000;183:516-7 (Letter reply)
- DiSaia PJ, Brewster WR. Hormone replacement therapy in breast cancer survivors. 2000;183:517 (Letter)
- DiVito MM (see Reddy et al). 2000;183:1166-9
- Dizon-Townson DS, Lu J, Morgan TK, Ward KJ. Genetic expression by fetal chorionic villi during the first trimester of human gestation. 2000;183:706-11
- Dodson MK (see Sharp et al). 2000;183:1385-9
- Doern GV (see Andrews et al). 2000;183:859-62
- Dombrowski M (see Goepfert et al). 2000;183:1480-3
- Dombrowski MP (see Alexander et al). 2000;183:1003-7
- Dombrowski MP (see Goldenberg et al). 2000;183:469-75
- Dombrowski MP (see Mercer et al). 2000;183:738-45
- Dombrowski MP (see Sibai et al). 2000;183:1520-4
- Donders GGG, Van Bulck B, Caudron J, Londers L, Vereecken A, Spitz B. Relationship of bacterial vaginosis and mycoplasmas to the risk of spontaneous abortion. 2000;183:431-7
- Donner GG, Pel M, Lammes FB. Primary amenorrhea caused by crushing trauma of the pelvis. 2000;183:500-1
- Dören M, Rübigen A, Bennink HJTC, Holzgreve W. Resistance of pelvic arteries and plasma lipids in postmenopausal women: comparative study of tibolone and continuous combined estradiol and norethindrone acetate replacement therapy. 2000;183:575-82

- Doria V (*see* Locatelli et al). 2000;183:878-82
 Doucette RC (*see* Sharp et al). 2000;183:1385-9
 Draper DL, Landers DV, Krohn MA, Hillier SL, Wiesenfeld HC, Heine RP. Levels of vaginal secretory leukocyte protease inhibitor are decreased in women with lower reproductive tract infections. 2000;183:1243-8
 Draper E (*see* Novicoff et al). 2000;183:291-300
 Droegemueller W (*see* Grimes et al). 2000;183:1041-4 (Education)
 Druzin ML (*see* Chitkara et al). 2000;183:230-4
 DuBard MB (*see* Hogg et al). 2000;183:805-9
 Dublin S, Lydon-Rochelle M, Kaplan RC, Watts DH, Critchlow CW. Maternal and neonatal outcomes after induction of labor without an identified indication. 2000;183:986-94
 Duffy S (*see* Kremer and Duffy). 2000;183:22-7
 Duncan JR, Cock ML, Harding R, Rees SM. Relation between damage to the placenta and the fetal brain after late-gestation placental embolization and fetal growth restriction in sheep. 2000;183:1013-22
 Duncan KR (*see* Taylor et al). 2000;183:1023-8
 Dunnihoo DR (*see* Huddleston and Dunnihoo). 2000;183:519 (Letter)
 Dyack C. Rotational application of Leff forceps. 2000;183:779 (Letter)

E

- Eddleman KA, Stone JL, Lynch L, Berkowitz RL. Chorionic villus sampling before multifetal pregnancy reduction. 2000;183:1078-81
 Edwin S (*see* Maymon et al). 2000;183:94-9
 Edwin SS (*see* Maymon et al). 2000;183:887-94
 Edwin SS (*see* Pacora et al). 2000;183:904-10
 Edwin SS (*see* Pacora et al). 2000;183:1138-43
 Egan JFX (*see* Borgida et al). 2000;183:937-9
 Ek S. Cigarette smoking during pregnancy. 2000;183:1045-6 (Letter)
 Ekerhovd E, Brännström M, Weijdegård B, Norström A. Nitric oxide synthases in the human cervix at term pregnancy and effects of nitric oxide on cervical smooth muscle contractility. 2000;183:610-6
 Ekharth THA (*see* Spaanderman et al). 2000;183:1278-86
 Ekholm EMK (*see* Jokima et al). 2000;183:1495-8
 Elchalal U, Nagler A. Umbilical cord blood collection for transplantation: which technique should be preferred? 2000;183:1587-8 (Letter reply)
 Elfgrén K, Kalantari M, Moberger B, Hagmar B, Dillner J. A population-based five-year follow-up study of cervical human papillomavirus infection. 2000;183:561-7
 El-Jamil M (*see* Dilley et al). 2000;183:1271-7
 Eller D (*see* Dilley et al). 2000;183:1271-7
 Ellings J (*see* Scardo et al). 2000;183:911-3
 Ellingsen D (*see* Dilley et al). 2000;183:1271-7
 Elliot MC (*see* Asbill et al). 2000;183:340-6
 Elovitz MA, Ascher-Landsberg J, Saunders T, Phillippe M. The mechanisms underlying the stimulatory effects of thrombin on myometrial smooth muscle. 2000;183:674-81
 Elovitz MA, Saunders T, Ascher-Landsberg J, Phillippe M. Effects of thrombin on myometrial contractions in vitro and in vivo. 2000;183:799-804
 El-Sayed YY (*see* Chitkara et al). 2000;183:230-4
 El-Toukhy T (*see* Hefni and El-Toukhy). 2000;183:494-5
 Engineer L, Bhol K, Ahmed AR. Pemphigoid gestationis: a review. 2000;183:483-91 (AJOG reviews)
 Eriksen N (*see* Helfgott et al). 2000;183:347-55
 Ernest JM (*see* Goldenberg et al). 2000;183:469-75
 Ernst SD (*see* Leondires et al). 2000;183:454-9
 Escamilla JO. Comments on sequential use of instruments at operative vaginal delivery. 2000;183:515 (Letter)
 Escamilla JO. Posterior presentations: questions on forceps delivery with rotation. 2000;183:779-80 (Letter)

- Eschenbach DA (*see* Patton et al). 2000;183:967-73
 Esposito MA, Menihan CA, Malee MP. Association of interpregnancy interval with uterine scar failure in labor: a case-control study. 2000;183:1180-3
 Esposti DE (*see* Borghi et al). 2000;183:140-7
 Estape R (*see* Mirhashemi et al). 2000;183:1375-80
 Evatt BL (*see* Dilley et al). 2000;183:1271-7
 Ewell MG (*see* Levine et al). 2000;183:787-92

F

- Faas MM (*see* Schuiling et al). 2000;183:89-93
 Falkenburg JHF (*see* Lim et al). 2000;183:1144-51
 Faneslow S (*see* Clapp et al). 2000;183:167-72
 Fanning J. Questions about case report on vaginal dysplasia. 2000;183:1592-3 (Letter)
 Farkouh LJ, Sabin ED, Heyborne KD, Lindsay LG, Porreco RP. Delayed-interval delivery: extended series from a single maternal-fetal medicine practice. 2000;183:1499-1503
 Farmer DL (*see* Paek et al). 2000;183:1119-23
 Fedele L, Bianchi S, Zanconato G, Tozzi L, Raffaelli R. Gonadotropin-releasing hormone agonist treatment for endometriosis of the rectovaginal septum. 2000;183:1462-7
 Feldman DM. Posterior presentations: questions on forceps delivery with rotation. 2000;183:780 (Letter reply)
 Feldman DM. Rotational application of Leff forceps. 2000;183:780 (Letter reply)
 Feldman DM (*see* Borgida et al). 2000;183:937-9
 Fenner D (*see* FitzGerald et al). 2000;183:1361-4
 Ferguson JE II (*see* Finnerty et al). 2000;183:301-8
 Ferguson JE II (*see* Novicoff et al). 2000;183:291-300
 Ferrara N (*see* Gossman et al). 2000;183:956-63
 Ferrazzi E (*see* Galan et al). 2000;183:1158-61
 Ferretti ME (*see* Pavan et al). 2000;183:76-82
 Figueroa JP (*see* Mirabile et al). 2000;183:191-8
 Finnerty JJ, Pinkerton JV, Moreno J, Ferguson JE II. Ethical theory and principles: do they have any relevance to problems arising in everyday practice? 2000;183:301-8
 Fischer T, Schneider MP, Schobel HP, Heusser K, Langenfeld M, Schmieder RE. Vascular reactivity in patients with preeclampsia and HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome. 2000;183:1489-94
 Fisk NM (*see* Taylor et al). 2000;183:1023-8
 FitzGerald MP, Kulkarni N, Fenner D. Postoperative resolution of urinary retention in patients with advanced pelvic organ prolapse. 2000;183:1361-4
 FitzGerald MP, Mollenhauer J, Brubaker L. The fate of rectus fascia suburethral slings. 2000;183:964-6
 Fitzpatrick M, Behan M, O'Connell PR, O'Herlihy C. A randomized clinical trial comparing primary overlap with approximation repair of third-degree obstetric tears. 2000;183:1220-4
 Flake AW, Crombleholme TM, Johnson MP, Howell LJ, Adzick NS. Treatment of severe congenital diaphragmatic hernia by fetal tracheal occlusion: clinical experience with fifteen cases. 2000;183:1059-66
 Flake AW (*see* Walsh et al). 2000;183:1067-9
 Flett GMM (*see* Ashok et al). 2000;183:998-1002
 Fomin VP (*see* Hurd et al). 2000;183:1525-31
 Fowler MG (*see* Watts et al). 2000;183:100-7
 France JT (*see* Coleman et al). 2000;183:643-8
 Fresquez M (*see* Mann et al). 2000;183:933-6
 Friedman EA. Effects of smoking on blood pressure during pregnancy on balance are negative. 2000;183:776 (Letter)
 Friedman EH. Neurobiology of behavioral changes after prenatal exposure to paroxetine (Paxil). 2000;183:518-9 (Letter)
 Friedman JE (*see* Shao et al). 2000;183:1263-70

- Friedrich H-J (see Baumann et al). 2000;183:815-22
 Fruzzetti F (see Moran et al). 2000;183:1468-74
 Fujimoto VY (see Vaezy et al). 2000;183:6-11

G

- Galan HL, Rigano S, Chyu J, Beaty B, Bozzo M, Hobbins JC, Ferrazzi E. Comparison of low- and high-altitude Doppler velocimetry in the peripheral and central circulations of normal fetuses. 2000;183:1158-61
 Gallup DG. Where does the dwarf stand—and whom does he thank? 2000;183:1335-7 (Pres. address)
 Gambrell RD Jr. Physicians should provide moral leadership to their communities. 2000;183:261-70 (Pres. address)
 Gangrade BK (see DeVane et al). 2000;183:309-15
 Garfield RE, Bytautiene E, Vedernikov YP, Marshall JS, Romero R. Modulation of rat uterine contractility by mast cells and their mediators. 2000;183:118-25
 Garfield RE (see Buhimschi et al). 2000;183:68-75
 Garfield RE (see Vedernikov et al). 2000;183:514-5 (Letter reply)
 Garite TJ, Dildy GA, McNamara H, Nageotte MP, Boehm FH, Dellinger EH, Knuppel RA, Porreco RP, Miller HS, Sunderji S, Varner MW, Swedlow DB. A multicenter controlled trial of fetal pulse oximetry in the intrapartum management of nonreassuring fetal heart rate patterns. 2000;183:1049-58
 Garite TJ, Weeks J, Peters-Phair K, Pattillo C, Brewster WR. A randomized controlled trial of the effect of increased intravenous hydration on the course of labor in nulliparous women. 2000;183:1544-8
 Garvin D (see Hoffman et al). 2000;183:286-90
 Gazdar AF (see Lin et al). 2000;183:39-45
 Geifman-Holtzman O, Makhlof F, Kaufman L, Gonchoroff NJ, Holtzman EJ. The clinical utility of fetal cell sorting to determine prenatally fetal *E/e* or *e/e* Rh genotype from peripheral maternal blood. 2000;183:462-8
 Geller SE (see Panting-Kemp et al). 2000;183:1207-12
 Geraghty DE (see Hunt et al). 2000;183:682-8
 Gerber RT, Holemans K, O'Brien-Coker I, Mallet AI, van Bree R, Van Assche FA, Poston L. Increase of the isoprostane 8-isoprostaglandin $F_{2\alpha}$ in maternal and fetal blood of rats with streptozotocin-induced diabetes: evidence of lipid peroxidation. 2000;183:1035-40
 Gervasi M-T (see Maymon et al). 2000;183:887-94
 Gervasi M-T (see Maymon et al). 2000;183:914-20
 Gervasi M-T (see Pacora et al). 2000;183:904-10
 Gervasi M-T (see Pacora et al). 2000;183:1138-43
 Ghezzi F (see Maymon et al). 2000;183:914-20
 Ghia N, Spong CY, Starbuck VN, Scialli AR, Ghidini A. Magnesium sulfate therapy affects attention and working memory in patients undergoing preterm labor. 2000;183:940-4
 Ghidini A (see Ghia et al). 2000;183:940-4
 Ghidini A (see Locatelli et al). 2000;183:878-82
 Gibbs RS (see Davies et al). 2000;183:1088-93
 Gibon D (see Occelli et al). 2000;183:529-33
 Gibson JM (see Heald et al). 2000;183:593-600
 Gilbert P (see Segal et al). 2000;183:974-8
 Ginanni-Corradini F (see Pavan et al). 2000;183:76-82
 Gipson K (see Guzman et al). 2000;183:1108-13
 Giraldo P (see Witkin et al). 2000;183:252-6 (AJOG reviews)
 Girotra M (see Korneeva et al). 2000;183:18-21
 Gjessing HK (see Skjærven et al). 2000;183:689-96
 Glaros R (see Birkhead et al). 2000;183:245-51
 Gluckman PD (see Gunn et al). 2000;183:1564-72
 Goepfert AR, Goldenberg RL, Mercer B, Iams J, Meis P, Moawad A, Thom E, VanDorsten JP, Caritis SN, Thurnau G, Miodovnik M, Dombrowski M, Roberts JM, McNellis D. National Institute of Child Health and Human Development Maternal-Fetal Medicine Units Network. The Preterm Prediction Study: quantitative fetal fibronectin values and the prediction of spontaneous preterm birth. 2000;183:1480-3
 Gokdeniz R (see Buhimschi et al). 2000;183:68-75
 Golde S (see Devoe et al). 2000;183:361-6
 Goldenberg RL, Klebanoff M, Carey JC, MacPherson C, Leveno KJ, Moawad AH, Sibai B, Heine RP, Ernest JM, Dombrowski MP, Miodovnik M, Wapner RJ, Iams JD, Langer O, O'Sullivan MJ, Roberts JM. Vaginal fetal fibronectin measurements from 8 to 22 weeks' gestation and subsequent spontaneous preterm birth. 2000;183:469-75
 Goldenberg RL (see Alexander et al). 2000;183:1003-7
 Goldenberg RL (see Andrews et al). 2000;183:662-8
 Goldenberg RL (see Goepfert et al). 2000;183:1480-3
 Goldenberg RL (see Hogg et al). 2000;183:805-9
 Goldenberg RL (see Mercer et al). 2000;183:738-45
 Goldstein S (see Bornstein et al). 2000;183:583-7
 Gomez R (see Maymon et al). 2000;183:94-9
 Gomez R (see Maymon et al). 2000;183:887-94
 Gomez R (see Pacora et al). 2000;183:904-10
 Gomez R (see Pacora et al). 2000;183:1138-43
 Gomez R (see Romero et al). 2000;183:1070-7
 Gonchoroff NJ (see Geifman-Holtzman et al). 2000;183:462-8
 Gonen R, Bader D, Ajami M. Effects of a policy of elective cesarean delivery in cases of suspected fetal macrosomia on the incidence of brachial plexus injury and the rate of cesarean delivery. 2000;183:1296-300
 Gonzalez CL (see Rayburn et al). 2000;183:1225-31
 Goodlin RC. Have they really gone as far as they can go? 2000;183:783 (Letter)
 Goodlin RC. Were there any misdiagnoses? 2000;183:1046 (Letter)
 Goodlin RC. What is the meaning of authorship? 2000;183:775 (Letter)
 Gossman A, Helbich TH, Mesiano S, Shames DM, Wendland MF, Roberts TPL, Ferrara N, Jaffe RB, Brasch RC. Magnetic resonance imaging in an experimental model of human ovarian cancer demonstrating altered microvascular permeability after inhibition of vascular endothelial growth factor. 2000;183:956-63
 Gotlieb WH, Soriano D, Achiron R, Zalel Y, Davidson B, Kopolovic J, Novikov I, Ben-Baruch G. CA 125 measurement and ultrasonography in borderline tumors of the ovary. 2000;183:541-6
 Goumenou AG (see Matalliotakis et al). 2000;183:58-62
 Gratwohl A (see Surbek et al). 2000;183:218-21
 Gravett MG (see Sadowsky et al). 2000;183:173-80
 Greenberg S (see Carpenter et al). 2000;183:46-51
 Grether JK, Hoogstrate J, Walsh-Greene E, Nelson KB. Magnesium sulfate for tocolysis and risk of spastic cerebral palsy in premature children born to women without preeclampsia. 2000;183:717-25
 Grigsby PL, Poore KR, Hirst JJ, Jenkin G. Inhibition of premature labor in sheep by a combined treatment of nimesulide, a prostaglandin synthase type 2 inhibitor, and atosiban, an oxytocin receptor antagonist. 2000;183:649-57
 Grimes DA. Medical abortion: public health and private lives. 2000;183:S1-2 (Symposium)
 Grimes DA, Schulz KF, Droegemueller W, Munsick RA, Lisanti S. A faculty development course in obstetrics and gynecology. 2000;183:1041-4 (Education)
 Grisso JA (see Markovic et al). 2000;183:627-32
 Groome NP (see Coleman et al). 2000;183:643-8
 Guerra B, Lazzarotto T, Quarta S, Lanari M, Bovicelli L, Nicolosi A, Landini MP. Prenatal diagnosis of symptomatic congenital cytomegalovirus infection. 2000;183:476-82
 Gunn AJ, Maxwell L, de Haan HH, Bennet L, Williams CE, Gluckman PD, Gunn TR. Delayed hypotension and subendocardial in-

- jury after repeated umbilical cord occlusion in near-term fetal lambs. 2000;183:1564-72
- Gunn TR (see Gunn et al). 2000;183:1564-72
- Guzej Z (see Lovsin et al). 2000;183:781 (Letter)
- Guzman ER, Walters C, O'Reilly-Green C, Kinzler WL, Waldron R, Nigam J, Vintzileos AM. Use of cervical ultrasonography in prediction of spontaneous preterm birth in twin gestations. 2000;183:1103-7
- Guzman ER, Walters C, O'Reilly-Green C, Meirowitz NB, Gipson K, Nigam J, Vintzileos AM. Use of cervical ultrasonography in prediction of spontaneous preterm birth in triplet gestations. 2000;183:1108-13

H

- Haak MC (see Oosterhof et al). 2000;183:226-9
- Haarbo J (see Bjarnason et al). 2000;183:550-60
- Haddad B, Barton JR, Livingston JC, Chahine R, Sibai BM. HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome versus severe preeclampsia: onset at ≤ 28.0 weeks' gestation. 2000;183:1475-9
- Haddad B, Barton JR, Livingston JC, Chahine R, Sibai BM. Risk factors for adverse maternal outcomes among women with HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome. 2000;183:444-8
- Haddad B (see Livingston et al). 2000;183:1554-7
- Hagmar B (see Elfgrén et al). 2000;183:561-7
- Hahn S (see Surbek et al). 2000;183:218-21
- Hahn S (see Surbek et al). 2000;183:1152-7
- Hallak M, Hotra JW, Custodio D, Kruger ML. Magnesium prevents seizure-induced reduction in excitatory amino acid receptor (kainate and α -amino-3-hydroxy-5-methyl-isoxazole-4-propionic acid) binding in pregnant rat brain. 2000;183:793-8
- Halligan AWF (see Vaughn et al). 2000;183:633-7
- Haluska GJ (see Sadowsky et al). 2000;183:173-80
- Hanlon-Lundberg KM, Kirby RS. Association of ABO incompatibility with elevation of nucleated red blood cell counts in term neonates. 2000;183:1532-6
- Hanson MA (see Ozaki et al). 2000;183:1301-7
- Harding R (see Duncan et al). 2000;183:1013-22
- Harper DM. Treatment threshold probability for vaginitis. 2000;183:517-8 (Letter)
- Harper M. Nonstress tests versus biophysical profiles. 2000;183:777 (Letter)
- Harris MI (see Troisi et al). 2000;183:389-95
- Harrison MR (see Paek et al). 2000;183:1119-23
- Hartge P, Hayes R, Reding D, Sherman ME, Prorok P, Schiffman M, Buys S. Complex ovarian cysts in postmenopausal women are not associated with ovarian cancer risk factors: preliminary data from the Prostate, Lung, Colon, and Ovarian Cancer Screening Trial. 2000;183:1232-7
- Harvey LA (see Kjerulff et al). 2000;183:1440-7
- Hassager C (see Bjarnason et al). 2000;183:550-60
- Hauth JC (see Hogg and Hauth). 2000;183:258 (Letter reply)
- Hauth JC (see Hogg et al). 2000;183:775-6 (Letter reply)
- Hauth JC (see Levine et al). 2000;183:787-92
- Hauth JC (see Sibai et al). 2000;183:1520-4
- Hawkins P (see Ozaki et al). 2000;183:1301-7
- Hayes R (see Hartge et al). 2000;183:1232-7
- Heald A, Selby PL, White A, Gibson JM. Progestins abrogate estrogen-induced changes in the insulin-like growth factor axis. 2000;183:593-600
- Heasman L, Clarke L, Symonds ME. Influence of thyrotropin-releasing hormone administration at birth on thermoregulation in lambs delivered by cesarean. 2000;183:1257-62
- Heffner LJ (see McElrath et al). 2000;183:840-6
- Hefni M, El-Toukhy T. Vaginal subtotal hysterectomy and sacrospinous colpopexy: an option in the management of uterine prolapse. 2000;183:494-5
- Heine RP (see Draper et al). 2000;183:1243-8
- Heine RP (see Goldenberg et al). 2000;183:469-75
- Helbich TH (see Gossman et al). 2000;183:956-63
- Helfgott A, Eriksen N, Bundrick CM, Lorimor R, Van Eckhout B. Vaginal infections in human immunodeficiency virus-infected women. 2000;183:347-55
- Henzel MK (see Alsip et al). 2000;183:621-6
- Herbeck M (see Lang and Herbeck). 2000;183:781 (Letter reply)
- Herbeck M (see Lang and Herbeck). 2000;183:783 (Letter reply)
- Hermans JMH (see Lim et al). 2000;183:1144-51
- Herman PL (see Santin et al). 2000;183:601-9
- Heusser K (see Fischer et al). 2000;183:1489-94
- Heyborne KD. Preeclampsia prevention: lessons from the low-dose aspirin therapy trials. 2000;183:523-8 (Clin. opinion)
- Heyborne KD (see Farkouh et al). 2000;183:1499-1503
- Higgins RV (see Asbill et al). 2000;183:340-6
- Hill DA, Weiss NS, Beresford SAA, Voigt LF, Daling JR, Stanford JL, Self S. Continuous combined hormone replacement therapy and risk of endometrial cancer. 2000;183:1456-61
- Hillemanns P, Weingandt H, Stepp H, Baumgartner R, Xiang W, Korell M. Assessment of 5-aminolevulinic acid-induced porphyrin fluorescence in patients with peritoneal endometriosis. 2000;183:52-7
- Hillier SL (see Draper et al). 2000;183:1243-8
- Hilson AJW (see Lieberman et al). 2000;183:534-40
- Hirst JJ (see Grigsby et al). 2000;183:649-57
- Ho PWM (see Curtis et al). 2000;183:700-5
- Hobbins JC (see Galan et al). 2000;183:1158-61
- Hobson J (see Impey et al). 2000;183:438-43
- Hoeks APG (see Spaanderman et al). 2000;183:1278-86
- Hoeldtke NJ, Wagner RK, Calhoun BC, Hume RF Jr. Vasodilatory response of fetoplacental vasculature to adrenomedullin after constriction with the thromboxane sympathomimetic U46619. 2000;183:1573-8
- Hoffman MS, Lockhart J, Garvin D. Accurate repair of the prolapsed vagina by use of measured lateral flaps. 2000;183:286-90
- Hogg BB, Hauth JC. Epidural anesthesia in severe preeclampsia. 2000;183:258 (Letter reply)
- Hogg BB, Hauth JC, Meis PJ, Roberts JM, Meikle S. What is the meaning of authorship? 2000;183:775-6 (Letter reply)
- Hogg BB, Tamura T, Johnston KE, DuBard MB, Goldenberg RL. Second-trimester plasma homocysteine levels and pregnancy-induced hypertension, preeclampsia, and intrauterine growth restriction. 2000;183:805-9
- Hogg BB (see Ramsey et al). 2000;183:1100-2
- Hohlfield P (see Ahtari and Hohlfield). 2000;183:511-2
- Holbrook RH Jr (see Chitkara et al). 2000;183:230-4
- Holemans K (see Gerber et al). 2000;183:1035-40
- Holtzman EJ (see Geifman-Holtzman et al). 2000;183:462-8
- Holzgrevé W (see Dören et al). 2000;183:575-82
- Holzgrevé W (see Surbek et al). 2000;183:218-21
- Holzgrevé W (see Surbek et al). 2000;183:1152-7
- Holzgrevé W (see Surbek et al). 2000;183:1587 (Letter)
- Hoogstrate J (see Grether et al). 2000;183:717-25
- Hooper WC (see Dilley et al). 2000;183:1271-7
- Hooton TM (see Patton et al). 2000;183:967-73
- Hopkins MP. The myths of laparoscopic surgery. 2000;183:1-5 (Clin. opinion)
- Hornung JW (see Alsip et al). 2000;183:621-6
- Hornyak R (see Spitzer et al). 2000;183:759-69 (Education)
- Hotra JW (see Hallak et al). 2000;183:793-8
- Howell E, Chen Y-T, Moradi M, Concato J. Cervical cancer practice patterns and appropriateness of therapy. 2000;183:407-13

- Howell LJ (see Flake et al). 2000;183:1059-66
 Howell LJ (see Walsh et al). 2000;183:1067-9
 Hsieh Y-Y, Chang C-C, Li P-C, Tsai H-D, Tsai C-H. Successful application of extracorporeal membrane oxygenation and intra-aortic balloon counterpulsation as lifesaving therapy for a patient with amniotic fluid embolism. 2000;183:496-7
 Hsu C-D (see Bahado-Singh et al). 2000;183:746-51
 Hubbard AM (see Walsh et al). 2000;183:1067-9
 Huch A (see Krähenmann et al). 2000;183:1308-9 (Letter)
 Huddleston HT, Dunnihoo DR. Clinical assessment of paravaginal defects. 2000;183:519 (Letter)
 Hume RF Jr (see Apodaca et al). 2000;183:1213-9
 Hume RF Jr (see Hoeldtke et al). 2000;183:1573-8
 Hume RF Jr (see Pierce et al). 2000;183:863-7
 Hummel P (see Althuisius et al). 2000;183:823-9
 Hunt JS, Jadhav L, Chu W, Geraghty DE, Ober C. Soluble HLA-G circulates in maternal blood during pregnancy. 2000;183:682-8
 Hunt RS (see McKinney et al). 2000;183:874-7
 Hunter SK (see Andrews et al). 2000;183:859-62
 Hurd WW, Fomin VP, Natarajan V, Brown HL, Bigsby RM, Singh DM. Expression of protein kinase C isozymes in nonpregnant and pregnant human myometrium. 2000;183:1525-31
 Hutton EK (see Mozurkewich and Hutton). 2000;183:1187-97
 Hyslop T (see Reddy et al). 2000;183:1166-9
- I
- Iams J (see Andrews et al). 2000;183:662-8
 Iams J (see Goepfert et al). 2000;183:1480-3
 Iams JD (see Alexander et al). 2000;183:1003-7
 Iams JD (see Goldenberg et al). 2000;183:469-75
 Ibañez L (see Moran et al). 2000;183:1468-74
 Ibba RM (see Zoppi et al). 2000;183:1590-1 (Letter)
 Immordino V (see Borghi et al). 2000;183:140-7
 Impey L, Hobson J, O'Herlihy C. Graphic analysis of actively managed labor: prospective computation of labor progress in 500 consecutive nulliparous women in spontaneous labor at term. 2000;183:438-43
 Inki PLK (see Jokimaa et al). 2000;183:1495-8
 Isaksson M (see Kjellberg et al). 2000;183:1238-42
 Ishizuka T (see Shao et al). 2000;183:1263-70
 Ito S (see Koyama et al). 2000;183:1537-43
 Iyer V (see Nijland et al). 2000;183:1549-53
 Izena H (see Maehama et al). 2000;183:492-3
- J
- Jacobi J (see John et al). 2000;183:28-33
 Jadhav L (see Hunt et al). 2000;183:682-8
 Jaffe RB (see Gossman et al). 2000;183:956-63
 Jauniaux E (see Pahal et al). 2000;183:1029-34
 Jazayeri A, Politz L, Tsihris JCM, Queen T, Spellacy WN. Fetal erythropoietin levels in pregnancies complicated by meconium passage: does meconium suggest fetal hypoxia? 2000;183:188-90
 Jenkin G (see Grigsby et al). 2000;183:649-57
 Jenkins TM, Berghella V, Shlossman PA, McIntyre CJ, Maas BD, Pollock MA, Wapner RJ. Timing of cerclage removal after preterm premature rupture of membranes: maternal and neonatal outcomes. 2000;183:847-52
 Jennings RW (see Paek et al). 2000;183:1119-23
 Jeremias J (see Witkin et al). 2000;183:252-6 (AJOG reviews)
 Jespersen KM (see Sanderson et al). 2000;183:1504-11
 Joffe C. Medical abortion in social context. 2000;183:S10-5 (Symposium)
 John S, Jacobi J, Schlaich MP, Delles C, Schmieder RE. Effects of oral contraceptives on vascular endothelium in premenopausal women. 2000;183:28-33
 Johnson MP (see Flake et al). 2000;183:1059-66
 Johnson MP (see Walsh et al). 2000;183:1067-9
 Johnson P (see Quintero et al). 2000;183:324-33
 Johnson-Ward J (see Toledo et al). 2000;183:377-82
 Johnston KE (see Hogg et al). 2000;183:805-9
 Jokimaa VIS, Kujari HP, Ekholm EMK, Inki PLK, Anttila L. Placental expression of syndecan 1 is diminished in preeclampsia. 2000;183:1495-8
 Jones AE (see Toledo et al). 2000;183:377-82
 Jones BS (see Borgmann and Jones). 2000;183:S84-94 (Symposium)
 Jones DR (see Waugh et al). 2000;183:633-7
 Jones KJ (see Rust et al). 2000;183:830-5
 Jones RN (see Andrews et al). 2000;183:859-62
 Jones SC, Brost BC, Brehm WT. Should intravenous tocolysis be considered beyond 34 weeks' gestation? 2000;183:356-60
 Jouppila P (see Mäkelä et al). 2000;183:726-31
 Jun JK, Yoon BH, Romero R, Kim M, Moon JB, Ki SH, Park JS. Interleukin 6 determinations in cervical fluid have diagnostic and prognostic value in preterm premature rupture of membranes. 2000;183:868-73
 Jun JK (see Yoon et al). 2000;183:1124-9
 Jun JK (see Yoon et al). 2000;183:1130-7
- K
- Kalantari M (see Elfgren et al). 2000;183:561-7
 Kanazawa K (see Maehama et al). 2000;183:492-3
 Kane EK (see Novicoff et al). 2000;183:291-300
 Kanhai HHH (see Lim et al). 2000;183:1144-51
 Kaplan RC (see Dublin et al). 2000;183:986-94
 Kaufman L (see Geifman-Holtzman et al). 2000;183:462-8
 Kaunitz AM (see Sanchez-Ramos and Kaunitz). 2000;183:257-8 (Letter reply)
 Kay HH (see Boggess et al). 2000;183:199-205
 Keelan JA (see Coleman et al). 2000;183:643-8
 Keffer JH (see Ramin et al). 2000;183:1309-10 (Letter reply)
 Khastgir G, Studd J. Patients' outlook, experience, and satisfaction with hysterectomy, bilateral oophorectomy, and subsequent continuation of hormone replacement therapy. 2000;183:1427-33
 Khoury J (see Buchbinder et al). 2000;183:1162-5
 Khoury J (see McElvy et al). 2000;183:1583-6
 Ki SH (see Jun et al). 2000;183:868-73
 Kiem H-P (see Shields et al). 2000;183:732-7
 Kilman Y (see Devoe et al). 2000;183:361-6
 Kim CJ (see Yoon et al). 2000;183:1124-9
 Kim E-C (see Yoon et al). 2000;183:1130-7
 Kim H (see Clapp et al). 2000;183:1484-8
 Kim M (see Jun et al). 2000;183:868-73
 Kim M (see Yoon et al). 2000;183:1124-9
 Kim M (see Yoon et al). 2000;183:1130-7
 Kim T (see Yoon et al). 2000;183:1130-7
 Kindler PM (see Chua et al). 2000;183:235-44
 King R (see Marin et al). 2000;183:34-8
 King RG (see Curtis et al). 2000;183:700-5
 Kinnon C (see Pahal et al). 2000;183:1029-34
 Kinzler WL (see Guzman et al). 2000;183:1103-7
 Kirby RS (see Hanlon-Lundberg and Kirby). 2000;183:1532-6
 Kjellberg L, Wadell G, Bergman F, Isaksson M, Ångström T, Dillner J. Regular disappearance of the human papillomavirus genome after conization of cervical dysplasia by carbon dioxide laser. 2000;183:1238-42
 Kjerulff KH, Rhodes JC, Langenberg PW, Harvey LA. Patient satisfaction with results of hysterectomy. 2000;183:1440-7
 Klebanoff M (see Goldenberg et al). 2000;183:469-75

- Klebanoff M (see Sibai et al). 2000;183:1520-4
Klebanoff MA (see Zhang et al). 2000;183:776-7 (Letter reply)
Knaus WA (see Novicoff et al). 2000;183:291-300
Knochenhauer ES (see Moran et al). 2000;183:1468-74
Knuppel RA (see Garite et al). 2000;183:1049-58
Koenen SV (see Wu et al). 2000;183:1287-95
Koff RS (see Vongthavaravat et al). 2000;183:505-6
Kohan R (see Bornstein et al). 2000;183:583-7
Konar H (see Chakravarty et al). 2000;183:421-3
Kooba AM (see Vermillion et al). 2000;183:271-6
Kopecky EA, Ryan ML, Barrett JFR, Seaward PGR, Ryan G, Koren G, Amankwah K. Fetal response to maternally administered morphine. 2000;183:424-30
Kopolovic J (see Gottlieb et al). 2000;183:541-6
Korell M (see Hillenmanns et al). 2000;183:52-7
Koren G (see Bar-Oz et al). 2000;183:617-20
Koren G (see Kopecky et al). 2000;183:424-30
Korneeva I, Bongiovanni AM, Girotta M, Caputo TA, Witkin SS. Serum antibodies to the 27-kd heat shock protein in women with gynecologic cancers. 2000;183:18-21
Kortan M (see Clapp et al). 2000;183:167-72
Kortes-van Hoffen G (see Lunshof et al). 2000;183:460-1
Kostecki F (see Denny et al). 2000;183:383-8
Kotrotsios SH (see Asbill et al). 2000;183:340-6
Koumantaki YG (see Matalliotakis et al). 2000;183:58-62
Koumantakis EE (see Matalliotakis et al). 2000;183:58-62
Koumantakis GE (see Matalliotakis et al). 2000;183:58-62
Koutsly LA (see Marrazzo et al). 2000;183:770-4 (AJOG reviews)
Kouvaris JR, Antypas CE, Sandilos PH, Platanotis GA, Tympanides CN, Vlahos LJ. Postoperative tailored radiotherapy for locally advanced breast carcinoma during pregnancy: a therapeutic dilemma. 2000;183:498-9
Kovanci E (see Bahado-Singh et al). 2000;183:746-51
Koyama M, Ito S, Nakajima A, Shimoya K, Azuma C, Suehara N, Murata Y, Tojo H. Elevations of group II phospholipase A₂ concentrations in serum and amniotic fluid in association with preterm labor. 2000;183:1537-43
Krähenmann F, Huch A, Atar D. Troponin I measurement in the diagnosis of myocardial injury during pregnancy and delivery: two cases. 2000;183:1308-9 (Letter)
Kranias G (see Buchbinder et al). 2000;183:1162-5
Kreiser D (see Baum et al). 2000;183:900-3
Kreiss JK (see Mostad et al). 2000;183:948-55
Kremer C, Duffy S. In vitro studies of cryoablation of the endometrium. 2000;183:22-7
Kroenke K (see Spitzer et al). 2000;183:759-69 (Education)
Krohn M (see Sims et al). 2000;183:1198-206
Krohn MA (see Draper et al). 2000;183:1243-8
Kroll GL, Miller L. Vulvar epithelial inclusion cyst as a late complication of childhood female traditional genital surgery. 2000;183:509-10
Krüger K (see Kublickiene et al). 2000;183:160-6
Kruger K, Westren M. Fetal blood lactate concentration. 2000;183:1308 (Letter reply)
Kruger ML (see Hallak et al). 2000;183:793-8
Kruse B, Poppema S, Creinin MD, Paul M. Management of side effects and complications in medical abortion. 2000;183:S65-75 (Symposium)
Kublickiene KR, Lindblom B, Krüger K, Nisell H. Preeclampsia: evidence for impaired shear stress-mediated nitric oxide release in uterine circulation. 2000;183:160-6
Kuehl TJ (see Shull et al). 2000;183:1365-74
Kuhn L (see Denny et al). 2000;183:383-8
Kujari HP (see Jokimaa et al). 2000;183:1495-8
Kulkarni N (see FitzGerald et al). 2000;183:1361-4
Kyriakou DS (see Matalliotakis et al). 2000;183:58-62
- L
- la Marca A (see De Leo et al). 2000;183:945-7
Lambert JS (see Watts et al). 2000;183:100-7
Lambert PC (see Waugh et al). 2000;183:633-7
Lambrou NC, Buller JL, Thompson JR, Cundiff GW, Chou B, Montz FJ. Prevalence of perioperative complications among women undergoing reconstructive pelvic surgery. 2000;183:1355-60
Lammes FB (see Donner et al). 2000;183:500-1
Lanari M (see Guerra et al). 2000;183:476-82
Landers DV (see Draper et al). 2000;183:1243-8
Landini MP (see Guerra et al). 2000;183:476-82
Landon M (see Sibai et al). 2000;183:1520-4
Lang U (see Clark et al). 2000;183:12-7
Lang W, Herbeck M. Splenic artery aneurysm. 2000;183:781 (Letter reply)
Lang W, Herbeck M. Spontaneous rupture of the spleen in labor. 2000;183:783 (Letter reply)
Langenberg PW (see Kjerulff et al). 2000;183:1440-7
Langenfeld M (see Fischer et al). 2000;183:1489-94
Langer KM (see Sharp et al). 2000;183:1385-9
Langer O (see Goldenberg et al). 2000;183:469-75
Lanvin D (see Occelli et al). 2000;183:529-33
Lau TK, Lo KW, Chan LYS, Leung TY, Lo YMD. Cell-free fetal deoxyribonucleic acid in maternal circulation as a marker of fetal-maternal hemorrhage in patients undergoing external cephalic version near term. 2000;183:712-6
Lazzarotto T (see Guerra et al). 2000;183:476-82
LeBlanc E (see Occelli et al). 2000;183:529-33
Ledger WJ (see Witkin et al). 2000;183:252-6 (AJOG reviews)
Lee L (see Chitkara et al). 2000;183:230-4
Leondires MP, Ernst SD, Miller BT, Scott RT Jr. Triplets: outcomes of expectant management versus multifetal reduction for 127 pregnancies. 2000;183:454-9
Leslie KK (see Davies et al). 2000;183:1088-93
Leung TN (see Smith et al). 2000;183:697-9
Leung TY (see Lau et al). 2000;183:712-6
Leveno KJ (see Dashe et al). 2000;183:1082-7
Leveno KJ (see Goldenberg et al). 2000;183:469-75
Levine RJ, Ewell MG, Hauth JC, Curet LB, Catalano PM, Morris CD, Choudhary G, Sibai BM. Should the definition of preeclampsia include a rise in diastolic blood pressure of ≥ 15 mm Hg to a level < 90 mm Hg in association with proteinuria? 2000;183:787-92
Levine RJ (see Zhang et al). 2000;183:776-7 (Letter reply)
Lewis DF, Adair CD, Barrilleaux PS. Nonstress tests versus biophysical profiles. 2000;183:777-8 (Letter reply)
Li MA (see Chammas et al). 2000;183:853-8
Li P-C (see Hsieh et al). 2000;183:496-7
Liddell HS (see Pattison et al). 2000;183:1008-12
Lieberman E (see Zelop et al). 2000;183:1184-6
Lieberman ES (see McElrath et al). 2000;183:840-6
Lieberman G, Buscombe JR, Hilson AJW, Reid WM, Thakrar D, MacLean AB. Preoperative diagnosis of ovarian carcinoma with a novel monoclonal antibody. 2000;183:534-40
Lim FTH, Scherjon SA, van Beckhoven JM, Brand A, Kanhai HHH, Hermans JMH, Falkenburg JHF. Association of stress during delivery with increased numbers of nucleated cells and hematopoietic progenitor cells in umbilical cord blood. 2000;183:1144-51
Lin WM, Ashfaq R, Michalopoulos EA, Maitra A, Gazdar AF, Muller CY. Molecular Papanicolaou tests in the twenty-first century: molecular analyses with fluid-based Papanicolaou technology. 2000;183:39-45
Lindblom B (see Kublickiene et al). 2000;183:160-6
Lindsay LG (see Farkouh et al). 2000;183:1499-1503
Linhares I (see Witkin et al). 2000;183:252-6 (AJOG reviews)
Lisanti S (see Grimes et al). 2000;183:1041-4 (Education)

- Liu K-Z, Shaw RA, Dembinski TC, Reid GJ, Ying SL, Mantsch HH. Comparison of infrared spectroscopic and fluorescence depolarization assays for fetal lung maturity. 2000;183:181-7
- Liu Q (see Sanderson et al). 2000;183:1504-11
- Livingston JC, Chin R, Haddad B, McKinney ET, Sibai BM. Reductions of vascular endothelial growth factor and placental growth factor concentrations in severe preeclampsia. 2000;183:1554-7
- Livingston JC (see Haddad et al). 2000;183:444-8
- Livingston JC (see Haddad et al). 2000;183:1475-9
- Lo KWK (see Lau et al). 2000;183:712-6
- Lo YMD (see Lau et al). 2000;183:712-6
- Locatelli A, Vergani P, Di Pirro G, Doria V, Biffi A, Ghidini A. Role of amnioinfusion in the management of premature rupture of the membranes at <26 weeks' gestation. 2000;183:878-82
- Lockhart J (see Hoffman et al). 2000;183:286-90
- Londero F, Cociancich G. Spontaneous rupture of the spleen in labor. 2000;183:782-3 (Letter)
- Londers L (see Donders et al). 2000;183:431-7
- Lopez B (see Clapp et al). 2000;183:1484-8
- Lorimor R (see Helfgott et al). 2000;183:347-55
- Lorincz A (see Denny et al). 2000;183:383-8
- Lovšin B, Ravnikar J, Guzej Z. Splenic artery aneurysm. 2000;183:781 (Letter)
- Loy RA (see DeVane et al). 2000;183:309-15
- Lu J (see Dizon-Townson et al). 2000;183:706-11
- Lucente V (see Mattox et al). 2000;183:1381-4
- Lunshof S, van Someren EJW, Kortjes-van Hoffen G, Wolf H, Boer K. Lack of relationship between diurnal rhythms in fetal heart rate and maternal cortisol concentration. 2000;183:460-1
- Lydon-Rochelle M (see Dublin et al). 2000;183:986-94
- Lynch L (see Eddleman et al). 2000;183:1078-81
- M
- Ma XH (see Wu et al). 2000;183:1287-95
- Maas BD (see Jenkins et al). 2000;183:847-52
- Macio I (see Wiesenfeld and Macio). 2000;183:518 (Letter reply)
- MacIsaac L, Darney P. Early surgical abortion: an alternative to and backup for medical abortion. 2000;183:S76-83 (Symposium)
- MacLean AB (see Lieberman et al). 2000;183:534-40
- MacLennan GT (see Rose et al). 2000;183:507-8
- MacPherson C (see Goldenberg et al). 2000;183:469-75
- MacPherson C (see Sibai et al). 2000;183:1520-4
- Macri JN, Orlandi F. First-trimester Down syndrome screening. 2000;183:1590-1 (Letter)
- Maehama T, Izena H, Kanazawa K. Management of autonomic hyperreflexia with magnesium sulfate during labor in a woman with spinal cord injury. 2000;183:492-3
- Maher J (see McEvoy et al). 2000;183:895-9
- Mahoney MJ (see Bahado-Singh et al). 2000;183:1114-8
- Mahran R (see Mirhashemi et al). 2000;183:1375-80
- Maitra A (see Lin et al). 2000;183:39-45
- Makhoul F (see Geifman-Holtzman et al). 2000;183:462-8
- Mäkilä K, Vuolteenaho O, Jouppila P, Räsänen J. Association of severe placental insufficiency and systemic venous pressure rise in the fetus with increased neonatal cardiac troponin T levels. 2000;183:726-31
- Malee MP (see Esposito et al). 2000;183:1180-3
- Mallet AI (see Gerber et al). 2000;183:1035-40
- Malone FD, D'Alton ME, Berkowitz RL, Canick JA. First-trimester Down syndrome screening. 2000;183:1591-2 (Letter reply)
- Malone FD, D'Alton ME, Berkowitz RL, Canick JA. First-trimester screening for aneuploidy by nuchal translucency. 2000;183:1591-2 (Letter reply)
- Mandaliya K (see Mostad et al). 2000;183:948-55
- Mann SE, Fresquez M, Ross MG. A simplified index of the plasma sodium threshold for arginine vasopressin secretion—morning fasting, euhydrated sodium levels. 2000;183:933-6
- Manning FA (see Dayal and Manning). 2000;183:783 (Letter reply)
- Mantsch HH (see Liu et al). 2000;183:181-7
- Marana R (see Muzii et al). 2000;183:588-92
- Marcondes JAM (see Moran et al). 2000;183:1468-74
- Mareels G (see Bar-Oz et al). 2000;183:617-20
- Margutti F (see Muzii et al). 2000;183:588-92
- Mari G, Detti L, Oz U, Abuhamad AZ. Long-term outcome in twin-twin transfusion syndrome treated with serial aggressive amnioreduction. 2000;183:211-7
- Mari G (see Bahado-Singh et al). 2000;183:746-51
- Marin M-G, King R, Sfameni S, Dennerstein GJ. Adverse behavioral and sexual factors in chronic vulvar disease. 2000;183:34-8
- Markovic N, Ness RB, Cefilli D, Grisso JA, Stahmer S, Shaw LM. Substance use measures among women in early pregnancy. 2000;183:627-32
- Marrazzo JM, Stine K, Koutsky LA. Genital human papillomavirus infection in women who have sex with women: a review. 2000;183:770-4 (AJOG reviews)
- Marshall JS (see Garfield et al). 2000;183:118-25
- Martin RW (see Vaezy et al). 2000;183:6-11
- Massmann GA (see Mirabile et al). 2000;183:191-8
- Matalliotakis IM, Koumantaki YG, Neonaki MA, Goumenou AG, Koumantakis GE, Kyriakou DS, Koumantakis EE. Increase in serum leptin concentrations among women with endometriosis during danazol and leuprolide depot treatments. 2000;183:58-62
- Matej LA (see Apodaca et al). 2000;183:1213-9
- Mattar F (see Witlin et al). 2000;183:83-8
- Mattox TF, Lucente V, McIntyre P, Miklos JR, Tomezsko J. Abnormal spinal curvature and its relationship to pelvic organ prolapse. 2000;183:1381-4
- Maxwell L (see Gunn et al). 2000;183:1564-72
- Maymon E, Romero R, Pacora P, Gervasi M-T, Bianco K, Ghezzi F, Yoon BH. Evidence for the participation of interstitial collagenase (matrix metalloproteinase 1) in preterm premature rupture of membranes. 2000;183:914-20
- Maymon E, Romero R, Pacora P, Gervasi M-T, Gomez R, Edwin SS, Yoon BH. Evidence of in vivo differential bioavailability of the active forms of matrix metalloproteinases 9 and 2 in parturition, spontaneous rupture of membranes, and intra-amniotic infection. 2000;183:887-94
- Maymon E, Romero R, Pacora P, Gomez R, Athayde N, Edwin S, Yoon BH. Human neutrophil collagenase (matrix metalloproteinase 8) in parturition, premature rupture of the membranes, and intrauterine infection. 2000;183:94-9
- Maymon E (see Pacora et al). 2000;183:904-10
- Maymon E (see Pacora et al). 2000;183:1138-43
- Maymon E (see Romero et al). 2000;183:1070-7
- Mazor M (see Romero et al). 2000;183:1070-7
- McCowan LME (see Coleman et al). 2000;183:643-8
- McDougall J (see Pattison et al). 2000;183:1008-12
- McDuffie RS Jr (see Davies et al). 2000;183:1088-93
- McElrath TF, Norwitz ER, Lieberman ES, Heffner LJ. Management of cervical cerclage and preterm premature rupture of the membranes: should the stitch be removed? 2000;183:840-6
- McElvy S (see Buchbinder et al). 2000;183:1162-5
- McElvy SS, Miodovnik M, Myatt L, Khoury J, Siddiqui TA. Is human myometrial sampling at the time of cesarean delivery safe? 2000;183:1583-6
- McEvoy C, Bowling S, Williamson K, Collins J, Tolaymat L, Maher J. Timing of antenatal corticosteroids and neonatal pulmonary mechanics. 2000;183:895-9
- McIlhenny JS Jr. Sexually transmitted infection and teenage sexuality. 2000;183:334-9
- McIntire DD (see Dashe et al). 2000;183:1082-7

- McIntyre CJ (see Jenkins et al). 2000;183:847-52
- McIntyre P (see Mattox et al). 2000;183:1381-4
- McKenna DS, Wittber GM, Nagaraja HN, Samuels P. The effects of repeat doses of antenatal corticosteroids on maternal adrenal function. 2000;183:669-73
- McKinney ET, Shouri R, Hunt RS, Ahokas RA, Sibai BM. Plasma, urinary, and salivary 8-epi-prostaglandin $F_{2\alpha}$ levels in normotensive and preeclamptic pregnancies. 2000;183:874-7
- McKinney ET (see Livingston et al). 2000;183:1554-7
- McMurray J (see Spitzer et al). 2000;183:759-69 (Education)
- McNamara H (see Garite et al). 2000;183:1049-58
- McNellis D (see Alexander et al). 2000;183:1003-7
- McNellis D (see Andrews et al). 2000;183:662-8
- McNellis D (see Goepfert et al). 2000;183:1480-3
- McNellis D (see Mercer et al). 2000;183:738-45
- Meier A (see Patton et al). 2000;183:967-73
- Meikle S (see Hogg et al). 2000;183:775-6 (Letter reply)
- Meirowitz NB (see Guzman et al). 2000;183:1108-13
- Meis P (see Andrews et al). 2000;183:662-8
- Meis P (see Goepfert et al). 2000;183:1480-3
- Meis PJ (see Alexander et al). 2000;183:1003-7
- Meis PJ (see Hogg et al). 2000;183:775-6 (Letter reply)
- Meis PJ (see Mercer et al). 2000;183:738-45
- Meis PJ (see Sibai et al). 2000;183:1520-4
- Menard MK (see Mercer et al). 2000;183:738-45
- Mendez L (see Mirhashemi et al). 2000;183:1375-80
- Mendonca BB (see Moran et al). 2000;183:1468-74
- Menihan CA (see Esposito et al). 2000;183:1180-3
- Mercer B (see Andrews et al). 2000;183:662-8
- Mercer B (see Goepfert et al). 2000;183:1480-3
- Mercer BM, Goldenberg RL, Meis PJ, Moawad AH, Shellhaas C, Das A, Menard MK, Caritis SN, Thurnau GR, Dombrowski MP, Miodovnik M, Roberts JM, McNellis D. National Institute of Child Health and Human Development Maternal-Fetal Medicine Units Network. The Preterm Prediction Study: prediction of preterm premature rupture of membranes through clinical findings and ancillary testing. 2000;183:738-45
- Mercer BM (see Alexander et al). 2000;183:1003-7
- Mesiano S (see Gossman et al). 2000;183:956-63
- Meyer M (see Stortment et al). 2000;183:449-53
- Meyn L (see Sims et al). 2000;183:1198-206
- Michalopoulos EA (see Lin et al). 2000;183:39-45
- Miklos JR (see Mattox et al). 2000;183:1381-4
- Miller BT (see Leondires et al). 2000;183:454-9
- Miller HS (see Garite et al). 2000;183:1049-58
- Miller L (see Kroll and Miller). 2000;183:509-10
- Miller RK (see Plessinger et al). 2000;183:979-85
- Milligan DA (see O'Brien et al). 2000;183:921-4
- Mills AA (see Borgida et al). 2000;183:937-9
- Miodovnik M (see Alexander et al). 2000;183:1003-7
- Miodovnik M (see Andrews et al). 2000;183:662-8
- Miodovnik M (see Buchbinder et al). 2000;183:1162-5
- Miodovnik M (see Goepfert et al). 2000;183:1480-3
- Miodovnik M (see Goldenberg et al). 2000;183:1469-75
- Miodovnik M (see McElvy et al). 2000;183:1583-6
- Miodovnik M (see Mercer et al). 2000;183:738-45
- Miodovnik M (see Sibai et al). 2000;183:1520-4
- Mirabile CP Jr, Massmann GA, Figueroa JP. Physiologic role of nitric oxide in the maintenance of uterine quiescence in nonpregnant and pregnant sheep. 2000;183:191-8
- Mirhashemi R, Averette HE, Estape R, Angioli R, Mahran R, Mendez L, Cantuaria G, Penalver M. Low colorectal anastomosis after radical pelvic surgery: a risk factor analysis. 2000;183:1375-80
- Mitchell T (see Sims et al). 2000;183:1198-206
- Moawad A (see Andrews et al). 2000;183:662-8
- Moawad A (see Goepfert et al). 2000;183:1480-3
- Moawad AH (see Alexander et al). 2000;183:1003-7
- Moawad AH (see Goldenberg et al). 2000;183:469-75
- Moawad AH (see Mercer et al). 2000;183:738-45
- Moawad AH (see Sibai et al). 2000;183:1520-4
- Moberger B (see Elfgren et al). 2000;183:561-7
- Mollenhauer J (see FitzGerald et al). 2000;183:964-6
- Monni G (see Zoppi et al). 2000;183:1590-1 (Letter)
- Montz FJ (see Lambrou et al). 2000;183:1355-60
- Moon JB (see Jun et al). 2000;183:868-73
- Moore KH (see Apodaca et al). 2000;183:1213-9
- Moore WF (see Boggess et al). 2000;183:199-205
- Moradi M (see Howell et al). 2000;183:407-13
- Morales WJ (see Quintero et al). 2000;183:324-33
- Moran C, Azziz R, Carmina E, Dewailly D, Fruzzetti F, Ibañez L, Knochenhauer ES, Marcondes JAM, Mendonca BB, Pignatelli D, Pugeat M, Rohrer V, Speiser PW, Witchel SF. 21-Hydroxylase-deficient nonclassic adrenal hyperplasia is a progressive disorder: a multicenter study. 2000;183:1468-74
- Moreno J (see Finnerty et al). 2000;183:301-8
- Moreno P (see Pascual et al). 2000;183:638-42
- Moretti ME (see Bar-Oz et al). 2000;183:617-20
- Morgan TK (see Dizon-Townson et al). 2000;183:706-11
- Morgante G (see De Leo et al). 2000;183:945-7
- Morris CD (see Levine et al). 2000;183:787-92
- Morton D (see Devoe et al). 2000;183:361-6
- Moseley JM (see Curtis et al). 2000;183:700-5
- Mostad SB, Kreiss JK, Ryncarz A, Chohan B, Mandaliya K, Ndinya-Achola J, Bwayo JJ, Corey L. Cervical shedding of herpes simplex virus and cytomegalovirus throughout the menstrual cycle in women infected with human immunodeficiency virus type 1. 2000;183:948-55
- Mozurkewich EL, Hutton EK. Elective repeat cesarean delivery versus trial of labor: a meta-analysis of the literature from 1989 to 1999. 2000;183:1187-97
- Muller CY (see Lin et al). 2000;183:39-45
- Munsick RA (see Grimes et al). 2000;183:1041-4 (Education)
- Murata Y (see Koyama et al). 2000;183:1537-43
- Murphy JH (see Schmidt et al). 2000;183:414-20
- Muzii L, Marana R, Caruana P, Catalano GF, Margutti F, Panici PB. Postoperative administration of monophasic combined oral contraceptives after laparoscopic treatment of ovarian endometriomas: a prospective, randomized trial. 2000;183:588-92
- Myatt L (see McElvy et al). 2000;183:1583-6
- N
- Nagaraja HN (see McKenna et al). 2000;183:669-73
- Nageotte MP (see Garite et al). 2000;183:1049-58
- Nagler A (see Elchalal and Nagler). 2000;183:1587-8 (Letter reply)
- Nakajima A (see Koyama et al). 2000;183:1537-43
- Nandedkar SD (see Weidner et al). 2000;183:1249-56
- Narducci F (see Occelli et al). 2000;183:529-33
- Natarajan V (see Hurd et al). 2000;183:1525-31
- Nathanielsz PW (see Wu et al). 2000;183:1287-95
- National High Blood Pressure Education Program Working Group on High Blood Pressure in Pregnancy. Report of the National High Blood Pressure Education Program Working Group on High Blood Pressure in Pregnancy. 2000;183(Jul):S1-22
- National Institute of Child Health and Human Development Maternal-Fetal Medicine Units Network (see Andrews et al). 2000;183:662-8
- National Institute of Child Health and Human Development Maternal-Fetal Medicine Units Network (see Goepfert et al). 2000;183:1480-3
- National Institute of Child Health and Human Development Maternal-Fetal Medicine Units Network (see Mercer et al). 2000;183:738-45
- National Institute of Child Health and Human Development Maternal-Fetal Medicine Units Network (see Sibai et al). 2000;183:1520-4

- Ndinya-Achola J (see Mostad et al). 2000;183:948-55
- Nelson KB (see Grether et al). 2000;183:717-25
- Nelson RN (see Williams et al). 2000;183:1094-9
- Nelson-Piercy C (see Rosenthal and Nelson-Piercy). 2000;183:781-2 (Letter)
- Neonaki MA (see Matalliotakis et al). 2000;183:58-62
- Ness RB (see Markovic et al). 2000;183:627-32
- Newhall EP, Winikoff B. Abortion with mifepristone and misoprostol: regimens, efficacy, acceptability and future directions. 2000;183:S44-53 (Symposium)
- Newman RB (see Vermillion et al). 2000;183:810-4
- Newman RB (see Vermillion et al). 2000;183:925-9
- Ng F (see Toledo et al). 2000;183:377-82
- Ng T-Y (see Wong et al). 2000;183:1579-82
- Ngan HYS (see Wong et al). 2000;183:1579-82
- Nguyen T (see Panting-Kemp et al). 2000;183:1207-12
- Nguyen TM (see Chammas et al). 2000;183:853-8
- Nichols M (see Paul et al). 2000;183:S34-43 (Symposium)
- Nicolosi A (see Guerra et al). 2000;183:476-82
- Nielsen PE (see Pierce et al). 2000;183:863-7
- Nieman L (see Schmidt et al). 2000;183:414-20
- Nigam J (see Guzman et al). 2000;183:1103-7
- Nigam J (see Guzman et al). 2000;183:1108-13
- Nijland MJM, Shankar U, Iyer V, Ross MG. Assessment of fetal scalp oxygen saturation determination in the sheep by transmission pulse oximetry. 2000;183:1549-53
- Nisell H (see Kublickiene et al). 2000;183:160-6
- Nishina H (see Ozaki et al). 2000;183:1301-7
- Nöjd KS (see Björn et al). 2000;183:1419-26
- Noriega AR (see Pascual et al). 2000;183:638-42
- Norström A (see Ekerhovd et al). 2000;183:610-6
- North RA, Taylor R, Zhou RL, Schellenberg J-C. The relationship of smoking, preeclampsia, and secretory component. 2000;183:136-9
- Norton PA (see Sharp et al). 2000;183:1385-9
- Norwitz ER, Wilson T. Secretory component: a potential regulator of endometrial-decidual prostaglandin production in early human pregnancy. 2000;183:108-17
- Norwitz ER (see McElrath et al). 2000;183:840-6
- Novicoff WM, Wagner DP, Knaus WA, Kane EK, Cecere F, Draper E, Ferguson JE II. Initial development of a system-wide maternal-fetal outcomes assessment program. 2000;183:291-300
- Novikov I (see Gotlieb et al). 2000;183:541-6
- Novy MJ (see Sadowsky et al). 2000;183:173-80
- Nurnberger MM (see Vongthavaravat et al). 2000;183:505-6
- Nuwayhid B (see Panting-Kemp et al). 2000;183:1207-12
- Nuwayhid BS (see Chammas et al). 2000;183:853-8
- Nyberg S (see Björn et al). 2000;183:1419-26
- O
- Ober C (see Hunt et al). 2000;183:682-8
- O'Brien JM, Milligan DA, Barton JR. Impact of high-dose corticosteroid therapy for patients with HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome. 2000;183:921-4
- O'Brien WF (see Williams et al). 2000;183:1094-9
- O'Brien-Coker I (see Gerber et al). 2000;183:1035-40
- Ocellini B, Narducci F, Lanvin D, Querleu D, Coste E, Castelain B, Gibon D, LeBlanc E. De novo adhesions with extraperitoneal endosurgical para-aortic lymphadenectomy versus transperitoneal laparoscopic para-aortic lymphadenectomy: a randomized experimental study. 2000;183:529-33
- O'Connell PR (see Fitzpatrick et al). 2000;183:1220-4
- Oehlert JW (see Chitkara et al). 2000;183:230-4
- Offord KP (see Schroeder et al). 2000;183:778-9 (Letter reply)
- Ogburn P Jr (see Schroeder et al). 2000;183:778-9 (Letter reply)
- Oh S-Y (see Yoon et al). 2000;183:1124-9
- O'Herlihy C (see Fitzpatrick et al). 2000;183:1220-4
- O'Herlihy C (see Impey et al). 2000;183:438-43
- Olson G, Saade GR, Zlatnik M, Dildy GA, Belfort M. The effect of fetal neck position on nuchal fold thickness. 2000;183:995-7
- Olutoye OO (see Walsh et al). 2000;183:1067-9
- Onderoglu L (see Bahado-Singh et al). 2000;183:746-51
- Oosterhof H, Haak MC, Aarnoudse JG. Acute maternal rehydration increases the urine production rate in the near-term human fetus. 2000;183:226-9
- O'Reilly-Green C (see Guzman et al). 2000;183:1103-7
- O'Reilly-Green C (see Guzman et al). 2000;183:1108-13
- Orlandi F (see Macri and Orlandi). 2000;183:1591 (Letter)
- Osol G (see Storment et al). 2000;183:449-53
- O'Sullivan MJ (see Diro et al). 2000;183:516-7 (Letter reply)
- O'Sullivan MJ (see Goldenberg et al). 2000;183:469-75
- Oury TD (see Boggess et al). 2000;183:199-205
- Overton TG (see Taylor et al). 2000;183:1023-8
- Owen J. Transperineal versus transvaginal ultrasonography during the second trimester. 2000;183:1045 (Letter reply)
- Owen J (see Ramsey et al). 2000;183:1100-2
- Oz AU (see Bahado-Singh et al). 2000;183:746-51
- Oz U (see Bahado-Singh et al). 2000;183:1114-8
- Oz U (see Mari et al). 2000;183:211-7
- Ozaki T, Hawkins P, Nishina H, Steyn C, Poston L, Hanson MA. Effects of undernutrition in early pregnancy on systemic small artery function in late-gestation fetal sheep. 2000;183:1301-7
- P
- Pacora P, Maymon E, Gervasi M-T, Gomez R, Edwin SS, Yoon BH, Romero R. Lactoferrin in intrauterine infection, human parturition, and rupture of fetal membranes. 2000;183:904-10
- Pacora P, Romero R, Maymon E, Gervasi M-T, Gomez R, Edwin SS, Yoon BH. Participation of the novel cytokine interleukin 18 in the host response to intra-amniotic infection. 2000;183:1138-43
- Pacora P (see Maymon et al). 2000;183:94-9
- Pacora P (see Maymon et al). 2000;183:887-94
- Pacora P (see Maymon et al). 2000;183:914-20
- Pacora P (see Romero et al). 2000;183:1070-7
- Paek BW, Farmer DL, Wilkinson CC, Albanese CT, Peacock W, Harrison MR, Jennings RW. Hindbrain herniation develops in surgically created myelomeningocele but is absent after repair in fetal lambs. 2000;183:1119-23
- Pahal GS, Jauniaux E, Kinnon C, Thrasher AJ, Rodeck CH. Normal development of human fetal hematopoiesis between eight and seventeen weeks' gestation. 2000;183:1029-34
- Panici PB (see Muzii et al). 2000;183:588-92
- Panting-Kemp A, Geller SE, Nguyen T, Simonson L, Nuwayhid B, Castro L. Maternal deaths in an urban perinatal network. 1992 through 1998. 2000;183:1207-12
- Papatsonis DNM, van Geijn HP, Dekker GA. Nifedipine as a safe and effective tocolytic agent in the treatment of preterm labor. 2000;183:513 (Letter)
- Par G, Bartok B, Szekeres-Bartho J. Cyclooxygenase is involved in the effects of progesterone-induced blocking factor on the production of interleukin 12. 2000;183:126-30
- Parham GP (see Santin et al). 2000;183:601-9
- Park JS (see Jun et al). 2000;183:868-73
- Park JS (see Yoon et al). 2000;183:1124-9
- Park JS (see Yoon et al). 2000;183:1130-7
- Pascual A, Bruna I, Cerrolaza J, Moreno P, Ramos JT, Noriega AR, Delgado R. Absence of maternal-fetal transmission of human immunodeficiency virus type 1 to second-trimester fetuses. 2000;183:638-42
- Pass KA (see Birkhead et al). 2000;183:245-51
- Paterson-Brown S (see Spencer et al). 2000;183:1308 (Letter)

- Patient Health Questionnaire Obstetrics-Gynecology Study Group (see Spitzer et al). 2000;183:759-69 (Education)
- Patterson-Barnett A (see Dilley et al). 2000;183:1271-7
- Pattillo C (see Garite et al). 2000;183:1544-8
- Pattison NS, Chamley LW, Birdsall M, Zanderigo AM, Liddell HS, McDougall J. Does aspirin have a role in improving pregnancy outcome for women with the antiphospholipid syndrome? A randomized controlled trial. 2000;183:1008-12
- Patton DL, Thwin SS, Meier A, Hooton TM, Stapleton AE, Eschenbach DA. Epithelial cell layer thickness and immune cell populations in the normal human vagina at different stages of the menstrual cycle. 2000;183:967-73
- Patton MA (see Daryani et al). 2000;183:752-4
- Paul M, Schaff E, Nichols M. The roles of clinical assessment, human chorionic gonadotropin assays, and ultrasonography in medical abortion practice. 2000;183:534-43 (Symposium)
- Paul M (see Kruse et al). 2000;183:S65-75 (Symposium)
- Paul RH (see Alexander et al). 2000;183:1003-7
- Paul RH (see Sibai et al). 2000;183:1520-4
- Pavan B, Buzzi M, Ginanni-Corradini F, Ferretti ME, Vesce F, Biondi C. Influence of oxytocin on prostaglandin E_2 intracellular calcium, and cyclic adenosine monophosphate in human amnion-derived (WISH) cells. 2000;183:76-82
- Peacock W (see Paek et al). 2000;183:1119-23
- Pearlman MD (see Deyer et al). 2000;183:156-9
- Pecorelli S (see Santin et al). 2000;183:601-9
- Pediatric AIDS Clinical Trials Group 185 Study Team (see Watts et al). 2000;183:100-7
- Peeters LLH (see Spaanderman et al). 2000;183:1278-86
- Pel M (see Donner et al). 2000;183:500-1
- Peleg D. Questionable statistics in meta-analysis. 2000;183:257 (Letter)
- Penalver M (see Mirhashemi et al). 2000;183:1375-80
- Peng TCC (see Seeds and Peng). 2000;183:316-23
- Penna LK (see Daryani et al). 2000;183:752-4
- Penny JA, Anthony J, Shennan AH, de Swiet M, Singer M. A comparison of hemodynamic data derived by pulmonary artery flotation catheter and the esophageal Doppler monitor in preeclampsia. 2000;183:658-61
- Penny JA (see Waugh et al). 2000;183:633-7
- Perks AM (see Chua et al). 2000;183:235-44
- Perry IJ (see Waugh et al). 2000;183:633-7
- Peters-Phair K (see Garite et al). 2000;183:1544-8
- Pfaller MA (see Andrews et al). 2000;183:859-62
- Philipp C (see Dilley et al). 2000;183:1271-7
- Phillippe M (see Elovitz et al). 2000;183:674-81
- Phillippe M (see Elovitz et al). 2000;183:799-804
- Pierce B (see Apodaca et al). 2000;183:1213-9
- Pierce BT, Pierce LM, Wagner RK, Apodaca CC, Hume RF Jr, Nielsen PE, Calhoun BC. Hypoperfusion causes increased production of interleukin 6 and tumor necrosis factor α in the isolated, dually perfused placental cotyledon. 2000;183:863-7
- Pierce LM (see Pierce et al). 2000;183:863-7
- Pignatelli D (see Moran et al). 2000;183:1468-74
- Pilevsky ND (see Sawin et al). 2000;183:1448-55
- Pinkerton JV (see Finnerty et al). 2000;183:301-8
- Platanotis GA (see Kouvaris et al). 2000;183:498-9
- Plessinger MA, Woods JR Jr, Miller RK. Pretreatment of human amnion-chorion with vitamins C and E prevents hypochlorous acid-induced damage. 2000;183:979-85
- Plociennik K (see Bernstein et al). 2000;183:883-6
- Politz L (see Jazayeri et al). 2000;183:188-90
- Pollack A (see Denny et al). 2000;183:383-8
- Pollard JK (see Ravasia et al). 2000;183:1176-9
- Pollock MA (see Jenkins et al). 2000;183:847-52
- Poore KR (see Grigsby et al). 2000;183:649-57
- Poppema S (see Kruse et al). 2000;183:S65-75 (Symposium)
- Porreco RP (see Farkouh et al). 2000;183:1499-1503
- Porreco RP (see Garite et al). 2000;183:1049-58
- Poston L (see Gerber et al). 2000;183:1035-40
- Poston L (see Ozaki et al). 2000;183:1301-7
- Powell JL. Questions about case report on vaginal dysplasia. 2000;183:1593 (Letter reply)
- Price DK (see Asbill et al). 2000;183:340-6
- Prorok P (see Hartge et al). 2000;183:1232-7
- Pugeat M (see Moran et al). 2000;183:1468-74
- Pymar HC, Creinin MD. Alternatives to mifepristone regimens for medical abortion. 2000;183:S54-64 (Symposium)
- Q
- Quarta S (see Guerra et al). 2000;183:476-82
- Queen T (see Jazayeri et al). 2000;183:188-90
- Querleu D (see Occelli et al). 2000;183:529-33
- Quintero RA, Morales WJ, Allen MH, Bornick PW, Johnson P. Fetal hydrolaparoscopy and endoscopic cystotomy in complicated cases of lower urinary tract obstruction. 2000;183:324-33
- R
- Raffaelli R (see Fedele et al). 2000;183:1462-7
- Ramin SM, Wians FH Jr, Keffer JH, Shivers SA. Troponin I measurement in the diagnosis of myocardial injury during pregnancy and delivery: two cases. 2000;183:1309-10 (Letter reply)
- Ramin SM (see Yost et al). 2000;183:131-5
- Ramos JT (see Pascual et al). 2000;183:638-42
- Ramsey PS, Hogg BB, Savage KG, Winkler DD, Owen J. Cardiovascular effects of intravaginal misoprostol in the mid trimester of pregnancy. 2000;183:1100-2
- Randall H (see Dilley et al). 2000;183:1271-7
- Rao RB (see Sims et al). 2000;183:1198-206
- Räsänen J (see Mäkilä et al). 2000;183:726-31
- Ravaggi A (see Santin et al). 2000;183:601-9
- Ravasia DJ, Wood SL, Pollard JK. Uterine rupture during induced trial of labor among women with previous cesarean delivery. 2000;183:1176-9
- Ravnikar J (see Lovšin et al). 2000;183:781 (Letter)
- Rayburn WF, Christensen HD, Gonzalez CL. Effect of antenatal exposure to Saint John's wort (*Hypericum*) on neurobehavior of developing mice. 2000;183:1225-31
- Read J (see Watts et al). 2000;183:100-7
- Reddy UM, DiVito MM, Armstrong JC, Hyslop T, Wapner RJ. Population adjustment of the definition of the vaginal birth after cesarean rate. 2000;183:1166-9
- Reding D (see Hartge et al). 2000;183:1232-7
- Rees SM (see Duncan et al). 2000;183:1013-22
- Reid GJ (see Liu et al). 2000;183:181-7
- Reid WM (see Lieberman et al). 2000;183:534-40
- Repke JT (see Zeloff et al). 2000;183:1184-6
- Rhodes JC (see Kjerulff et al). 2000;183:1440-7
- Rhomberg PR (see Andrews et al). 2000;183:859-62
- Rice GE (see Curtis et al). 2000;183:700-5
- Richart RM (see Denny et al). 2000;183:383-8
- Richey SD (see Yost et al). 2000;183:131-5
- Riehl RM (see Stadtmayer et al). 2000;183:367-71
- Rigano S (see Galan et al). 2000;183:1158-61
- Risi L (see Denny et al). 2000;183:383-8
- Rizk DEE. Measurements of the pelvic floor in women and their relationship to genital prolapse. 2000;183:1589-9 (Letter)
- Roberts J (see Andrews et al). 2000;183:662-8
- Roberts J (see Sibai et al). 2000;183:1520-4
- Roberts JM (see Alexander et al). 2000;183:1003-7

- Roberts JM (see Goepfert et al). 2000;183:1480-3
 Roberts JM (see Goldenberg et al). 2000;183:469-75
 Roberts JM (see Hogg et al). 2000;183:775-6 (Letter reply)
 Roberts JM (see Mercer et al). 2000;183:738-45
 Roberts TPL (see Gossman et al). 2000;183:956-63
 Robertson JA (see Serra et al). 2000;183:778 (Letter)
 Roca CA (see Schmidt et al). 2000;183:414-20
 Rodeck CH (see Pahal et al). 2000;183:1029-34
 Rodis JF (see Borgida et al). 2000;183:937-9
 Rogers MK (see Breitbart et al). 2000;183:S16-25 (Symposium)
 Rohmer V (see Moran et al). 2000;183:1468-74
 Romero R, Maymon E, Pacora P, Gomez R, Mazor M, Yoon BH, Berry SM. Further observations on the fetal inflammatory response syndrome: a potential homeostatic role for the soluble receptors of tumor necrosis factor α . 2000;183:1070-7
 Romero R (see Davies et al). 2000;183:1088-93
 Romero R (see Garfield et al). 2000;183:118-25
 Romero R (see Jun et al). 2000;183:868-73
 Romero R (see Maymon et al). 2000;183:94-9
 Romero R (see Maymon et al). 2000;183:887-94
 Romero R (see Maymon et al). 2000;183:914-20
 Romero R (see Pacora et al). 2000;183:904-10
 Romero R (see Pacora et al). 2000;183:1138-43
 Romero R (see Yoon et al). 2000;183:1124-9
 Romero R (see Yoon et al). 2000;183:1130-7
 Rönna AC, Schmiedeberg Sv, Bielfeld P, Ruzicka T, Schuppe H-C. Pyoderma gangrenosum after cesarean delivery. 2000;183:502-4
 Rose PG, Alvarez B, MacLennan GT. Exacerbation of endometriosis as a result of premenopausal tamoxifen exposure. 2000;183:507-8
 Rosén KC. Waveform analysis of the fetal electrocardiogram: methodologic aspects. 2000;183:1588 (Letter)
 Rosenn B (see Buchbinder et al). 2000;183:1162-5
 Rosenthal E, Nelson-Piercy C. Value of inhaled nitric oxide in Eisenmenger syndrome during pregnancy. 2000;183:781-2 (Letter)
 Rosenthal T (see Baum et al). 2000;183:900-3
 Ross MG (see Mann et al). 2000;183:933-6
 Ross MG (see Nijland et al). 2000;183:1549-53
 Rossignol TM (see Apodaca et al). 2000;183:1213-9
 Roudebush WE (see Rowland et al). 2000;183:930-2
 Rouse DJ, Stringer JSA. An appraisal of screening for maternal type-specific herpes simplex virus antibodies to prevent neonatal herpes. 2000;183:400-6
 Rowland BL, Vermillion ST, Roudebush WE. Elevated circulating concentrations of platelet activating factor in preeclampsia. 2000;183:930-2
 Rubattu G (see Dessole et al). 2000;183:396-9
 Rübiger A (see Dören et al). 2000;183:575-82
 Rubinow DR (see Schmidt et al). 2000;183:414-20
 Rust OA, Atlas RO, Jones KJ, Benham BN, Balducci J. A randomized trial of cerclage versus no cerclage among patients with ultrasonographically detected second-trimester preterm dilatation of the internal os. 2000;183:830-5
 Ruzicka T (see Rönna et al). 2000;183:502-4
 Ryan G (see Kopecky et al). 2000;183:424-30
 Ryan ML (see Kopecky et al). 2000;183:424-30
 Ryncarz A (see Mostad et al). 2000;183:948-55
- S
- Saade GR (see Buhimschi et al). 2000;183:68-75
 Saade GR (see Olson et al). 2000;183:995-7
 Saade GR (see Vedemikov et al). 2000;183:514-5 (Letter reply)
 Sabatier F, Bretelle F, d'Ercole C, Boublil L, Sampol J, Dignat-George F. Neutrophil activation in preeclampsia and isolated intrauterine growth restriction. 2000;183:1558-63
 Sabin ED (see Farkouh et al). 2000;183:1499-1503
 Sadowsky DW, Haluska GJ, Gravett MG, Witkin SS, Novy MJ. Indomethacin blocks interleukin 1β -induced myometrial contractions in pregnant rhesus monkeys. 2000;183:173-80
 Sahota D (see Strachan et al). 2000;183:1588-9 (Letter reply)
 Sampol J (see Sabatier et al). 2000;183:1558-63
 Samuels P (see McKenna et al). 2000;183:669-73
 Samuelsson EC, Victor FTA, Svärdsudd KF. Five-year incidence and remission rates of female urinary incontinence in a Swedish population less than 65 years old. 2000;183:568-74
 Sanchez-Ramos L, Kaunitz AM. Questionable statistics in meta-analysis. 2000;183:257-8 (Letter reply)
 Sanders DB (see Weidner et al). 2000;183:1249-56
 Sanders DB (see Weidner et al). 2000;183:1390-401
 Sanderson M, Sappenfield WM, Jespersen KM, Liu Q, Baker SL. Association between level of delivery hospital and neonatal outcomes among South Carolina Medicaid recipients. 2000;183:1504-11
 Sandilos PH (see Kouvaris et al). 2000;183:498-9
 San Martin-Clark O (see Buhimschi et al). 2000;183:1512-9
 Santin AD, Hermonat PL, Ravaggi A, Bellone S, Pecorelli S, Cannon MJ, Parham GP. In vitro induction of tumor-specific human lymphocyte antigen class I-restricted CD8⁺ cytotoxic T lymphocytes by ovarian tumor antigen-pulsed autologous dendritic cells from patients with advanced ovarian cancer. 2000;183:601-9
 Santos-Ramos R (see Dashe et al). 2000;183:1082-7
 Sappenfield WM (see Sanderson et al). 2000;183:1504-11
 Saunders LD (see Xiong et al). 2000;183:148-55
 Saunders T (see Elovitz et al). 2000;183:674-81
 Saunders T (see Elovitz et al). 2000;183:799-804
 Savage KG (see Ramsey et al). 2000;183:1100-2
 Sawin SW, Pilevsky ND, Berlin JA, Barnhart KT. Comparability of perioperative morbidity between abdominal myomectomy and hysterectomy for women with uterine leiomyomas. 2000;183:1448-55
 Scardo JA, Ellings J, Vermillion ST, Chauhan SP. Validation of bioimpedance estimates of cardiac output in preeclampsia. 2000;183:911-3
 Schaff E (see Paul et al). 2000;183:S34-43 (Symposium)
 Schatt S (see Surbek et al). 2000;183:218-21
 Schellenberg J-C (see Coleman et al). 2000;183:643-8
 Schellenberg J-C (see North et al). 2000;183:136-9
 Scherjon SA (see Lim et al). 2000;183:1144-51
 Schiff E (see Baum et al). 2000;183:900-3
 Schiffman M (see Hartge et al). 2000;183:1232-7
 Schild C (see Baumann et al). 2000;183:815-22
 Schlaich MP (see John et al). 2000;183:28-33
 Schmidt PJ, Nieman L, Danaceau MA, Tobin MB, Roca CA, Murphy JH, Rubinow DR. Estrogen replacement in perimenopause-related depression: a preliminary report. 2000;183:414-20
 Schmiedeberg Sv (see Rönna et al). 2000;183:502-4
 Schmieder RE (see Fischer et al). 2000;183:1489-94
 Schmieder RE (see John et al). 2000;183:28-33
 Schneider MP (see Fischer et al). 2000;183:1489-94
 Schobel HP (see Fischer et al). 2000;183:1489-94
 Schramm W (see Cooperstock et al). 2000;183:63-7
 Schroeder DR, Offord KP, Ogburn P Jr. Nicotine transdermal patches and pregnancy. 2000;183:778-9 (Letter reply)
 Schuessler B (see Baessler and Schuessler). 2000;183:1590 (Letter reply)
 Schuling GA, Valkhof N, Faas MM. Suppression by developing ovarian follicles of the low-dose endotoxin-induced glomerular inflammatory reaction in the pregnant rat. 2000;183:89-93
 Schulz KF (see Grimes et al). 2000;183:1041-4 (Education)
 Schuppe H-C (see Rönna et al). 2000;183:502-4
 Schwelke JR. Asymptomatic bacterial vaginosis: response to therapy. 2000;183:1434-9
 Scialli AR (see Ghia et al). 2000;183:940-4
 Scott RT Jr (see Leondires et al). 2000;183:454-9

- Seaward PGR (*see* Kopecky et al). 2000;183:424-30
- Secker-Walker R (*see* Bernstein et al). 2000;183:883-6
- Seeds JW, Peng TCC. Does augmented growth impose an increased risk of fetal death? 2000;183:316-23
- Segal S. Placental tissue and inhibition of uterine contraction by nitric oxide donors. 2000;183:514 (Letter)
- Segal S, Su M, Gilbert P. The effect of a rapid change in availability of epidural analgesia on the cesarean delivery rate: a meta-analysis. 2000;183:974-8
- Seidman DS (*see* Baum et al). 2000;183:900-3
- Selby PL (*see* Heald et al). 2000;183:593-600
- Self S (*see* Hill et al). 2000;183:1456-61
- Serra SJ, Robertson JA, Carey JC. Nicotine transdermal patches and pregnancy. 2000;183:778 (Letter)
- Setacci C (*see* De Leo et al). 2000;183:945-7
- Sfameni S (*see* Marin et al). 2000;183:34-8
- Shahabi S (*see* Bahado-Singh et al). 2000;183:1114-8
- Shames DM (*see* Gossman et al). 2000;183:956-63
- Shankar U (*see* Nijland et al). 2000;183:1549-53
- Shao J, Catalano PM, Yamashita H, Ishizuka T, Friedman JE. Vanadate enhances but does not normalize glucose transport and insulin receptor phosphorylation in skeletal muscle from obese women with gestational diabetes mellitus. 2000;183:1263-70
- Sharp HT, Dodson MK, Langer KM, Doucette RC, Norton PA. The role of vaginal apex excision in the management of persistent posthysterectomy dyspareunia. 2000;183:1385-9
- Shaw LM (*see* Markovic et al). 2000;183:627-32
- Shaw RA (*see* Liu et al). 2000;183:181-7
- Shea K (*see* Devoe et al). 2000;183:361-6
- Shellhaas C (*see* Mercer et al). 2000;183:738-45
- Shennan A (*see* Waugh et al). 2000;183:633-7
- Shennan AH (*see* Penny et al). 2000;183:658-61
- Sherman ME (*see* Hartge et al). 2000;183:1232-7
- Shields LE, Kiem H-P, Andrews RG. Highly efficient gene transfer into preterm CD34⁺ hematopoietic progenitor cells. 2000;183:732-7
- Shikes RH (*see* Davies et al). 2000;183:1088-93
- Shimoya K (*see* Koyama et al). 2000;183:1537-43
- Shipp TD (*see* Zelop et al). 2000;183:1184-6
- Shivvers SA (*see* Ramin et al). 2000;183:1309-10 (Letter reply)
- Shlossman PA (*see* Jenkins et al). 2000;183:847-52
- Shouri R (*see* McKinney et al). 2000;183:874-7
- Shull BL, Bachofen C, Coates KW, Kuehl TJ. A transvaginal approach to repair of apical and other associated sites of pelvic organ prolapse with uterosacral ligaments. 2000;183:1365-74
- Sibai B (*see* Goldenberg et al). 2000;183:469-75
- Sibai BM, Caritis SN, Hauth JC, MacPherson C, VanDorsten JP, Klebanoff M, Landon M, Paul RH, Meis PJ, Miodovnik M, Domrowski MP, Thurnau GR, Moawad AH, Roberts J, National Institute of Child Health and Human Development Maternal-Fetal Medicine Units Network. Preterm delivery in women with pregestational diabetes mellitus or chronic hypertension relative to women with uncomplicated pregnancies. 2000;183:1520-4
- Sibai BM (*see* Haddad et al). 2000;183:444-8
- Sibai BM (*see* Haddad et al). 2000;183:1475-9
- Sibai BM (*see* Levine et al). 2000;183:787-92
- Sibai BM (*see* Livingston et al). 2000;183:1554-7
- Sibai BM (*see* McKinney et al). 2000;183:874-7
- Sibai BM (*see* Witlin et al). 2000;183:83-8
- Siddiqi TA (*see* Buchbinder et al). 2000;183:1162-5
- Siddiqi TA (*see* McElvy et al). 2000;183:1583-6
- Simonson L (*see* Panting-Kemp et al). 2000;183:1207-12
- Sims CJ, Meyn L, Caruana R, Rao RB, Mitchell T, Krohn M. Predicting cesarean delivery with decision tree models. 2000;183:1198-206
- Singer M (*see* Penny et al). 2000;183:658-61
- Singh DM (*see* Hurd et al). 2000;183:1525-31
- Skjærven R, Gjessing HK, Bakketeig LS. New standards for birth weight by gestational age using family data. 2000;183:689-96
- Smith GCS (*see* Wu et al). 2000;183:1287-95
- Smith PF (*see* Birkhead et al). 2000;183:245-51
- Smith SC, Leung TN, To KF, Baker PN. Apoptosis is a rare event in first-trimester placental tissue. 2000;183:697-9
- Smith SS (*see* Toledo et al). 2000;183:377-82
- Soper DE (*see* Bland et al). 2000;183:372-6
- Soper DE (*see* Vermillion et al). 2000;183:271-6
- Soper DE (*see* Vermillion et al). 2000;183:810-4
- Soper DE (*see* Vermillion et al). 2000;183:925-9
- Soriano D (*see* Gotlieb et al). 2000;183:541-6
- Spaanderman MEA, Willekes C, Hoeks APG, Ekhart THA, Peeters LLH. The effect of pregnancy on the compliance of large arteries and veins in healthy parous control subjects and women with a history of preeclampsia. 2000;183:1278-86
- Speiser PW (*see* Moran et al). 2000;183:1468-74
- Spellacy WN (*see* Jazayeri et al). 2000;183:188-90
- Spellacy WN (*see* Williams et al). 2000;183:1094-9
- Spencer JAD, Paterson-Brown S, Brocklehurst P. Fetal blood lactate concentration. 2000;183:1308 (Letter)
- Spitz B (*see* Donders et al). 2000;183:431-7
- Spitzer RL, Williams JBW, Kroenke K, Hornyak R, McMurray J, Patient Health Questionnaire Obstetrics-Gynecology Study Group. Validity and utility of the PRIME-MD Patient Health Questionnaire in assessment of 3000 obstetric-gynecologic patients: The PRIME-MD Patient Health Questionnaire Obstetrics-Gynecology Study. 2000;183:759-69 (Education)
- Spong CY (*see* Ghia et al). 2000;183:940-4
- Stadtmayer LA, Riehl RM, Toma SK, Talbert LM. Cauterization of hydrosalpinges before in vitro fertilization is an effective surgical treatment associated with improved pregnancy rates. 2000;183:367-71
- Stahle S (*see* Bernstein et al). 2000;183:883-6
- Stahmer S (*see* Markovic et al). 2000;183:627-32
- Stanford JL (*see* Hill et al). 2000;183:1456-61
- Stapleton AE (*see* Patton et al). 2000;183:967-73
- Starbuck VN (*see* Ghia et al). 2000;183:940-4
- Steinmann C (*see* Surbek et al). 2000;183:218-21
- Steinmann C (*see* Surbek et al). 2000;183:1152-7
- Stepanchak W (*see* Clapp et al). 2000;183:167-72
- Stepp H (*see* Hillemanns et al). 2000;183:52-7
- Stevenson DK (*see* Baum et al). 2000;183:900-3
- Steyn C (*see* Ozaki et al). 2000;183:1301-7
- Stiehm ER (*see* Watts et al). 2000;183:100-7
- Stine K (*see* Marrazzo et al). 2000;183:770-4 (AJOG reviews)
- Stolar Z (*see* Bornstein et al). 2000;183:583-7
- Stone JL (*see* Eddleman et al). 2000;183:1078-81
- Storment JM, Meyer M, Osol G. Estrogen augments the vasodilatory effects of vascular endothelial growth factor in the uterine circulation of the rat. 2000;183:449-53
- Strachan BK, van Wijngaarden WJ, Sahota D. Waveform analysis of the fetal electrocardiogram: methodologic aspects. 2000;183:1588-9 (Letter reply)
- Stringer JSA (*see* Rouse and Stringer). 2000;183:400-6
- Stuart GS (*see* Whitsel et al). 2000;183:1170-5
- Studd J (*see* Khastgir and Studd). 2000;183:1427-33
- Su M (*see* Segal et al). 2000;183:974-8
- Suehara N (*see* Koyama et al). 2000;183:1537-43
- Suliman HB (*see* Boggess et al). 2000;183:199-205
- Sullivan PS (*see* Dilley et al). 2000;183:1271-7
- Sunderji S (*see* Garite et al). 2000;183:1049-58
- Surbek DV, Aufderhaar U, Holzgreve W. Umbilical cord blood collection for transplantation: which technique should be preferred? 2000;183:1587 (Letter)

- Surbek DV, Steinmann C, Bürk M, Hahn S, Tichelli A, Holzgreve W. Developmental changes in adhesion molecule expressions in umbilical cord blood CD34⁺ hematopoietic progenitor and stem cells. 2000;183:1152-7
- Surbek DV, Visca E, Steinmann C, Tichelli A, Schatt S, Hahn S, Gratwohl A, Holzgreve W. Umbilical cord blood collection before placental delivery during cesarean delivery increases cord blood volume and nucleated cell number available for transplantation. 2000;183:218-21
- Suzuki S. Vaginal delivery of twins and neonatal respiratory disorders. 2000;183:780 (Reply)
- Svärdssudd KF (see Samuelsson et al). 2000;183:568-74
- Swedlow DB (see Garite et al). 2000;183:1049-58
- Swift SE. The distribution of pelvic organ support in a population of female subjects seen for routine gynecologic health care. 2000;183:277-85
- Symonds ME (see Heasman et al). 2000;183:1257-62
- Sze C-I (see Davies et al). 2000;183:1088-93
- Szekeres-Bartho J (see Par et al). 2000;183:126-30
- Szulman AE. Choriocarcinoma after hydatidiform mole. 2000;183:257 (Letter)
- T**
- Talbert LM (see Stadtmayer et al). 2000;183:367-71
- Talucci M (see Davis et al). 2000;183:836-9
- Tamura T (see Hogg et al). 2000;183:805-9
- Taylor DJ (see Waugh et al). 2000;183:633-7
- Taylor MJO, Denbow ML, Duncan KR, Overton TG, Fisk NM. Antenatal factors at diagnosis that predict outcome in twin-twin transfusion syndrome. 2000;183:1023-8
- Taylor R (see North et al). 2000;183:136-9
- Templeton A (see Ashok et al). 2000;183:998-1002
- Thakrar D (see Lieberman et al). 2000;183:534-40
- Thom E (see Goepfert et al). 2000;183:1480-3
- Thompson JR (see Lambrou et al). 2000;183:1355-60
- Thompson LP (see Buhimschi et al). 2000;183:1512-9
- Thompson PK (see Alcalay et al). 2000;183:1348-54
- Thomson NF, Thornton S, Clark JF. The effects of placental extracts from normotensive and preeclamptic women on vasoconstriction and oxidative metabolism. 2000;183:206-10
- Thornton S (see Thomson et al). 2000;183:206-10
- Thrasher AJ (see Pahal et al). 2000;183:1029-34
- Thurnau G (see Andrews et al). 2000;183:662-8
- Thurnau G (see Goepfert et al). 2000;183:1480-3
- Thurnau GR (see Alexander et al). 2000;183:1003-7
- Thurnau GR (see Mercer et al). 2000;183:738-45
- Thurnau GR (see Sibai et al). 2000;183:1520-4
- Thwin SS (see Patton et al). 2000;183:967-73
- Tichelli A (see Surbek et al). 2000;183:218-21
- Tichelli A (see Surbek et al). 2000;183:1152-7
- To KF (see Smith et al). 2000;183:697-9
- Tobin MB (see Schmidt et al). 2000;183:414-20
- Tojo H (see Koyama et al). 2000;183:1537-43
- Tolaymat L (see McEvoy et al). 2000;183:895-9
- Toledo AA, Wright G, Jones AE, Smith SS, Johnson-Ward J, Brockman WW, Ng F, Wininger JD. Blastocyst transfer: a useful tool for reduction of high-order multiple gestations in a human assisted reproduction program. 2000;183:377-82
- Toma SK (see Stadtmayer et al). 2000;183:367-71
- Tomaselli J (see Clapp et al). 2000;183:167-72
- Tomezsko J (see Mattox et al). 2000;183:1381-4
- Tompkins MJ. Were there any misdiagnoses? 2000;183:1046 (Letter reply)
- Townend K (see Coleman et al). 2000;183:643-8
- Tozzi L (see Fedele et al). 2000;183:1462-7
- Troisi RJ, Cowie CC, Harris MI. Oral contraceptive use and glucose metabolism in a national sample of women in the United States. 2000;183:389-95
- Tsai C-H (see Hsieh et al). 2000;183:496-7
- Tsai H-D (see Hsieh et al). 2000;183:496-7
- Tsibris JCM (see Jazayeri et al). 2000;183:188-90
- Tummaru R (see Cooperstock et al). 2000;183:63-7
- Tympanides CN (see Kouvaris et al). 2000;183:498-9
- U**
- Ullery B (see Weinstein and Ullery). 2000;183:547-9
- V**
- Vachris JC (see Asbill et al). 2000;183:340-6
- Vaezy S, Fujimoto VY, Walker C, Martin RW, Chi EY, Crum LA. Treatment of uterine fibroid tumors in a nude mouse model using high-intensity focused ultrasound. 2000;183:6-11
- Valerio D, Altieri V, Cavallo D, Aiello R, Antonucci FR. Detection of fetal trisomy 18 by short-term culture of maternal peripheral blood. 2000;183:222-5
- Valkhof N (see Schuiling et al). 2000;183:89-93
- Van Assche FA (see Gerber et al). 2000;183:1035-40
- Van Baren PM (see Deyer et al). 2000;183:156-9
- van Beckhoven JM (see Lim et al). 2000;183:1144-51
- van Bree R (see Gerber et al). 2000;183:1035-40
- Van Bulck B (see Donders et al). 2000;183:431-7
- VanDerhei D (see Breitbart et al). 2000;183:S16-25 (Symposium)
- VanDorsten JP (see Alexander et al). 2000;183:1003-7
- VanDorsten JP (see Andrews et al). 2000;183:662-8
- VanDorsten JP (see Goepfert et al). 2000;183:1480-3
- VanDorsten JP (see Sibai et al). 2000;183:1520-4
- Van Eckhout B (see Helfgott et al). 2000;183:347-55
- van Geijn HP (see Althuisius et al). 2000;183:823-9
- van Geijn HP (see Papatsonis et al). 2000;183:513 (Letter)
- van Someren EJW (see Lunshof et al). 2000;183:460-1
- Van Tittelboom T (see Bar-Oz et al). 2000;183:617-20
- van Wijngaarden WJ (see Strachan et al). 2000;183:1588-9 (Letter reply)
- Varner MW (see Garite et al). 2000;183:1049-58
- Vedernikov YP, Saade GR, Garfield RE. Placental tissue and inhibition of uterine contraction by nitric oxide donors. 2000;183:514-5 (Letter reply)
- Vedernikov YP (see Garfield et al). 2000;183:118-25
- Vereecken A (see Donders et al). 2000;183:431-7
- Vergani P (see Locatelli et al). 2000;183:878-82
- Vermillion ST, Kooba AM, Soper DE. Amniotic fluid index values after preterm premature rupture of the membranes and subsequent perinatal infection. 2000;183:271-6
- Vermillion ST, Soper DE, Bland ML, Newman RB. Effectiveness of antenatal corticosteroid administration after preterm premature rupture of the membranes. 2000;183:925-9
- Vermillion ST, Soper DE, Newman RB. Neonatal sepsis and death after multiple courses of antenatal betamethasone therapy. 2000;183:810-4
- Vermillion ST (see Bland et al). 2000;183:372-6
- Vermillion ST (see Rowland et al). 2000;183:930-2
- Vermillion ST (see Scardo et al). 2000;183:911-3
- Verspeelt J (see Bar-Oz et al). 2000;183:617-20
- Vesce F (see Pavan et al). 2000;183:76-82
- Victor FTA (see Samuelsson et al). 2000;183:568-74
- Vintzileos AM (see Guzman et al). 2000;183:1103-7
- Vintzileos AM (see Guzman et al). 2000;183:1108-13
- Visca E (see Surbek et al). 2000;183:218-21
- Visco AG (see Barber et al). 2000;183:1402-11

- Visco AG (*see* Weidner et al). 2000;183:1390-401
Vlahos LJ (*see* Kouvaris et al). 2000;183:498-9
Voigt LF (*see* Hill et al). 2000;183:1456-61
Vongthavaravat V, Nurnberger MM, Balodimos N, Blanchette H, Koff RS. Isolated elevation of serum alkaline phosphatase level in an uncomplicated pregnancy: a case report. 2000;183:505-6
Vuolteenaho O (*see* Mäkilä et al). 2000;183:726-31

W

- Wadell G (*see* Kjellberg et al). 2000;183:1238-42
Wagner DP (*see* Novicoff et al). 2000;183:291-300
Wagner RK (*see* Hoeldtke et al). 2000;183:1573-8
Wagner RK (*see* Pierce et al). 2000;183:863-7
Waldron R (*see* Guzman et al). 2000;183:1103-7
Walker C (*see* Vaezy et al). 2000;183:6-11
Waller J (*see* Devoe et al). 2000;183:361-6
Walsh DS, Hubbard AM, Olutoye OO, Howell LJ, Crombleholme TM, Flake AW, Johnson MP, Adzick NS. Assessment of fetal lung volumes and liver herniation with magnetic resonance imaging in congenital diaphragmatic hernia. 2000;183:1067-9
Walsh-Greene E (*see* Grether et al). 2000;183:717-25
Walters C (*see* Guzman et al). 2000;183:1103-7
Walters C (*see* Guzman et al). 2000;183:1108-13
Walters MD (*see* Weber and Walters). 2000;183:1338-47
Wapner RJ (*see* Davis et al). 2000;183:836-9
Wapner RJ (*see* Goldenberg et al). 2000;183:469-75
Wapner RJ (*see* Jenkins et al). 2000;183:847-52
Wapner RJ (*see* Reddy et al). 2000;183:1166-9
Ward KJ (*see* Dizon-Townson et al). 2000;183:706-11
Warren BL (*see* Birkhead et al). 2000;183:245-51
Watts DH, Lambert JS, Stiehler ER, Bethel J, Whitehouse J, Fowler MG, Read J, Pediatric AIDS Clinical Trials Group 185 Study Team. Complications according to mode of delivery among human immunodeficiency virus-infected women with CD4 lymphocyte counts of $\leq 500/\mu\text{L}$. 2000;183:100-7
Watts DH (*see* Dublin et al). 2000;183:986-94
Waugh J, Perry LJ, Halligan AWF, de Swiet M, Lambert PC, Penny JA, Taylor DJ, Jones DR, Shennan A. Birth weight and 24-hour ambulatory blood pressure in nonproteinuric hypertensive pregnancy. 2000;183:633-7
Weber AM, Walters MD. Cost-effectiveness of urodynamic testing before surgery for women with pelvic organ prolapse and stress urinary incontinence. 2000;183:1338-47
Weeks J (*see* Garite et al). 2000;183:1544-8
Weidner AC, Barber MD, Visco AG, Bump RC, Sanders DB. Pelvic muscle electromyography of levator ani and external anal sphincter in nulliparous women and women with pelvic floor dysfunction. 2000;183:1390-401
Weidner AC, Sanders DB, Nandedkar SD, Bump RC. Quantitative electromyographic analysis of levator ani and external anal sphincter muscles of nulliparous women. 2000;183:1249-56
Weidner AC (*see* Barber et al). 2000;183:1402-11
Weijdegård B (*see* Ekerhovd et al). 2000;183:610-6
Weiner CP (*see* Buhimschi et al). 2000;183:1512-9
Weingand H (*see* Hillemanns et al). 2000;183:52-7
Weinstein L, Ullery B. Identification of at-risk women for osteoporosis screening. 2000;183:547-9
Weiss NS (*see* Hill et al). 2000;183:1456-61
Wendland MF (*see* Gossman et al). 2000;183:956-63
Westren M (*see* Kruger and Westren). 2000;183:1308 (Letter reply)
White A (*see* Heald et al). 2000;183:593-600
Whitehouse J (*see* Watts et al). 2000;183:100-7
Whitsel AI, Capeless EC, Abel DE, Stuart GS. Adjustment for case mix in comparisons of cesarean delivery rates: university versus community hospitals in Vermont. 2000;183:1170-5

- Wians FH Jr (*see* Ramin et al). 2000;183:1309-10 (Letter reply)
Wiesenfeld HC, Macio I. Treatment threshold probability for vaginitis. 2000;183:518 (Letter reply)
Wiesenfeld HC (*see* Draper et al). 2000;183:1243-8
Wilkinson CC (*see* Paek et al). 2000;183:1119-23
Willekes C (*see* Spaanderman et al). 2000;183:1278-86
Williams CE (*see* Gunn et al). 2000;183:1564-72
Williams JBW (*see* Spitzer et al). 2000;183:759-69 (Education)
Williams MC, O'Brien WF, Nelson RN, Spellacy WN. Histologic chorioamnionitis is associated with fetal growth restriction in term and preterm infants. 2000;183:1094-9
Williamson K (*see* McEvoy et al). 2000;183:895-9
Wilson R (*see* DeVane et al). 2000;183:309-15
Wilson T (*see* Norwitz and Wilson). 2000;183:108-17
Winikoff B (*see* Newhall and Winikoff). 2000;183:S44-53 (Symposium)
Wininger JD (*see* Toledo et al). 2000;183:377-82
Winkler DD (*see* Ramsey et al). 2000;183:1100-2
Witchel SF (*see* Moran et al). 2000;183:1468-74
Witkin SS, Linhares I, Giraldo P, Jeremias J, Ledger WJ. Individual immunity and susceptibility to female genital tract infection. 2000;183:252-6 (AJOG reviews)
Witkin SS (*see* Korneeva et al). 2000;183:18-21
Witkin SS (*see* Sadowsky et al). 2000;183:173-80
Witlin AG, Mattar F, Sibai BM. Postpartum stroke: a twenty-year experience. 2000;183:83-8
Wittber GM (*see* McKenna et al). 2000;183:669-73
Wlodek ME (*see* Curtis et al). 2000;183:700-5
Wolf H (*see* Lunshof et al). 2000;183:460-1
Wong L-C, Ngan HYS, Cheng DKL, Ng T-Y. Methotrexate infusion in low-risk gestational trophoblastic disease. 2000;183:1579-82
Wood SL (*see* Ravasia et al). 2000;183:1176-9
Woods JR Jr (*see* Plessinger et al). 2000;183:979-85
Wright G (*see* Toledo et al). 2000;183:377-82
Wright TC Jr (*see* Denny et al). 2000;183:383-8
Wu WX, Ma XH, Smith GCS, Koenen SV, Nathanielsz PW. A new concept of the significance of regional distribution of prostaglandin H synthase 2 throughout the uterus during late pregnancy: investigations in a baboon model. 2000;183:1287-95

X

- Xiang W (*see* Hillemanns et al). 2000;183:52-7
Xiong X, Demianczuk NN, Buekens P, Saunders LD. Association of preeclampsia with high birth weight for gestational age. 2000;183:148-55

Y

- Yamashita H (*see* Shao et al). 2000;183:1263-70
Ying SL (*see* Liu et al). 2000;183:181-7
Yoon BH, Romero R, Kim M, Kim E-C, Kim T, Park JS, Jun JK. Clinical implications of detection of *Ureaplasma urealyticum* in the amniotic cavity with the polymerase chain reaction. 2000;183:1130-7
Yoon BH, Romero R, Park JS, Kim M, Oh S-Y, Kim CJ, Jun JK. The relationship among inflammatory lesions of the umbilical cord (funisitis), umbilical cord plasma interleukin 6 concentration, amniotic fluid infection, and neonatal sepsis. 2000;183:1124-9
Yoon BH (*see* Jun et al). 2000;183:868-73
Yoon BH (*see* Maymon et al). 2000;183:94-9
Yoon BH (*see* Maymon et al). 2000;183:887-94
Yoon BH (*see* Maymon et al). 2000;183:914-20
Yoon BH (*see* Pacora et al). 2000;183:904-10
Yoon BH (*see* Pacora et al). 2000;183:1138-43
Yoon BH (*see* Romero et al). 2000;183:1070-7

Yost NP, Bloom SL, Richey SD, Ramin SM, Cunningham FG. An appraisal of treatment guidelines for antepartum community-acquired pneumonia. 2000;183:131-5

Z

Zalel Y (*see* Gotlieb et al). 2000;183:541-6

Zammarchi E (*see* De Leo et al). 2000;183:945-7

Zanconato G (*see* Fedele et al). 2000;183:1462-7

Zanderigo AM (*see* Pattison et al). 2000;183:1008-12

Zelop CM, Shipp TD, Repke JT, Cohen A, Lieberman E. Effect of previous vaginal delivery on the risk of uterine rupture during a subsequent trial of labor. 2000;183:1184-6

Zhang J, Klebanoff MA, Levine RJ. Effects of smoking on blood pressure during pregnancy on balance are negative. 2000;183:776-7 (Letter reply)

Zhou RL (*see* North et al). 2000;183:136-9

Zilanti M. Transperineal versus transvaginal ultrasonography during the second trimester. 2000;183:1045 (Letter)

Zimmer EZ, Bronshtein M. Fetal polydactyly diagnosis during early pregnancy: clinical applications. 2000;183:755-8

Zlatnik M (*see* Olson et al). 2000;183:995-7

Zoppi MA, Ibba RM, Monni G. First-trimester screening for aneuploidy by nuchal translucency. 2000;183:1590-1 (Letter)

Subject index*

A

Abdomen

Impact of head-to-abdominal circumference asymmetry on outcomes in growth-discordant twins (Dashe et al). 2000;183:1082-7

Abdominal hysterectomy; see Hysterectomy

Abnormalities

Assessment of fetal lung volumes and liver herniation with magnetic resonance imaging in congenital diaphragmatic hernia (Walsh et al). 2000;183:1067-9

Comparison of urinary hyperglycosylated human chorionic gonadotropin concentration with the serum triple screen for Down syndrome detection in high-risk pregnancies (Bahado-Singh et al). 2000;183:1114-8

Detection of fetal trisomy 18 by short-term culture of maternal peripheral blood (Valerio et al). 2000;183:222-5

Fetal polydactyly diagnosis during early pregnancy: clinical applications (Zimmer and Bronshteyn). 2000;183:755-8

First-trimester Down syndrome screening (Macri and Orlandi) (Letter); (Malone et al) (Reply). 2000;183:1591-2

First-trimester screening for aneuploidy by nuchal translucency (Zoppi et al) (Letter); (Malone et al) (Reply). 2000;183:1590-2

Pregnancy outcome after in utero exposure to itraconazole: a prospective cohort study (Bar-Oz et al). 2000;183:617-20

Treatment of severe congenital diaphragmatic hernia by fetal tracheal occlusion: clinical experience with fifteen cases (Flake et al). 2000;183:1059-66

ABO blood-group system

Association of ABO incompatibility with elevation of nucleated red blood cell counts in term neonates (Hanlon-Lundberg and Kirby). 2000;183:1532-6

Abortion

Abortion with mifepristone and misoprostol: regimens, efficacy, acceptability and future directions (Newhall and Winikoff). 2000;183:S44-53 (Symposium)

Absence of maternal-fetal transmission of human immunodeficiency virus type 1 to second-trimester fetuses (Pascual et al). 2000;183:638-42

Alternatives to mifepristone regimens for medical abortion (Pyman and Creinin). 2000;183:S54-64 (Symposium)

Blastocyst transfer: a useful tool for reduction of high-order multiple gestations in a human assisted reproduction program (Toledo et al). 2000;183:377-82

Cardiovascular effects of intravaginal misoprostol in the mid trimester of pregnancy (Ramsey et al). 2000;183:1100-2

Chorionic villus sampling before multifetal pregnancy reduction (Eddleman et al). 2000;183:1078-81

Counseling for medical abortion (Breitbart). 2000;183:S26-33 (Symposium)

Early surgical abortion: an alternative to and backup for medical abortion (MacIsaac and Darnay). 2000;183:S76-83 (Symposium)

Ethical theory and principles: do they have any relevance to problems arising in everyday practice? (Finnerty et al). 2000;183:301-8

Legal issues in the provision of medical abortion (Borgmann and Jones). 2000;183:S84-94 (Symposium)

Long-term outcome in twin-twin transfusion syndrome treated with serial aggressive amnioreduction (Mari et al). 2000;183:211-7

Management of side effects and complications in medical abortion (Kruse et al). 2000;183:S65-75 (Symposium)

Medical abortion: public health and private lives (Grimes). 2000;183:S1-2 (Symposium)

Medical abortion regimens: historical context and overview (Creinin). 2000;183:S3-9 (Symposium)

Medical abortion service delivery (Breitbart et al). 2000;183:S16-25 (Symposium)

Medical abortion in social context (Joffe). 2000;183:S10-5 (Symposium)

Mifepristone versus vaginally administered misoprostol for cervical priming before first-trimester termination of pregnancy: a randomized, controlled study (Ashok et al). 2000;183:998-1002

The roles of clinical assessment, human chorionic gonadotropin assays, and ultrasonography in medical abortion practice (Paul et al). 2000;183:S34-43 (Symposium)

Triplets: outcomes of expectant management versus multifetal reduction for 127 pregnancies (Leondires et al). 2000;183:454-9

Abortion, spontaneous

Does aspirin have a role in improving pregnancy outcome for women with the antiphospholipid syndrome? A randomized controlled trial (Pattison et al). 2000;183:1008-12

Relationship of bacterial vaginosis and mycoplasmas to the risk of spontaneous abortion (Donders et al). 2000;183:431-7

Abruptio placentae

Effects of thrombin on myometrial contractions in vitro and in vivo (Elovitz et al). 2000;183:799-804

Mathematic modeling to predict abruptio placentae (Baumann et al). 2000;183:815-22

Acidemia

Waveform analysis of the fetal electrocardiogram: methodologic aspects (Rosén) (Letter); (Strachan et al) (Reply). 2000;183:1588-9

Activins

Corticotropin-releasing hormone, corticotropin-releasing hormone-binding protein, and activin A in maternal serum: prediction of preterm delivery and response to glucocorticoids in women with symptoms of preterm labor (Coleman et al). 2000;183:643-8

Adenosine

The role of nitric oxide in mediating adenosine-induced increases in uterine blood flow in the oophorectomized nonpregnant sheep (Carpenter et al). 2000;183:46-51

Adenosine cyclic monophosphate

Influence of oxytocin on prostaglandin E₂ intracellular calcium, and cyclic adenosine monophosphate in human amnion-derived (WISH) cells (Pavan et al). 2000;183:76-82

Adhesions

De novo adhesions with extraperitoneal endosurgical para-aortic lymphadenectomy versus transperitoneal laparoscopic para-aortic lymphadenectomy: a randomized experimental study (Occelli et al). 2000;183:529-33

Administration, inhalation

Value of inhaled nitric oxide in Eisenmenger syndrome during pregnancy (Rosenthal and Nelson-Piercy). 2000;183:781-2 (Letter)

*July, 1-260, S1-S22; August, 261-522, S1-S94; September, 523-786; October, 787-1048; November, 1049-1312; December, 1313-1660.

Administration, intravaginal

Mifepristone versus vaginally administered misoprostol for cervical priming before first-trimester termination of pregnancy: a randomized, controlled study (Ashok et al). 2000;183:998-1002

Adolescence

Sexually transmitted infection and teenage sexuality (McIlhenny). 2000;183:334-9

Adrenal cortex hormones

Effectiveness of antenatal corticosteroid administration after preterm premature rupture of the membranes (Vermillion et al). 2000;183:925-9

The effects of repeat doses of antenatal corticosteroids on maternal adrenal function (McKenna et al). 2000;183:669-73

Impact of high-dose corticosteroid therapy for patients with HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome (O'Brien et al). 2000;183:921-4

Timing of antenatal corticosteroids and neonatal pulmonary mechanics (McEvoy et al). 2000;183:895-9

Were there any misdiagnoses? (Goodlin) (Letter); (Tompkins) (Reply). 2000;183:1046

Adrenal glands

The effects of repeat doses of antenatal corticosteroids on maternal adrenal function (McKenna et al). 2000;183:669-73

Fetal hypothalamic-pituitary-adrenal axis (Chez). 2000;183:1310 (Letter)

Adrenal hyperplasia

21-Hydroxylase-deficient nonclassic adrenal hyperplasia is a progressive disorder: a multicenter study (Moran et al). 2000;183:1468-74

Adrenomedullins

Localization of messenger ribonucleic acid for adrenomedullin and adrenomedullin receptor in the human placenta in normal pregnancies and pregnancies complicated by oligohydramnios (Apo-daca et al). 2000;183:1213-9

Vasodilatory response of fetoplacental vasculature to adrenomedullin after constriction with the thromboxane sympathomimetic U46619 (Hoeldtke et al). 2000;183:1573-8

Age factors

21-Hydroxylase-deficient nonclassic adrenal hyperplasia is a progressive disorder: a multicenter study (Moran et al). 2000;183:1468-74

AJOG reviews

AJOG reviews. 2000;183:252-6, 483-91, 770-4

Alkaline phosphatase

Isolated elevation of serum alkaline phosphatase level in an uncomplicated pregnancy: a case report (Vongthavaravat et al). 2000;183:505-6

Alternative medicine

Effect of antenatal exposure to Saint John's wort (*Hypericum*) on neurobehavior of developing mice (Rayburn et al). 2000;183:1225-31

Altitude

Comparison of low-and high-altitude Doppler velocimetry in the peripheral and central circulations of normal fetuses (Galan et al). 2000;183:1158-61

Ambulatory care

Birth weight and 24-hour ambulatory blood pressure in nonproteinuric hypertensive pregnancy (Waugh et al). 2000;183:633-7

Amenorrhea

Primary amenorrhea caused by crushing trauma of the pelvis (Donner et al). 2000;183:500-1

The American Board of Obstetrics and Gynecology

Approved fellowship training programs in obstetrics and gynecology subspecialties. 2000;183:25A-29A

Renewal/voluntary recertifications: subspecialty of Gynecologic Oncology. 2000;183:1596-7

Renewal/voluntary recertifications: subspecialty of Maternal-Fetal Medicine. 2000;183:1597-9

Renewal/voluntary recertifications: subspecialty of Reproductive Endocrinology/Infertility. 2000;183:1600-1

Oral examination, new certifications: subspecialty of Gynecologic Oncology. 2000;183:1603

Oral examination, new certifications: subspecialty of Maternal-Fetal Medicine. 2000;183:1603-4

Oral examination, new certifications: subspecialty of Reproductive Endocrinology/Infertility. 2000;183:1604-5

Renewal/voluntary recertifications: subspecialty of Gynecologic Oncology. 2000;183:1602

Renewal/voluntary recertifications: subspecialty of Maternal-Fetal Medicine. 2000;183:1602-3

Renewal/voluntary recertifications: principal specialty. 2000;183:1601-2

Renewal/voluntary recertifications: subspecialty of Reproductive Endocrinology. 2000;183:1603

American Journal of Obstetrics and Gynecology

What is the meaning of authorship? (Goodlin) (Letter); (Hogg et al) (Reply). 2000;183:775-6

Amino acid receptors; see Receptors, amino acid**Aminolevulinic acid**

Assessment of 5-aminolevulinic acid-induced porphyrin fluorescence in patients with peritoneal endometriosis (Hillemann et al). 2000;183:52-7

Amniocentesis

Outcome of pregnancies complicated by ruptured membranes after genetic amniocentesis (Borgida et al). 2000;183:937-9

Amnion

Influence of oxytocin on prostaglandin E₂ intracellular calcium, and cyclic adenosine monophosphate in human amnion-derived (WISH) cells (Pavan et al). 2000;183:76-82

Pretreatment of human amnion-chorion with vitamins C and E prevents hypochlorous acid-induced damage (Plessinger et al). 2000;183:979-85

Amnioreduction; see Abortion**Amniotic fluid**

Amniotic fluid index values after preterm premature rupture of the membranes and subsequent perinatal infection (Vermillion et al). 2000;183:271-6

Clinical implications of detection of *Ureaplasma urealyticum* in the amniotic cavity with the polymerase chain reaction (Yoon et al). 2000;183:1130-7

Elevations of group II phospholipase A₂ concentrations in serum and amniotic fluid in association with preterm labor (Koyama et al). 2000;183:1537-43

Histologic inflammation in the maternal and fetal compartments in a rabbit model of acute intra-amniotic infection (Davies et al). 2000;183:1088-93

Participation of the novel cytokine interleukin 18 in the host response to intra-amniotic infection (Pacora et al). 2000;183:1138-43

The relationship among inflammatory lesions of the umbilical cord (funisitis), umbilical cord plasma interleukin 6 concentration, amniotic fluid infection, and neonatal sepsis (Yoon et al). 2000;183:1124-9

Role of amnioinfusion in the management of premature rupture of the membranes at <26 weeks' gestation (Locatelli et al). 2000;183:878-82

Amniotic fluid embolism; see Embolism, amniotic fluid**Analgesia, epidural**

The effect of a rapid change in availability of epidural analgesia on the cesarean delivery rate: a meta-analysis (Segal et al). 2000;183:974-8

Anastomosis, surgical

Low colorectal anastomosis after radical pelvic surgery: a risk factor analysis (Mirhashemi et al). 2000;183:1375-80

Anemia

Middle cerebral artery Doppler velocimetric deceleration angle as a predictor of fetal anemia in Rh-alloimmunized fetuses without hydrops (Bahado-Singh et al). 2000;183:746-51

Anesthesia, epidural

Epidural anesthesia in severe preeclampsia (Camann) (Letter); (Hogg and Hauth) (Reply). 2000;183:258

Aneuploidy

The effect of fetal neck position on nuchal fold thickness (Olson et al). 2000;183:995-7

First-trimester Down syndrome screening (Macri and Orlandi) (Letter); (Malone et al) (Reply). 2000;183:1591-2

First-trimester screening for aneuploidy by nuchal translucency (Zoppi et al) (Letter); (Malone et al) (Reply). 2000;183:1590-2

Aneurysm

Splenic artery aneurysm (Lovšin et al) (Letter); (Lang and Herbeck) (Reply). 2000;183:781

Anoxia

Fetal erythropoietin levels in pregnancies complicated by meconium passage: does meconium suggest fetal hypoxia? (Jazayeri et al). 2000;183:188-90

Antibiotics

Group B streptococci causing neonatal bloodstream infection: antimicrobial susceptibility and serotyping results from SENTRY centers in the Western Hemisphere (Andrews et al). 2000;183:859-62

Antibodies

An appraisal of screening for maternal type-specific herpes simplex virus antibodies to prevent neonatal herpes (Rouse and Stringer). 2000;183:400-6

Serum antibodies to the 27-kD heat shock protein in women with gynecologic cancers (Korneeva et al). 2000;183:18-21

Antibodies, monoclonal

Preoperative diagnosis of ovarian carcinoma with a novel monoclonal antibody (Lieberman et al). 2000;183:534-40

Antidepressive agents

Estrogen replacement in perimenopause-related depression: a preliminary report (Schmidt et al). 2000;183:414-20

Antigens, CD8

In vitro induction of tumor-specific human lymphocyte antigen class I-restricted CD8⁺ cytotoxic T lymphocytes by ovarian tumor antigen-pulsed autologous dendritic cells from patients with advanced ovarian cancer (Santin et al). 2000;183:601-9

Antigens, neoplasm

In vitro induction of tumor-specific human lymphocyte antigen class I-restricted CD8⁺ cytotoxic T lymphocytes by ovarian tumor antigen-pulsed autologous dendritic cells from patients with advanced ovarian cancer (Santin et al). 2000;183:601-9

Antigens, tumor-associated, carbohydrate

CA 125 measurement and ultrasonography in borderline tumors of the ovary (Gotlieb et al). 2000;183:541-6

Antiphospholipid syndrome

Does aspirin have a role in improving pregnancy outcome for women with the antiphospholipid syndrome? A randomized controlled trial (Pattison et al). 2000;183:1008-12

Anus

Pelvic muscle electromyography of levator ani and external anal sphincter in nulliparous women and women with pelvic floor dysfunction (Weidner et al). 2000;183:1390-401

Quantitative electromyographic analysis of levator ani and external anal sphincter muscles of nulliparous women (Weidner et al). 2000;183:1249-56

A randomized clinical trial comparing primary overlap with approximation repair of third-degree obstetric tears (Fitzpatrick et al). 2000;183:1220-4

Apoptosis

Apoptosis is a rare event in first-trimester placental tissue (Smith et al). 2000;183:697-9

Argipressin

A simplified index of the plasma sodium threshold for arginine vasopressin secretion—morning fasting, euhydrated sodium levels (Mann et al). 2000;183:933-6

Arteries

The effect of pregnancy on the compliance of large arteries and veins in healthy parous control subjects and women with a history of preeclampsia (Spaanderman et al). 2000;183:1278-86

Effects of undernutrition in early pregnancy on systemic small artery function in late-gestation fetal sheep (Ozaki et al). 2000;183:1301-7

Preeclampsia: evidence for impaired shear stress-mediated nitric oxide release in uterine circulation (Kublickiene et al). 2000;183:160-6

Resistance of pelvic arteries and plasma lipids in postmenopausal women: comparative study of tibolone and continuous combined estradiol and norethindrone acetate replacement therapy (Dören et al). 2000;183:575-82

Arterioles

Pregnancy-induced alterations of uterine arteriolar reactivity in the rat: observations with a new in vivo microcirculatory preparation (Alsip et al). 2000;183:621-6

Ascorbic acid

Pretreatment of human amnion-chorion with vitamins C and E prevents hypochlorous acid-induced damage (Plessinger et al). 2000;183:979-85

Aspirin

Does aspirin have a role in improving pregnancy outcome for women with the antiphospholipid syndrome? A randomized controlled trial (Pattison et al). 2000;183:1008-12

Preeclampsia prevention: lessons from the low-dose aspirin therapy trials (Heyborne). 2000;183:523-8 (Clin. opinion)

Assisted reproduction techniques; see Fertilization in vitro

Atherosclerosis

Effects of oral contraceptives on vascular endothelium in premenopausal women (John et al). 2000;183:28-33

Atosiban

Inhibition of premature labor in sheep by a combined treatment of nimesulide, a prostaglandin synthase type 2 inhibitor, and atosiban, an oxytocin receptor antagonist (Grigsby et al). 2000;183:649-57

Atresia

Pregnancies after reconstructive surgery for congenital cervicovaginal atresia (Chakravarty et al). 2000;183:421-3

Attention

Magnesium sulfate therapy affects attention and working memory in patients undergoing preterm labor (Ghia et al). 2000;183:940-4

Authorship

What is the meaning of authorship? (Goodlin) (Letter); (Hogg et al) (Reply). 2000;183:775-6

Autonomic nervous system

Management of autonomic hyperreflexia with magnesium sulfate during labor in a woman with spinal cord injury (Maehama et al). 2000;183:492-3

B

Bacterial vaginosis; see Vaginosis, bacterial

Behavior

Adverse behavioral and sexual factors in chronic vulvar disease (Marin et al). 2000;183:34-8

Neurobiology of behavioral changes after prenatal exposure to paroxetine (Paxil) (Friedman). 2000;183:518-9 (Letter)

Benzathine penicillin G; see Penicillin G, benzathine

Betamethasone

Lack of relationship between diurnal rhythms in fetal heart rate and maternal cortisol concentration (Lunshof et al). 2000;183:460-1
Neonatal sepsis and death after multiple courses of antenatal betamethasone therapy (Vermillion et al). 2000;183:810-4

Binding proteins; see Carrier proteins**Bioimpedance; see Electric impedance****Biological availability**

Evidence of in vivo differential bioavailability of the active forms of matrix metalloproteinases 9 and 2 in parturition, spontaneous rupture of membranes, and intra-amniotic infection (Maymon et al). 2000;183:887-94

Biophysical profile; see Fetal monitoring**Birth intervals**

Association of interpregnancy interval with uterine scar failure in labor: a case-control study (Esposito et al). 2000;183:1180-3

Birth weight

Association of preeclampsia with high birth weight for gestational age (Xiong et al). 2000;183:148-55
Beginning regular exercise in early pregnancy: effect on fetoplacental growth (Clapp et al). 2000;183:1484-8
Birth weight and 24-hour ambulatory blood pressure in nonproteinuric hypertensive pregnancy (Vaughn et al). 2000;183:633-7
Does augmented growth impose an increased risk of fetal death? (Seeds and Peng). 2000;183:316-23
New standards for birth weight by gestational age using family data (Skjaerven et al). 2000;183:689-96
Twin birth weight discordance and risk of preterm birth (Cooperstock et al). 2000;183:63-7

Bladder, surgery

Fetal hydrolaparoscopy and endoscopic cystotomy in complicated cases of lower urinary tract obstruction (Quintero et al). 2000;183:324-33

Blastocyst transfer; see Embryo transfer**Blood**

The clinical utility of fetal cell sorting to determine prenatally fetal *E/e* or *e/e* Rh genotype from peripheral maternal blood (Geifman-Holtzman et al). 2000;183:462-8
Detection of fetal trisomy 18 by short-term culture of maternal peripheral blood (Valerio et al). 2000;183:222-5
Group B streptococci causing neonatal bloodstream infection: antimicrobial susceptibility and serotyping results from SENTRY centers in the Western Hemisphere (Andrews et al). 2000;183:859-62
Soluble HLA-G circulates in maternal blood during pregnancy (Hunt et al). 2000;183:682-8

Blood cell count

Association of ABO incompatibility with elevation of nucleated red blood cell counts in term neonates (Hanlon-Lundberg and Kirby). 2000;183:1532-6

Blood circulation

Cell-free fetal deoxyribonucleic acid in maternal circulation as a marker of fetal-maternal hemorrhage in patients undergoing external cephalic version near term (Lau et al). 2000;183:712-6
Comparison of low- and high-altitude Doppler velocimetry in the peripheral and central circulations of normal fetuses (Galan et al). 2000;183:1158-61
Estrogen augments the vasodilatory effects of vascular endothelial growth factor in the uterine circulation of the rat (Storment et al). 2000;183:449-53

Blood coagulation factors

Genetic factors associated with thrombosis in pregnancy in a United States population (Dilley et al). 2000;183:1271-7

Blood flow velocity

Portal vein blood flow—effects of pregnancy, gravity, and exercise (Clapp et al). 2000;183:167-72
Premarin-induced increases in coronary and uterine blood flow in nonpregnant sheep (Clark et al). 2000;183:12-7

The role of nitric oxide in mediating adenosine-induced increases in uterine blood flow in the oophorectomized nonpregnant sheep (Carpenter et al). 2000;183:46-51

Blood group incompatibility

Association of ABO incompatibility with elevation of nucleated red blood cell counts in term neonates (Hanlon-Lundberg and Kirby). 2000;183:1532-6

Blood pressure

Birth weight and 24-hour ambulatory blood pressure in nonproteinuric hypertensive pregnancy (Vaughn et al). 2000;183:633-7
Effects of smoking on blood pressure during pregnancy on balance are negative (Friedman) (Letter); (Zhang et al) (Reply). 2000;183:776-7
Report of the National High Blood Pressure Education Program Working Group on High Blood Pressure in Pregnancy (National High Blood Pressure Education Program Working Group on High Blood Pressure in Pregnancy). 2000;183(Jul):S1-22
Should the definition of preeclampsia include a rise in diastolic blood pressure of ≥ 15 mm Hg to a level < 90 mm Hg in association with proteinuria? (Levine et al). 2000;183:787-92

Blood transfusion

Umbilical cord blood collection before placental delivery during cesarean delivery increases cord blood volume and nucleated cell number available for transplantation (Surbek et al). 2000;183:218-21
Umbilical cord blood collection for transplantation: which technique should be preferred? (Surbek et al) (Letter); (Elchalal and Nagler) (Reply). 2000;183:1587-8

Blood volume

Umbilical cord blood collection before placental delivery during cesarean delivery increases cord blood volume and nucleated cell number available for transplantation (Surbek et al). 2000;183:218-21

Body composition

Impact of maternal cigarette smoking on fetal growth and body composition (Bernstein et al). 2000;183:883-6

Body temperature regulation

Influence of thyrotropin-releasing hormone administration at birth on thermoregulation in lambs delivered by cesarean (Heasman et al). 2000;183:1257-62

Bone loss; see Osteoporosis**Brachial plexus**

Effects of a policy of elective cesarean delivery in cases of suspected fetal macrosomia on the incidence of brachial plexus injury and the rate of cesarean delivery (Gonen et al). 2000;183:1296-300

Brain

Magnesium prevents seizure-induced reduction in excitatory amino acid receptor (kainate and α -amino-3-hydroxy-5-methyl-isoxazole-4-propionic acid) binding in pregnant rat brain (Hallak et al). 2000;183:793-8
Relation between damage to the placenta and the fetal brain after late-gestation placental embolization and fetal growth restriction in sheep (Duncan et al). 2000;183:1013-22

Breast neoplasms

Hormone replacement therapy in breast cancer survivors (DiSaia and Brewster). 2000;183:517 (Letter)
Postoperative tailored radiotherapy for locally advanced breast carcinoma during pregnancy: a therapeutic dilemma (Kouvaris et al). 2000;183:498-9

Breech presentation

Vaginal breech deliveries (de Haan) (Letter); (Diro et al) (Reply). 2000;183:516-7

C**CA 125 antigens; see Antigens, tumor-associated, carbohydrate****Calcium**

Influence of oxytocin on prostaglandin E_2 intracellular calcium, and

- cyclic adenosine monophosphate in human amnion-derived (WISH) cells (Pavan et al). 2000;183:76-82
- Candida albicans**
Individual immunity and susceptibility to female genital tract infection (Witkin et al). 2000;183:252-6 (AJOG reviews)
- Capillary permeability**
Magnetic resonance imaging in an experimental model of human ovarian cancer demonstrating altered microvascular permeability after inhibition of vascular endothelial growth factor (Gossmann et al). 2000;183:956-63
- Carbon dioxide**
Regular disappearance of the human papillomavirus genome after conization of cervical dysplasia by carbon dioxide laser (Kjellberg et al). 2000;183:1238-42
- Carbon monoxide**
End-tidal carbon monoxide measurements in women with pregnancy-induced hypertension and preeclampsia (Baum et al). 2000;183:900-3
- Carcinoma**
Increased endometrial thickness in women with hypertension (Bornstein et al). 2000;183:583-7
Postoperative tailored radiotherapy for locally advanced breast carcinoma during pregnancy: a therapeutic dilemma (Kouvaris et al). 2000;183:498-9
Preoperative diagnosis of ovarian carcinoma with a novel monoclonal antibody (Lieberman et al). 2000;183:534-40
Questions about case report on vaginal dysplasia (Fanning) (Letter); (Powell) (Reply). 2000;183:1592-3
- Cardiac output**
Validation of bioimpedance estimates of cardiac output in preeclampsia (Scardo et al). 2000;183:911-3
- Cardiovascular system**
Cardiovascular effects of intravaginal misoprostol in the mid trimester of pregnancy (Ramsey et al). 2000;183:1100-2
- Carrier proteins**
Corticotropin-releasing hormone, corticotropin-releasing hormone-binding protein, and activin A in maternal serum: prediction of preterm delivery and response to glucocorticoids in women with symptoms of preterm labor (Coleman et al). 2000;183:643-8
- Case mix; see Diagnosis-related groups**
- Catheters, indwelling**
A comparison of hemodynamic data derived by pulmonary artery flotation catheter and the esophageal Doppler monitor in preeclampsia (Penny et al). 2000;183:658-61
- Cautery**
Cauterization of hydrosalpinges before in vitro fertilization is an effective surgical treatment associated with improved pregnancy rates (Stadtmauer et al). 2000;183:367-71
- Cell adhesion molecules**
Developmental changes in adhesion molecule expressions in umbilical cord blood CD34⁺ hematopoietic progenitor and stem cells (Surbek et al). 2000;183:1152-7
- Cells**
Association of stress during delivery with increased numbers of nucleated cells and hematopoietic progenitor cells in umbilical cord blood (Lim et al). 2000;183:1144-51
Cell-free fetal deoxyribonucleic acid in maternal circulation as a marker of fetal-maternal hemorrhage in patients undergoing external cephalic version near term (Lau et al). 2000;183:712-6
The clinical utility of fetal cell sorting to determine prenatally fetal *E/e* or *e/e* Rh genotype from peripheral maternal blood (Geifman-Holtzman et al). 2000;183:462-8
Epithelial cell layer thickness and immune cell populations in the normal human vagina at different stages of the menstrual cycle (Patton et al). 2000;183:967-73
Influence of oxytocin on prostaglandin E₂ intracellular calcium, and cyclic adenosine monophosphate in human amnion-derived (WISH) cells (Pavan et al). 2000;183:76-82
- Transcervical sampling as a means of detection of fetal cells during the first trimester of pregnancy (Daryani et al). 2000;183:752-4
- Cerebral arteries**
Middle cerebral artery Doppler velocimetric deceleration angle as a predictor of fetal anemia in Rh-alloimmunized fetuses without hydrops (Bahado-Singh et al). 2000;183:746-51
- Cerebral palsy**
Magnesium sulfate for tocolysis and risk of spastic cerebral palsy in premature children born to women without preeclampsia (Grether et al). 2000;183:717-25
- Cerebrovascular disorders**
Postpartum stroke: a twenty-year experience (Witkin et al). 2000;183:83-8
- Cervical Incompetence Prevention Randomized Cerclage Trial**
Cervical Incompetence Prevention Randomized Cerclage Trial (CIPRACT): study design and preliminary results (Althuisius et al). 2000;183:823-9
- Cervix**
Cervical shedding of herpes simplex virus and cytomegalovirus throughout the menstrual cycle in women infected with human immunodeficiency virus type 1 (Mostad et al). 2000;183:948-55
Detection of *Neisseria gonorrhoeae* and *Chlamydia trachomatis* colonization of the gravid cervix (Asbill et al). 2000;183:340-6
The impact of digital cervical examination on expectantly managed preterm rupture of membranes (Alexander et al). 2000;183:1003-7
Interleukin 6 determinations in cervical fluid have diagnostic and prognostic value in preterm premature rupture of membranes (Jun et al). 2000;183:868-73
Mifepristone versus vaginally administered misoprostol for cervical priming before first-trimester termination of pregnancy: a randomized, controlled study (Ashok et al). 2000;183:998-1002
A new concept of the significance of regional distribution of prostaglandin H synthase 2 throughout the uterus during late pregnancy: investigations in a baboon model (Wu et al). 2000;183:1287-95
Nitric oxide synthases in the human cervix at term pregnancy and effects of nitric oxide on cervical smooth muscle contractility (Ekerhovd et al). 2000;183:610-6
A population-based five-year follow-up study of cervical human papillomavirus infection (Elfgren et al). 2000;183:561-7
Pregnancies after reconstructive surgery for congenital cervicovaginal atresia (Chakravarty et al). 2000;183:421-3
Primary amenorrhea caused by crushing trauma of the pelvis (Donner et al). 2000;183:500-1
Use of cervical ultrasonography in prediction of spontaneous preterm birth in triplet gestations (Guzman et al). 2000;183:1108-13
Use of cervical ultrasonography in prediction of spontaneous preterm birth in twin gestations (Guzman et al). 2000;183:1103-7
- Cervix dysplasia**
Regular disappearance of the human papillomavirus genome after conization of cervical dysplasia by carbon dioxide laser (Kjellberg et al). 2000;183:1238-42
- Cervix incompetence**
Cervical Incompetence Prevention Randomized Cerclage Trial (CIPRACT): study design and preliminary results (Althuisius et al). 2000;183:823-9
Management of cervical cerclage and preterm premature rupture of the membranes: should the stitch be removed? (McElrath et al). 2000;183:840-6
Patients with a prior failed transvaginal cerclage: a comparison of obstetric outcomes with either transabdominal or transvaginal cerclage (Davis et al). 2000;183:836-9

Cervix incompetence—cont'd

- A randomized trial of cerclage versus no cerclage among patients with ultrasonographically detected second-trimester preterm dilatation of the internal os (Rust et al). 2000;183:830-5
- Timing of cerclage removal after preterm premature rupture of membranes: maternal and neonatal outcomes (Jenkins et al). 2000;183:847-52

Cervical neoplasms

- Cervical cancer practice patterns and appropriateness of therapy (Howell et al). 2000;183:407-13
- Genital human papillomavirus infection in women who have sex with women: a review (Marrazzo et al). 2000;183:770-4 (AJOG reviews)
- Molecular Papanicolaou tests in the twenty-first century: molecular analyses with fluid-based Papanicolaou technology (Lin et al). 2000;183:39-45
- Questions about case report on vaginal dysplasia (Fanning) (Letter); (Powell) (Reply). 2000;183:1592-3
- Two-stage cervical cancer screening: an alternative for resource-poor settings (Denny et al). 2000;183:383-8

Cesarean section

- Adjustment for case mix in comparisons of cesarean delivery rates: university versus community hospitals in Vermont (Whitset et al). 2000;183:1170-5
- The effect of a rapid change in availability of epidural analgesia on the cesarean delivery rate: a meta-analysis (Segal et al). 2000;183:974-8
- Effects of a policy of elective cesarean delivery in cases of suspected fetal macrosomia on the incidence of brachial plexus injury and the rate of cesarean delivery (Gonen et al). 2000;183:1296-300
- Elective repeat cesarean delivery versus trial of labor: a meta-analysis of the literature from 1989 to 1999 (Mozurkewich and Hutton). 2000;183:1187-97
- Influence of thyrotropin-releasing hormone administration at birth on thermoregulation in lambs delivered by cesarean (Heasman et al). 2000;183:1257-62
- Is human myometrial sampling at the time of cesarean delivery safe? (McElvy et al). 2000;183:1583-6
- Maternal and neonatal outcomes after induction of labor without an identified indication (Dublin et al). 2000;183:986-94
- Predicting cesarean delivery with decision tree models (Sims et al). 2000;183:1198-206
- Pyoderma gangrenosum after cesarean delivery (Rönnau et al). 2000;183:502-4
- Umbilical cord blood collection before placental delivery during cesarean delivery increases cord blood volume and nucleated cell number available for transplantation (Surbek et al). 2000;183:218-21
- Uterine rupture during induced trial of labor among women with previous cesarean delivery (Ravasia et al). 2000;183:1176-9

Chlamydia trachomatis

- Detection of *Neisseria gonorrhoeae* and *Chlamydia trachomatis* colonization of the gravid cervix (Asbill et al). 2000;183:340-6
- Individual immunity and susceptibility to female genital tract infection (Witkin et al). 2000;183:252-6 (AJOG reviews)
- The Preterm Prediction Study: association of second-trimester genitourinary chlamydia infection with subsequent spontaneous preterm birth (Andrews et al). 2000;183:662-8

Chorioamnionitis

- Clinical implications of detection of *Ureaplasma urealyticum* in the amniotic cavity with the polymerase chain reaction (Yoon et al). 2000;183:1130-7
- Elevations of group II phospholipase A₂ concentrations in serum and amniotic fluid in association with preterm labor (Koyama et al). 2000;183:1537-43
- Histologic chorioamnionitis is associated with fetal growth restriction in term and preterm infants (Williams et al). 2000;183:1094-9

Choriocarcinoma

- Choriocarcinoma after hydatidiform mole (Szulman). 2000;183:257 (Letter)

Chorion

- Pretreatment of human amnion-chorion with vitamins C and E prevents hypochlorous acid-induced damage (Plessinger et al). 2000;183:979-85

Chorionic villi

- Genetic expression by fetal chorionic villi during the first trimester of human gestation (Dizon-Townson et al). 2000;183:706-11

Chorionic villi sampling

- Chorionic villus sampling before multifetal pregnancy reduction (Eddleman et al). 2000;183:1078-81

Cicatrix

- Association of interpregnancy interval with uterine scar failure in labor: a case-control study (Esposito et al). 2000;183:1180-3

Cigarette smoking; see Smoking**Circadian rhythm**

- Lack of relationship between diurnal rhythms in fetal heart rate and maternal cortisol concentration (Lunshof et al). 2000;183:460-1

Circulation; see Blood circulation**Clinical opinion**

- Clinical opinion. 2000;183:1-5, 523-8, 1402-11

Clitoris

- Vulvar epithelial inclusion cyst as a late complication of childhood female traditional genital surgery (Kroll and Miller). 2000;183:509-10

Cocaine

- Substance use measures among women in early pregnancy (Markovic et al). 2000;183:627-32

Coitus

- Genital human papillomavirus infection in women who have sex with women: a review (Marrazzo et al). 2000;183:770-4 (AJOG reviews)

Collagenases

- Evidence for the participation of interstitial collagenase (matrix metalloproteinase 1) in preterm premature rupture of membranes (Maymon et al). 2000;183:914-20
- Human neutrophil collagenase (matrix metalloproteinase 8) in parturition, premature rupture of the membranes, and intrauterine infection (Maymon et al). 2000;183:94-9

Colon

- Low colorectal anastomosis after radical pelvic surgery: a risk factor analysis (Mirhashemi et al). 2000;183:1375-80

Community hospitals; see Hospitals, community**Computers**

- A comparison of visual analyses of intrapartum fetal heart rate tracings according to the new National Institute of Child Health and Human Development guidelines with computer analyses by an automated fetal heart rate monitoring system (Devoe et al). 2000;183:361-6

Constriction

- Vasodilatory response of fetoplacental vasculature to adrenomedullin after constriction with the thromboxane synthetase inhibitor U46619 (Hoeldtke et al). 2000;183:1573-8

Consultants

- Consultants for the American Journal of Obstetrics and Gynecology. July 1, 1999–June 30, 2000. 2000;183:1313-34

Contraceptives, oral

- Effects of oral contraceptives on vascular endothelium in premenopausal women (John et al). 2000;183:28-33
- Oral contraceptive use and glucose metabolism in a national sample of women in the United States (Troisi et al). 2000;183:389-95
- Postoperative administration of monophasic combined oral contraceptives after laparoscopic treatment of ovarian endometriomas: a prospective, randomized trial (Muzii et al). 2000;183:588-92

Cord blood; see Fetal blood

Coronary circulation

Premarin-induced increases in coronary and uterine blood flow in nonpregnant sheep (Clark et al). 2000;183:12-7

Correspondence

Letters. 2000;183:257-8, 513-20, 775-83, 1045-6, 1308-10, 1587-93

Corticosteroids; see Adrenal cortex hormones

Corticotropin-releasing hormone

Corticotropin-releasing hormone, corticotropin-releasing hormone-binding protein, and activin A in maternal serum: prediction of preterm delivery and response to glucocorticoids in women with symptoms of preterm labor (Coleman et al). 2000;183:643-8

Cortisol; see Hydrocortisone

Cost-benefit analysis

An appraisal of screening for maternal type-specific herpes simplex virus antibodies to prevent neonatal herpes (Rouse and Stringer). 2000;183:400-6

Cost-effectiveness of urodynamic testing before surgery for women with pelvic organ prolapse and stress urinary incontinence (Weber and Walters). 2000;183:1338-47

The myths of laparoscopic surgery (Hopkins). 2000;183:1-5 (Clin. opinion)

Optimal pregnancy outcome in a minimal-stimulation in vitro fertilization program (DeVane et al). 2000;183:309-15

Treatment threshold probability for vaginitis (Harper) (Letter); (Wiesenfeld and Macio) (Reply). 2000;183:517-8

Cotinine

Nicotine transdermal patches and pregnancy (Serra et al) (Letter); (Schroeder et al) (Reply). 2000;183:778-9

Counseling

Counseling for medical abortion (Breitbart). 2000;183:S26-33 (Symposium)

Counterpulsation

Successful application of extracorporeal membrane oxygenation and intra-aortic balloon counterpulsation as lifesaving therapy for a patient with amniotic fluid embolism (Hsieh et al). 2000;183:496-7

Cryosurgery

In vitro studies of cryoablation of the endometrium (Kremer and Duffy). 2000;183:22-7

Cyclic adenosine monophosphate; see Adenosine cyclic monophosphate

Cyclooxygenase; see Prostaglandin-endoperoxide synthase

Cyclosporine

Pyoderma gangrenosum after cesarean delivery (Rönnau et al). 2000;183:502-4

Cystotomy; see Bladder, surgery

Cysts

Vulvar epithelial inclusion cyst as a late complication of childhood female traditional genital surgery (Kroll and Miller). 2000;183:509-10

Cytokines

Participation of the novel cytokine interleukin 18 in the host response to intra-amniotic infection (Pacora et al). 2000;183:1138-43

Cytomegaloviruses

Cervical shedding of herpes simplex virus and cytomegalovirus throughout the menstrual cycle in women infected with human immunodeficiency virus type 1 (Mostad et al). 2000;183:948-55

Prenatal diagnosis of symptomatic congenital cytomegalovirus infection (Guerra et al). 2000;183:476-82

Cytotoxic T lymphocytes; see T lymphocytes, cytotoxic

D

Danazol

Increase in serum leptin concentrations among women with endometriosis during danazol and leuprolide depot treatments (Matalliotakis et al). 2000;183:58-62

Death, infant; see Infant death

Decidua

Secretory component: a potential regulator of endometrial-decidual prostaglandin production in early human pregnancy (Norwitz and Wilson). 2000;183:108-17

Decision trees

Predicting cesarean delivery with decision tree models (Sims et al). 2000;183:1198-206

Delivery

Association between level of delivery hospital and neonatal outcomes among South Carolina Medicaid recipients (Sanderson et al). 2000;183:1504-11

Association of stress during delivery with increased numbers of nucleated cells and hematopoietic progenitor cells in umbilical cord blood (Lim et al). 2000;183:1144-51

Comments on sequential use of instruments at operative vaginal delivery (Escamilla) (Letter); (Bofill) (Reply). 2000;183:515-6

Complications according to mode of delivery among human immunodeficiency virus-infected women with CD4 lymphocyte counts of $\leq 500/\mu\text{L}$ (Watts et al). 2000;183:100-7

Delayed-interval delivery: extended series from a single maternal-fetal medicine practice (Farkouh et al). 2000;183:1499-1503

The effect of a rapid change in availability of epidural analgesia on the cesarean delivery rate: a meta-analysis (Segal et al). 2000;183:974-8

Expectant management of severe preterm preeclampsia: is intra-uterine growth restriction an indication for immediate delivery? (Chammas et al). 2000;183:853-8

Fetal hypothalamic-pituitary-adrenal axis (Chez). 2000;183:1310 (Letter)

Influence of thyrotropin-releasing hormone administration at birth on thermoregulation in lambs delivered by cesarean (Heasman et al). 2000;183:1257-62

Troponin I measurement in the diagnosis of myocardial injury during pregnancy and delivery: two cases (Krähenmann et al) (Letter); (Ramin et al) (Reply). 2000;183:1308-10

Vaginal breech deliveries (de Haan) (Letter); (Diro et al) (Reply). 2000;183:516-7

Vaginal delivery of twins and neonatal respiratory disorders (Suzuki). 2000;183:780 (Reply)

Delivery, injuries

Posterior presentations: questions on forceps delivery with rotation (Escamilla) (Letter); (Feldman) (Reply). 2000;183:779-80

A randomized clinical trial comparing primary overlap with approximation repair of third-degree obstetric tears (Fitzpatrick et al). 2000;183:1220-4

Rotational application of Leff forceps (Dyack) (Letter); (Feldman) (Reply). 2000;183:779-80

Delivery of health care

Medical abortion service delivery (Breitbart et al). 2000;183:S16-25 (Symposium)

Dendritic cells

In vitro induction of tumor-specific human lymphocyte antigen class I-restricted CD8⁺ cytotoxic T lymphocytes by ovarian tumor antigen-pulsed autologous dendritic cells from patients with advanced ovarian cancer (Santin et al). 2000;183:601-9

Depression

Estrogen replacement in perimenopause-related depression: a preliminary report (Schmidt et al). 2000;183:414-20

Diabetes, gestational

Vanadate enhances but does not normalize glucose transport and insulin receptor phosphorylation in skeletal muscle from obese women with gestational diabetes mellitus (Shao et al). 2000;183:1263-70

Diabetes mellitus

Does augmented growth impose an increased risk of fetal death? (Seeds and Peng). 2000;183:316-23

Diabetes mellitus—cont'd

Increase of the isoprostane 8-isoprostaglandin $F_{2\alpha}$ in maternal and fetal blood of rats with streptozotocin-induced diabetes: evidence of lipid peroxidation (Gerber et al). 2000;183:1035-40

Is insulin lispro associated with the development or progression of diabetic retinopathy during pregnancy? (Buchbinder et al). 2000;183:1162-5

Preterm delivery in women with pregestational diabetes mellitus or chronic hypertension relative to women with uncomplicated pregnancies (Sibai et al). 2000;183:1520-4

Diabetic retinopathy

Is insulin lispro associated with the development or progression of diabetic retinopathy during pregnancy? (Buchbinder et al). 2000;183:1162-5

Diagnosis

Antenatal factors at diagnosis that predict outcome in twin-twin transfusion syndrome (Taylor et al). 2000;183:1023-8

Interleukin 6 determinations in cervical fluid have diagnostic and prognostic value in preterm premature rupture of membranes (Jun et al). 2000;183:868-73

Preoperative diagnosis of ovarian carcinoma with a novel monoclonal antibody (Lieberman et al). 2000;183:534-40

Diagnosis-related groups

Adjustment for case mix in comparisons of cesarean delivery rates: university versus community hospitals in Vermont (Whitsel et al). 2000;183:1170-5

Diaphragmatic hernia; see Hernia, diaphragmatic**Diastole**

Should the definition of preeclampsia include a rise in diastolic blood pressure of ≥ 15 mm Hg to a level < 90 mm Hg in association with proteinuria? (Levine et al). 2000;183:787-92

Dilatation

A randomized trial of cerclage versus no cerclage among patients with ultrasonographically detected second-trimester preterm dilatation of the internal os (Rust et al). 2000;183:830-5

Dinoprost

Increase of the isoprostane 8-isoprostaglandin $F_{2\alpha}$ in maternal and fetal blood of rats with streptozotocin-induced diabetes: evidence of lipid peroxidation (Gerber et al). 2000;183:1035-40

Plasma, urinary, and salivary 8-epi-prostaglandin $F_{2\alpha}$ levels in normotensive and preeclamptic pregnancies (McKinney et al). 2000;183:874-7

Dinoprostone

Influence of oxytocin on prostaglandin E_2 intracellular calcium, and cyclic adenosine monophosphate in human amnion-derived (WISH) cells (Pavan et al). 2000;183:76-82

Disease susceptibility

Individual immunity and susceptibility to female genital tract infection (Witkin et al). 2000;183:252-6 (AJOG reviews)

Diurnal rhythm; see Circadian rhythm**DNA**

Cell-free fetal deoxyribonucleic acid in maternal circulation as a marker of fetal-maternal hemorrhage in patients undergoing external cephalic version near term (Lau et al). 2000;183:712-6

Doppler monitor; see Equipment and supplies**Doppler velocimetry; see Rheology****Down syndrome**

Comparison of urinary hyperglycosylated human chorionic gonadotropin concentration with the serum triple screen for Down syndrome detection in high-risk pregnancies (Bahado-Singh et al). 2000;183:1114-8

First-trimester Down syndrome screening (Macri and Orlandi) (Letter). (Malone et al) (Reply). 2000;183:1591-2

First-trimester screening for aneuploidy by nuchal translucency (Zoppi et al) (Letter). (Malone et al) (Reply). 2000;183:1590-2

Drug therapy

Cardiotoxic transplacental effect of idarubicin administered during the second trimester of pregnancy (Achtari and Hohlfield). 2000;183:511-2

Drugs

Effect of stimulatory and inhibitory drugs on uterine electrical activity measured noninvasively from the abdominal surface of pregnant rats (Buhimschi et al). 2000;183:68-75

Dyspareunia

The role of vaginal apex excision in the management of persistent posthysterectomy dyspareunia (Sharp et al). 2000;183:1385-9

Dystocia

Maternal and neonatal outcomes after induction of labor without an identified indication (Dublin et al). 2000;183:986-94

E

Ear

Ultrasonographic ear length measurement in normal second- and third-trimester fetuses (Chitkara et al). 2000;183:230-4

Early pregnancy; see Pregnancy trimester, first**Eclampsia**

Postpartum stroke: a twenty-year experience (Witlin et al). 2000;183:83-8

Education, medical

A faculty development course in obstetrics and gynecology (Grimes et al). 2000;183:1041-4

Report of the National High Blood Pressure Education Program Working Group on High Blood Pressure in Pregnancy (National High Blood Pressure Education Program Working Group on High Blood Pressure in Pregnancy). 2000;183(Jul):S1-22

Validity and utility of the PRIME-MD Patient Health Questionnaire in assessment of 3000 obstetric-gynecologic patients: The PRIME-MD Patient Health Questionnaire Obstetrics-Gynecology Study (Spitzer et al). 2000;183:759-69

Where does the dwarf stand—and whom does he thank? (Gallup). 2000;183:1335-7 (Pres. address)

Eisenmenger syndrome

Value of inhaled nitric oxide in Eisenmenger syndrome during pregnancy (Rosenthal and Nelson-Piercy). 2000;183:781-2 (Letter)

Electric impedance

Validation of bioimpedance estimates of cardiac output in pre-eclampsia (Scardo et al). 2000;183:911-3

Electrocardiography

Waveform analysis of the fetal electrocardiogram: methodologic aspects (Rosén) (Letter). (Strachan et al) (Reply). 2000;183:1588-9

Electrocoagulation

Utility of bipolar electrocautery scissors for abdominal hysterectomy (Dessole et al). 2000;183:396-9

Electromyography

Effect of stimulatory and inhibitory drugs on uterine electrical activity measured noninvasively from the abdominal surface of pregnant rats (Buhimschi et al). 2000;183:68-75

Pelvic muscle electromyography of levator ani and external anal sphincter in nulliparous women and women with pelvic floor dysfunction (Weidner et al). 2000;183:1390-401

Quantitative electromyographic analysis of levator ani and external anal sphincter muscles of nulliparous women (Weidner et al). 2000;183:1249-56

Electrosurgery

Questions about case report on vaginal dysplasia (Fanning) (Letter). (Powell) (Reply). 2000;183:1592-3

Embolism, amniotic fluid

Successful application of extracorporeal membrane oxygenation and intra-aortic balloon counterpulsation as lifesaving therapy for a patient with amniotic fluid embolism (Hsieh et al). 2000;183:496-7

Embolization

Relation between damage to the placenta and the fetal brain after late-gestation placental embolization and fetal growth restriction in sheep (Duncan et al). 2000;183:1013-22

Embryo transfer

Blastocyst transfer: a useful tool for reduction of high-order multiple gestations in a human assisted reproduction program (Toledo et al). 2000;183:377-82

Endometrial neoplasms

Continuous combined hormone replacement therapy and risk of endometrial cancer (Hill et al). 2000;183:1456-61

Increased endometrial thickness in women with hypertension (Bornstein et al). 2000;183:583-7

Endometriosis

Assessment of 5-aminolevulinic acid-induced porphyrin fluorescence in patients with peritoneal endometriosis (Hillemanns et al). 2000;183:52-7

Exacerbation of endometriosis as a result of premenopausal tamoxifen exposure (Rose et al). 2000;183:507-8

Gonadotropin-releasing hormone agonist treatment for endometriosis of the rectovaginal septum (Fedele et al). 2000;183:1462-7

Increase in serum leptin concentrations among women with endometriosis during danazol and leuprolide depot treatments (Matalliotakis et al). 2000;183:58-62

Postoperative administration of monophasic combined oral contraceptives after laparoscopic treatment of ovarian endometriomas: a prospective, randomized trial (Muzii et al). 2000;183:588-92

Endometrium

In vitro studies of cryoablation of the endometrium (Kremer and Duffy). 2000;183:22-7

Secretory component: a potential regulator of endometrial-decidual prostaglandin production in early human pregnancy (Norwitz and Wilson). 2000;183:108-17

Endoscopy

Fetal hydrolaparoscopy and endoscopic cystotomy in complicated cases of lower urinary tract obstruction (Quintero et al). 2000;183:324-33

Endothelial growth factors

Magnetic resonance imaging in an experimental model of human ovarian cancer demonstrating altered microvascular permeability after inhibition of vascular endothelial growth factor (Gossmann et al). 2000;183:956-63

Reductions of vascular endothelial growth factor and placental growth factor concentrations in severe preeclampsia (Livingston et al). 2000;183:1554-7

Endothelium, vascular

Effects of oral contraceptives on vascular endothelium in premenopausal women (John et al). 2000;183:28-33

Estrogen augments the vasodilatory effects of vascular endothelial growth factor in the uterine circulation of the rat (Storment et al). 2000;183:449-53

Magnetic resonance imaging in an experimental model of human ovarian cancer demonstrating altered microvascular permeability after inhibition of vascular endothelial growth factor (Gossmann et al). 2000;183:956-63

Endotoxins

Suppression by developing ovarian follicles of the low-dose endotoxin-induced glomerular inflammatory reaction in the pregnant rat (Schuiling et al). 2000;183:89-93

Enzymes

HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome versus severe preeclampsia: onset at ≤ 28.0 weeks' gestation (Haddad et al). 2000;183:1475-9

Impact of high-dose corticosteroid therapy for patients with HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome (O'Brien et al). 2000;183:921-4

Risk factors for adverse maternal outcomes among women with HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome (Haddad et al). 2000;183:444-8

Vascular reactivity in patients with preeclampsia and HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome (Fischer et al). 2000;183:1489-94

Were there any misdiagnoses? (Goodlin) (Letter); (Tompkins) (Reply). 2000;183:1046

8-Epi-prostaglandin F_{2α}; see Dinoprost

Epidural analgesia; see Analgesia, epidural

Episiotomy

A randomized clinical trial comparing primary overlap with approximation repair of third-degree obstetric tears (Fitzpatrick et al). 2000;183:1220-4

Epithelium

Epithelial cell layer thickness and immune cell populations in the normal human vagina at different stages of the menstrual cycle (Patton et al). 2000;183:967-73

Vulvar epithelial inclusion cyst as a late complication of childhood female traditional genital surgery (Kroll and Miller). 2000;183:509-10

Equipment and supplies

Comments on sequential use of instruments at operative vaginal delivery (Escamilla) (Letter); (Bofill) (Reply). 2000;183:515-6

A comparison of hemodynamic data derived by pulmonary artery flotation catheter and the esophageal Doppler monitor in preeclampsia (Penny et al). 2000;183:658-61

Erythrocytes

Association of ABO incompatibility with elevation of nucleated red blood cell counts in term neonates (Hanlon-Lundberg and Kirby). 2000;183:1532-6

Erythromycin

An appraisal of treatment guidelines for antepartum community-acquired pneumonia (Yost et al). 2000;183:131-5

Erythropoietin

Fetal erythropoietin levels in pregnancies complicated by meconium passage: does meconium suggest fetal hypoxia? (Jazayeri et al). 2000;183:188-90

Esophagus

A comparison of hemodynamic data derived by pulmonary artery flotation catheter and the esophageal Doppler monitor in preeclampsia (Penny et al). 2000;183:658-61

Estradiol

Low doses of estradiol in combination with gestodene to prevent early postmenopausal bone loss (Bjarnason et al). 2000;183:550-60

Resistance of pelvic arteries and plasma lipids in postmenopausal women: comparative study of tibolone and continuous combined estradiol and norethindrone acetate replacement therapy (Dören et al). 2000;183:575-82

Estrogen replacement therapy

Continuous combined hormone replacement therapy and risk of endometrial cancer (Hill et al). 2000;183:1456-61

Estrogen replacement in perimenopause-related depression: a preliminary report (Schmidt et al). 2000;183:414-20

Hormone replacement therapy in breast cancer survivors (DiSaia and Brewster). 2000;183:517 (Letter)

Low doses of estradiol in combination with gestodene to prevent early postmenopausal bone loss (Bjarnason et al). 2000;183:550-60

Negative mood changes during hormone replacement therapy: a comparison between two progestogens (Björn et al). 2000;183:1419-26

Patients' outlook, experience, and satisfaction with hysterectomy, bilateral oophorectomy, and subsequent continuation of hormone replacement therapy (Khashtgir and Studd). 2000;183:1427-33

Estrogen replacement therapy—cont'd

Resistance of pelvic arteries and plasma lipids in postmenopausal women: comparative study of tibolone and continuous combined estradiol and norethindrone acetate replacement therapy (Dören et al). 2000;183:575-82

Estrogens

Effects of oral contraceptives on vascular endothelium in premenopausal women (John et al). 2000;183:28-33
 Estrogen augments the vasodilatory effects of vascular endothelial growth factor in the uterine circulation of the rat (Storment et al). 2000;183:449-53
 Progestins abrogate estrogen-induced changes in the insulin-like growth factor axis (Heald et al). 2000;183:593-600

Ethics

Ethical theory and principles: do they have any relevance to problems arising in everyday practice? (Finnerty et al). 2000;183:301-8

Exercise

Beginning regular exercise in early pregnancy: effect on fetoplacental growth (Clapp et al). 2000;183:1484-8
 Portal vein blood flow—effects of pregnancy, gravity, and exercise (Clapp et al). 2000;183:167-72

External cephalic version; see Labor presentation**Extracorporeal membrane oxygenation**

Successful application of extracorporeal membrane oxygenation and intra-aortic balloon counterpulsation as lifesaving therapy for a patient with amniotic fluid embolism (Hsieh et al). 2000;183:496-7

F**Faculty**

A faculty development course in obstetrics and gynecology (Grimes et al). 2000;183:1041-4 (Education)

Family

New standards for birth weight by gestational age using family data (Skjerve et al). 2000;183:689-96
 Where does the dwarf stand—and whom does he thank? (Gallup). 2000;183:1335-7 (Pres. address)

Fascia

Bilateral uterosacral ligament vaginal vault suspension with site-specific endopelvic fascia defect repair for treatment of pelvic organ prolapse (Barber et al). 2000;183:1402-11
 The fate of rectus fascia suburethral slings (FitzGerald et al). 2000;183:964-6

Fasting

A simplified index of the plasma sodium threshold for arginine vasopressin secretion—morning fasting, euhydrated sodium levels (Mann et al). 2000;183:933-6

Fertilization in vitro

Blastocyst transfer: a useful tool for reduction of high-order multiple gestations in a human assisted reproduction program (Toledo et al). 2000;183:377-82
 Cauterization of hydrosalpinges before in vitro fertilization is an effective surgical treatment associated with improved pregnancy rates (Stadtmauer et al). 2000;183:367-71
 Optimal pregnancy outcome in a minimal-stimulation in vitro fertilization program (DeVane et al). 2000;183:309-15

Fetal blood

Association of stress during delivery with increased numbers of nucleated cells and hematopoietic progenitor cells in umbilical cord blood (Lim et al). 2000;183:1144-51
 Comparison of low- and high-altitude Doppler velocimetry in the peripheral and central circulations of normal fetuses (Galan et al). 2000;183:1158-61
 Developmental changes in adhesion molecule expressions in umbilical cord blood CD34⁺ hematopoietic progenitor and stem cells (Surbek et al). 2000;183:1152-7

Differential localization of placental extracellular superoxide dismutase as pregnancy progresses (Bogges et al). 2000;183:199-205

Effects of undernutrition in early pregnancy on systemic small artery function in late-gestation fetal sheep (Ozaki et al). 2000;183:1301-7

Fetal blood lactate concentration (Spencer et al) (Letter); (Kruger and Westren) (Reply). 2000;183:1308

Fetal response to maternally administered morphine (Kopecky et al). 2000;183:424-30

Increase of the isoprostane 8-isoprostaglandin $F_{2\alpha}$ in maternal and fetal blood of rats with streptozotocin-induced diabetes: evidence of lipid peroxidation (Gerber et al). 2000;183:1035-40

Normal development of human fetal hematopoiesis between eight and seventeen weeks' gestation (Pahal et al). 2000;183:1029-34

Umbilical cord blood collection before placental delivery during cesarean delivery increases cord blood volume and nucleated cell number available for transplantation (Surbek et al). 2000;183:218-21

Umbilical cord blood collection for transplantation: which technique should be preferred? (Surbek et al) (Letter); (Elchalal and Nagler) (Reply). 2000;183:1587-8

Fetal death

Does augmented growth impose an increased risk of fetal death? (Seeds and Peng). 2000;183:316-23

Have they really gone as far as they can go? (Goodlin) (Letter); (Dayal and Manning) (Reply). 2000;183:783

Fetal development

Beginning regular exercise in early pregnancy: effect on fetoplacental growth (Clapp et al). 2000;183:1484-8

Does augmented growth impose an increased risk of fetal death? (Seeds and Peng). 2000;183:316-23

Impact of head-to-abdominal circumference asymmetry on outcomes in growth-discordant twins (Dashe et al). 2000;183:1082-7

Impact of maternal cigarette smoking on fetal growth and body composition (Bernstein et al). 2000;183:883-6

Ultrasonographic ear length measurement in normal second- and third-trimester fetuses (Chitkara et al). 2000;183:230-4

Fetal diseases

Further observations on the fetal inflammatory response syndrome: a potential homeostatic role for the soluble receptors of tumor necrosis factor α (Romero et al). 2000;183:1070-7

Middle cerebral artery Doppler velocimetric deceleration angle as a predictor of fetal anemia in Rh-alloimmunized fetuses without hydrops (Bahado-Singh et al). 2000;183:746-51

Fetal growth retardation

Comparison of low- and high-altitude Doppler velocimetry in the peripheral and central circulations of normal fetuses (Galan et al). 2000;183:1158-61

Expectant management of severe preterm preeclampsia: is intrauterine growth restriction an indication for immediate delivery? (Chammas et al). 2000;183:853-8

Histologic chorioamnionitis is associated with fetal growth restriction in term and preterm infants (Williams et al). 2000;183:1094-9

Lack of relationship between diurnal rhythms in fetal heart rate and maternal cortisol concentration (Lunshof et al). 2000;183:460-1

Neutrophil activation in preeclampsia and isolated intrauterine growth restriction (Sabatier et al). 2000;183:1558-63

Preterm fetal growth restriction is associated with increased parathyroid hormone-related protein expression in the fetal membranes (Curtis et al). 2000;183:700-5

Relation between damage to the placenta and the fetal brain after late-gestation placental embolization and fetal growth restriction in sheep (Duncan et al). 2000;183:1013-22

Second-trimester plasma homocysteine levels and pregnancy-induced hypertension, preeclampsia, and intrauterine growth restriction (Hogg et al). 2000;183:805-9

Fetal heart

Association of severe placental insufficiency and systemic venous pressure rise in the fetus with increased neonatal cardiac troponin T levels (Mäkilä et al). 2000;183:726-31

Fetal heart rate; see Heart rate, fetal

Fetal macrosomia

Does augmented growth impose an increased risk of fetal death? (Seeds and Peng). 2000;183:316-23

Effects of a policy of elective cesarean delivery in cases of suspected fetal macrosomia on the incidence of brachial plexus injury and the rate of cesarean delivery (Gonen et al). 2000;183:1296-300

Fetal-maternal exchange; see Maternal-fetal exchange

Fetal membranes

Evidence of in vivo differential bioavailability of the active forms of matrix metalloproteinases 9 and 2 in parturition, spontaneous rupture of membranes, and intra-amniotic infection (Maymon et al). 2000;183:887-94

Lactoferrin in intrauterine infection, human parturition, and rupture of fetal membranes (Pacora et al). 2000;183:904-10

Preterm fetal growth restriction is associated with increased parathyroid hormone-related protein expression in the fetal membranes (Curtis et al). 2000;183:700-5

Fetal membranes, premature rupture

Amniotic fluid index values after preterm premature rupture of the membranes and subsequent perinatal infection (Vermillion et al). 2000;183:271-6

Clinical implications of detection of *Ureaplasma urealyticum* in the amniotic cavity with the polymerase chain reaction (Yoon et al). 2000;183:1130-7

Effectiveness of antenatal corticosteroid administration after preterm premature rupture of the membranes (Vermillion et al). 2000;183:925-9

Evidence for the participation of interstitial collagenase (matrix metalloproteinase 1) in preterm premature rupture of membranes (Maymon et al). 2000;183:914-20

Further observations on the fetal inflammatory response syndrome: a potential homeostatic role for the soluble receptors of tumor necrosis factor α (Romero et al). 2000;183:1070-7

Human neutrophil collagenase (matrix metalloproteinase 8) in parturition, premature rupture of the membranes, and intrauterine infection (Maymon et al). 2000;183:94-9

The impact of digital cervical examination on expectantly managed preterm rupture of membranes (Alexander et al). 2000;183:1003-7

Interleukin 6 determinations in cervical fluid have diagnostic and prognostic value in preterm premature rupture of membranes (Jun et al). 2000;183:868-73

Management of cervical cerclage and preterm premature rupture of the membranes: should the stitch be removed? (McElrath et al). 2000;183:840-6

Nonstress tests versus biophysical profiles (Harper) (Letter); (Lewis et al) (Reply). 2000;183:777-8

Outcome of pregnancies complicated by ruptured membranes after genetic amniocentesis (Borgida et al). 2000;183:937-9

Participation of the novel cytokine interleukin 18 in the host response to intra-amniotic infection (Pacora et al). 2000;183:1138-43

The Preterm Prediction Study: prediction of preterm premature rupture of membranes through clinical findings and ancillary testing (Mercer et al). 2000;183:738-45

Pretreatment of human amnion-chorion with vitamins C and E prevents hypochlorous acid-induced damage (Plessinger et al). 2000;183:979-85

Role of amnioinfusion in the management of premature rupture of

the membranes at <26 weeks' gestation (Locatelli et al). 2000;183:878-82

Timing of cerclage removal after preterm premature rupture of membranes: maternal and neonatal outcomes (Jenkins et al). 2000;183:847-52

Fetal monitoring

A comparison of visual analyses of intrapartum fetal heart rate tracings according to the new National Institute of Child Health and Human Development guidelines with computer analyses by an automated fetal heart rate monitoring system (Devoe et al). 2000;183:361-6

Fetal response to maternally administered morphine (Kopecky et al). 2000;183:424-30

Have they really gone as far as they can go? (Goodlin) (Letter); (Dayal and Manning) (Reply). 2000;183:783

Nonstress tests versus biophysical profiles (Harper) (Letter); (Lewis et al) (Reply). 2000;183:777-8

Waveform analysis of the fetal electrocardiogram: methodologic aspects (Rosén) (Letter); (Strachan et al) (Reply). 2000;183:1588-9

Fetal organ maturity

Assessment of fetal lung volumes and liver herniation with magnetic resonance imaging in congenital diaphragmatic hernia (Walsh et al). 2000;183:1067-9

Comparison of infrared spectroscopic and fluorescence depolarization assays for fetal lung maturity (Liu et al). 2000;183:181-7

Treatment of severe congenital diaphragmatic hernia by fetal tracheal occlusion: clinical experience with fifteen cases (Flake et al). 2000;183:1059-66

Fetal surgery

Fetal hydrolaparoscopy and endoscopic cystostomy in complicated cases of lower urinary tract obstruction (Quintero et al). 2000;183:324-33

Hindbrain herniation develops in surgically created myelomeningocele but is absent after repair in fetal lambs (Paek et al). 2000;183:1119-23

Fetofetal transfusion

Antenatal factors at diagnosis that predict outcome in twin-twin transfusion syndrome (Taylor et al). 2000;183:1023-8

Long-term outcome in twin-twin transfusion syndrome treated with serial aggressive amnioreduction (Mari et al). 2000;183:211-7

Fetus

Absence of maternal-fetal transmission of human immunodeficiency virus type 1 to second-trimester fetuses (Pascual et al). 2000;183:638-42

Acute maternal rehydration increases the urine production rate in the near-term human fetus (Oosterhof et al). 2000;183:226-9

Assessment of fetal scalp oxygen saturation determination in the sheep by transmission pulse oximetry (Nijland et al). 2000;183:1549-53

The association between meconium and the production and reabsorption of lung liquid and lactate loss by in vitro lungs from fetal guinea pigs (Chua et al). 2000;183:235-44

Cell-free fetal deoxyribonucleic acid in maternal circulation as a marker of fetal-maternal hemorrhage in patients undergoing external cephalic version near term (Lau et al). 2000;183:712-6

The clinical utility of fetal cell sorting to determine prenatally fetal *E/e* or *e/e* Rh genotype from peripheral maternal blood (Geifman-Holtzman et al). 2000;183:462-8

Delayed hypotension and subendocardial injury after repeated umbilical cord occlusion in near-term fetal lambs (Gunn et al). 2000;183:1564-72

The effect of fetal neck position on nuchal fold thickness (Olson et al). 2000;183:995-7

Fetal erythropoietin levels in pregnancies complicated by meconium passage: does meconium suggest fetal hypoxia? (Jazayeri et al). 2000;183:188-90

Fetal hypothalamic-pituitary-adrenal axis (Chez). 2000;183:1310 (Letter)

Fetus—cont'd

- Genetic expression by fetal chorionic villi during the first trimester of human gestation (Dizon-Townson et al). 2000;183:706-11
- Relation between damage to the placenta and the fetal brain after late-gestation placental embolization and fetal growth restriction in sheep (Duncan et al). 2000;183:1013-22
- Transcervical sampling as a means of detection of fetal cells during the first trimester of pregnancy (Daryani et al). 2000;183:752-4

Fetus, drug effects

- Effect of antenatal exposure to Saint John's wort (*Hypericum*) on neurobehavior of developing mice (Rayburn et al). 2000;183:1225-31
- Fetal response to maternally administered morphine (Kopecky et al). 2000;183:424-30
- Lack of relationship between diurnal rhythms in fetal heart rate and maternal cortisol concentration (Lunshof et al). 2000;183:460-1
- Neurobiology of behavioral changes after prenatal exposure to paroxetine (Paxil) (Friedman). 2000;183:518-9 (Letter)
- Nicotine transdermal patches and pregnancy (Serra et al) (Letter); (Schroeder et al) (Reply). 2000;183:778-9
- Pregnancy outcome after in utero exposure to itraconazole: a prospective cohort study (Bar-Oz et al). 2000;183:617-20

Fibroid tumor; see Leiomyoma**Fibronectins**

- The Preterm Prediction Study: quantitative fetal fibronectin values and the prediction of spontaneous preterm birth (Goepfert et al). 2000;183:1480-3
- Vaginal fetal fibronectin measurements from 8 to 22 weeks' gestation and subsequent spontaneous preterm birth (Goldenberg et al). 2000;183:469-75

First trimester of pregnancy; see Pregnancy trimester, first**Flaps, surgical; see Surgical flaps****Flotation catheters; see Catheters, indwelling****Fluid therapy**

- Acute maternal rehydration increases the urine production rate in the near-term human fetus (Oosterhof et al). 2000;183:226-9

Fluorescence

- Assessment of 5-aminolevulinic acid-induced porphyrin fluorescence in patients with peritoneal endometriosis (Hillemanns et al). 2000;183:52-7
- Comparison of infrared spectroscopic and fluorescence depolarization assays for fetal lung maturity (Liu et al). 2000;183:181-7

Fluorouracil

- Questions about case report on vaginal dysplasia (Fanning) (Letter); (Powell) (Reply). 2000;183:1592-3

Folic acid

- Low-dose folic acid supplementation reduces plasma levels of the cardiovascular risk factor homocysteine in postmenopausal women (De Leo et al). 2000;183:945-7

Foot, abnormalities

- Fetal polydactyly diagnosis during early pregnancy: clinical applications (Zimmer and Bronshtein). 2000;183:755-8

FSH

- Suppression by developing ovarian follicles of the low-dose endotoxin-induced glomerular inflammatory reaction in the pregnant rat (Schuiling et al). 2000;183:89-93

G**Gene transfer; see Transfection****Genetics**

- Genetic expression by fetal chorionic villi during the first trimester of human gestation (Dizon-Townson et al). 2000;183:706-11
- Genetic factors associated with thrombosis in pregnancy in a United States population (Dilley et al). 2000;183:1271-7
- Outcome of pregnancies complicated by ruptured membranes after genetic amniocentesis (Borgida et al). 2000;183:937-9

Genital diseases, female

- Genital human papillomavirus infection in women who have sex with women: a review (Marrazzo et al). 2000;183:770-4 (AJOG reviews)
- Individual immunity and susceptibility to female genital tract infection (Witkin et al). 2000;183:252-6 (AJOG reviews)
- Levels of vaginal secretory leukocyte protease inhibitor are decreased in women with lower reproductive tract infections (Draper et al). 2000;183:1243-8

Genital neoplasms, female

- Serum antibodies to the 27-kd heat shock protein in women with gynecologic cancers (Korneeva et al). 2000;183:18-21

Genital prolapse; see Uterine prolapse**Genitalia, female**

- Vulvar epithelial inclusion cyst as a late complication of childhood female traditional genital surgery (Kroll and Miller). 2000;183:509-10

Genitourinary diseases; see Urogenital diseases**Genome**

- Regular disappearance of the human papillomavirus genome after conization of cervical dysplasia by carbon dioxide laser (Kjellberg et al). 2000;183:1238-42

Genotype

- The clinical utility of fetal cell sorting to determine prenatally fetal *E/e* or *e/e* Rh genotype from peripheral maternal blood (Geifman-Holtzman et al). 2000;183:462-8

Gestational age

- Association of preeclampsia with high birth weight for gestational age (Xiong et al). 2000;183:148-55
- New standards for birth weight by gestational age using family data (Skjerven et al). 2000;183:689-96

Gestational diabetes; see Diabetes, gestational**Gestodene**

- Low doses of estradiol in combination with gestodene to prevent early postmenopausal bone loss (Bjarnason et al). 2000;183:550-60

Glucocorticoids

- Corticotropin-releasing hormone, corticotropin-releasing hormone-binding protein, and activin A in maternal serum: prediction of preterm delivery and response to glucocorticoids in women with symptoms of preterm labor (Coleman et al). 2000;183:643-8

Glucose

- Oral contraceptive use and glucose metabolism in a national sample of women in the United States (Troisi et al). 2000;183:389-95
- Vanadate enhances but does not normalize glucose transport and insulin receptor phosphorylation in skeletal muscle from obese women with gestational diabetes mellitus (Shao et al). 2000;183:1263-70

Gonadorelin

- Gonadotropin-releasing hormone agonist treatment for endometriosis of the rectovaginal septum (Fedele et al). 2000;183:1462-7

Gonadotropins, chorionic

- Comparison of urinary hyperglycosylated human chorionic gonadotropin concentration with the serum triple screen for Down syndrome detection in high-risk pregnancies (Bahado-Singh et al). 2000;183:1114-8
- The roles of clinical assessment, human chorionic gonadotropin assays, and ultrasonography in medical abortion practice (Paul et al). 2000;183:S34-43 (Symposium)

Gravity

- Portal vein blood flow—effects of pregnancy, gravity, and exercise (Clapp et al). 2000;183:167-72

Group B streptococcus; see Streptococcus agalactiae**Growth, fetal; see Fetal development****Growth substances**

- Estrogen augments the vasodilatory effects of vascular endothelial growth factor in the uterine circulation of the rat (Storment et al). 2000;183:449-53

Reductions of vascular endothelial growth factor and placental growth factor concentrations in severe preeclampsia (Livingston et al). 2000;183:1554-7

Guanylyl cyclase

Differential alterations in responsiveness in particulate and soluble guanylate cyclases in pregnant guinea pig myometrium (Buhim-schi et al). 2000;183:1512-9

Guidelines

An appraisal of treatment guidelines for antepartum community-acquired pneumonia (Yost et al). 2000;183:131-5

Cervical cancer practice patterns and appropriateness of therapy (Howell et al). 2000;183:407-13

A comparison of visual analyses of intrapartum fetal heart rate tracings according to the new National Institute of Child Health and Human Development guidelines with computer analyses by an automated fetal heart rate monitoring system (Devoe et al). 2000;183:361-6

Gynecologic cancers; see Genital neoplasms, female

Gynecology

A faculty development course in obstetrics and gynecology (Grimes et al). 2000;183:1041-4 (Education)

Validity and utility of the PRIME-MD Patient Health Questionnaire in assessment of 3000 obstetric-gynecologic patients: The PRIME-MD Patient Health Questionnaire Obstetrics-Gynecology Study (Spitzer et al). 2000;183:759-69 (Education)

H

Hand, abnormalities

Fetal polydactyly diagnosis during early pregnancy: clinical applications (Zimmer and Bronshtein). 2000;183:755-8

Head

Impact of head-to-abdominal circumference asymmetry on outcomes in growth-discordant twins (Dashe et al). 2000;183:1082-7

Health care

The distribution of pelvic organ support in a population of female subjects seen for routine gynecologic health care (Swift). 2000;183:277-85

Medical abortion: public health and private lives (Grimes). 2000;183:S1-2 (Symposium)

Heart rate, fetal

A comparison of visual analyses of intrapartum fetal heart rate tracings according to the new National Institute of Child Health and Human Development guidelines with computer analyses by an automated fetal heart rate monitoring system (Devoe et al). 2000;183:361-6

Lack of relationship between diurnal rhythms in fetal heart rate and maternal cortisol concentration (Lunshof et al). 2000;183:460-1

A multicenter controlled trial of fetal pulse oximetry in the intrapartum management of nonreassuring fetal heart rate patterns (Garite et al). 2000;183:1049-58

Heat shock proteins

Serum antibodies to the 27-kd heat shock protein in women with gynecologic cancers (Korneeva et al). 2000;183:18-21

HELLP syndrome

HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome versus severe preeclampsia: onset at ≤ 28.0 weeks' gestation (Haddad et al). 2000;183:1475-9

Impact of high-dose corticosteroid therapy for patients with HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome (O'Brien et al). 2000;183:921-4

Risk factors for adverse maternal outcomes among women with HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome (Haddad et al). 2000;183:444-8

Vascular reactivity in patients with preeclampsia and HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome (Fischer et al). 2000;183:1489-94

Were there any misdiagnoses? (Goodlin) (Letter); (Tompkins) (Reply). 2000;183:1046

Hematopoiesis

Normal development of human fetal hematopoiesis between eight and seventeen weeks' gestation (Pahal et al). 2000;183:1029-34

Hematopoietic stem cells

Association of stress during delivery with increased numbers of nucleated cells and hematopoietic progenitor cells in umbilical cord blood (Lim et al). 2000;183:1144-51

Developmental changes in adhesion molecule expressions in umbilical cord blood CD34⁺ hematopoietic progenitor and stem cells (Surbek et al). 2000;183:1152-7

Highly efficient gene transfer into preterm CD34⁺ hematopoietic progenitor cells (Shields et al). 2000;183:732-7

Hemodynamics

A comparison of hemodynamic data derived by pulmonary artery flotation catheter and the esophageal Doppler monitor in preeclampsia (Penny et al). 2000;183:658-61

Relationship of systemic hemodynamics, left ventricular structure and function, and plasma natriuretic peptide concentrations during pregnancy complicated by preeclampsia (Borghi et al). 2000;183:140-7

Validation of bioimpedance estimates of cardiac output in preeclampsia (Scardo et al). 2000;183:911-3

Hemolysis

HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome versus severe preeclampsia: onset at ≤ 28.0 weeks' gestation (Haddad et al). 2000;183:1475-9

Impact of high-dose corticosteroid therapy for patients with HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome (O'Brien et al). 2000;183:921-4

Risk factors for adverse maternal outcomes among women with HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome (Haddad et al). 2000;183:444-8

Vascular reactivity in patients with preeclampsia and HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome (Fischer et al). 2000;183:1489-94

Were there any misdiagnoses? (Goodlin) (Letter); (Tompkins) (Reply). 2000;183:1046

Hemorrhage

Cell-free fetal deoxyribonucleic acid in maternal circulation as a marker of fetal-maternal hemorrhage in patients undergoing external cephalic version near term (Lau et al). 2000;183:712-6

Herbs

Effect of antenatal exposure to Saint John's wort (*Hypericum*) on neurobehavior of developing mice (Rayburn et al). 2000;183:1225-31

Hernia

Assessment of fetal lung volumes and liver herniation with magnetic resonance imaging in congenital diaphragmatic hernia (Walsh et al). 2000;183:1067-9

Hindbrain herniation develops in surgically created myelomeningocele but is absent after repair in fetal lambs (Paek et al). 2000;183:1119-23

Hernia, diaphragmatic

Assessment of fetal lung volumes and liver herniation with magnetic resonance imaging in congenital diaphragmatic hernia (Walsh et al). 2000;183:1067-9

Treatment of severe congenital diaphragmatic hernia by fetal tracheal occlusion: clinical experience with fifteen cases (Flake et al). 2000;183:1059-66

Herpes gestationis

Pemphigoid gestationis: a review (Engineer et al). 2000;183:483-91 (AJOG reviews)

Herpes simplex

An appraisal of screening for maternal type-specific herpes simplex virus antibodies to prevent neonatal herpes (Rouse and Stringer). 2000;183:400-6

Cervical shedding of herpes simplex virus and cytomegalovirus throughout the menstrual cycle in women infected with human immunodeficiency virus type 1 (Mostad et al). 2000;183:948-55

Hindbrain; see Rhombencephalon**HIV**

Complications according to mode of delivery among human immunodeficiency virus-infected women with CD4 lymphocyte counts of $\leq 500/\mu\text{L}$ (Watts et al). 2000;183:100-7

Consented testing of newborns and childbearing women for human immunodeficiency virus through a newborn metabolic screening program (Birkhead et al). 2000;183:245-51

Ethical theory and principles: do they have any relevance to problems arising in everyday practice? (Finnerty et al). 2000;183:301-8

Levels of vaginal secretory leukocyte protease inhibitor are decreased in women with lower reproductive tract infections (Draper et al). 2000;183:1243-8

Vaginal infections in human immunodeficiency virus-infected women (Helfgott et al). 2000;183:347-55

HIV-1

Absence of maternal-fetal transmission of human immunodeficiency virus type 1 to second-trimester fetuses (Pascual et al). 2000;183:638-42

Cervical shedding of herpes simplex virus and cytomegalovirus throughout the menstrual cycle in women infected with human immunodeficiency virus type 1 (Mostad et al). 2000;183:948-55

HLA-G

Soluble HLA-G circulates in maternal blood during pregnancy (Hunt et al). 2000;183:682-8

Homeostasis

Further observations on the fetal inflammatory response syndrome: a potential homeostatic role for the soluble receptors of tumor necrosis factor α (Romero et al). 2000;183:1070-7

Homocysteine

Low-dose folic acid supplementation reduces plasma levels of the cardiovascular risk factor homocysteine in postmenopausal women (De Leo et al). 2000;183:945-7

Second-trimester plasma homocysteine levels and pregnancy-induced hypertension, preeclampsia, and intrauterine growth restriction (Hogg et al). 2000;183:805-9

Homosexuality

Genital human papillomavirus infection in women who have sex with women: a review (Marrazzo et al). 2000;183:770-4 (AJOG reviews)

Hormone replacement therapy; see Estrogen replacement therapy**Hospitals, community**

Adjustment for case mix in comparisons of cesarean delivery rates: university versus community hospitals in Vermont (Whitsel et al). 2000;183:1170-5

Association between level of delivery hospital and neonatal outcomes among South Carolina Medicaid recipients (Sanderson et al). 2000;183:1504-11

Hospitals, university

Adjustment for case mix in comparisons of cesarean delivery rates: university versus community hospitals in Vermont (Whitsel et al). 2000;183:1170-5

Human chorionic gonadotropins; see Gonadotropins, chorionic**Human immunodeficiency virus; see HIV****Hydatidiform mole**

Choriocarcinoma after hydatidiform mole (Szulman). 2000;183:257 (Letter)

Hydration

A randomized controlled trial of the effect of increased intravenous

hydration on the course of labor in nulliparous women (Garite et al). 2000;183:1544-8

Hydrocortisone

Lack of relationship between diurnal rhythms in fetal heart rate and maternal cortisol concentration (Lunshof et al). 2000;183:460-1

Hydrogen-ion concentration

Fetal blood lactate concentration (Spencer et al) (Letter); (Kruger and Westren) (Reply). 2000;183:1308

Hydrolaparoscopy; see Surgery, laparoscopic**Hydrops fetalis**

Middle cerebral artery Doppler velocimetric deceleration angle as a predictor of fetal anemia in Rh-alloimmunized fetuses without hydrops (Bahado-Singh et al). 2000;183:746-51

Hydrosalpinx

Cauterization of hydrosalpinges before in vitro fertilization is an effective surgical treatment associated with improved pregnancy rates (Stadtmayer et al). 2000;183:367-71

Hydroxylases

21-Hydroxylase-deficient nonclassic adrenal hyperplasia is a progressive disorder: a multicenter study (Moran et al). 2000;183:1468-74

Hygiene

Adverse behavioral and sexual factors in chronic vulvar disease (Marin et al). 2000;183:34-8

Hyperandrogenism

Induction of ovulation in infertile women with hyperandrogenism and insulin resistance (Barbieri). 2000;183:1412-8 (Clin. opinion)

Hypertension

Birth weight and 24-hour ambulatory blood pressure in nonproteinuric hypertensive pregnancy (Vaughn et al). 2000;183:633-7

Effects of smoking on blood pressure during pregnancy on balance are negative (Friedman) (Letter); (Zhang et al) (Reply). 2000;183:776-7

End-tidal carbon monoxide measurements in women with pregnancy-induced hypertension and preeclampsia (Baum et al). 2000;183:900-3

Increased endometrial thickness in women with hypertension (Bornstein et al). 2000;183:583-7

Preeclampsia prevention: lessons from the low-dose aspirin therapy trials (Heyborne). 2000;183:523-8 (Clin. opinion)

Preterm delivery in women with pregestational diabetes mellitus or chronic hypertension relative to women with uncomplicated pregnancies (Sibai et al). 2000;183:1520-4

Report of the National High Blood Pressure Education Program Working Group on High Blood Pressure in Pregnancy (National High Blood Pressure Education Program Working Group on High Blood Pressure in Pregnancy). 2000;183(Jul):S1-22

Second-trimester plasma homocysteine levels and pregnancy-induced hypertension, preeclampsia, and intrauterine growth restriction (Hogg et al). 2000;183:805-9

Hypochlorous acids

Pretreatment of human amnion-chorion with vitamins C and E prevents hypochlorous acid-induced damage (Plessinger et al). 2000;183:979-85

Hypoperfusion; see Perfusion**Hypotension**

Delayed hypotension and subendocardial injury after repeated umbilical cord occlusion in near-term fetal lambs (Gunn et al). 2000;183:1564-72

Hypothalamus

Fetal hypothalamic-pituitary-adrenal axis (Chez). 2000;183:1310 (Letter)

Hypoxia; see Anoxia**Hysterectomy**

Comparability of perioperative morbidity between abdominal myomectomy and hysterectomy for women with uterine leiomyomas (Sawin et al). 2000;183:1448-55

Patient satisfaction with results of hysterectomy (Kjerulff et al). 2000;183:1440-7

Patients' outlook, experience, and satisfaction with hysterectomy, bilateral oophorectomy, and subsequent continuation of hormone replacement therapy (Khastgir and Studd). 2000;183:1427-33

Utility of bipolar electrocautery scissors for abdominal hysterectomy (Dessole et al). 2000;183:396-9

Hysterectomy, vaginal

The role of vaginal apex excision in the management of persistent posthysterectomy dyspareunia (Sharp et al). 2000;183:1385-9

Vaginal subtotal hysterectomy and sacrospinous colpopexy: an option in the management of uterine prolapse (Hefni and El-Toukhy). 2000;183:494-5

I

Idarubicin

Cardiotoxic transplacental effect of idarubicin administered during the second trimester of pregnancy (Achtari and Hohlfeld). 2000;183:511-2

IgA

Secretory component: a potential regulator of endometrial-decidual prostaglandin production in early human pregnancy (Norwitz and Wilson). 2000;183:108-17

Immune cells; see Cells

Immunity

Individual immunity and susceptibility to female genital tract infection (Witkin et al). 2000;183:252-6 (AJOG reviews)

In situ hybridization, fluorescence

Transcervical sampling as a means of detection of fetal cells during the first trimester of pregnancy (Daryani et al). 2000;183:752-4

In vitro fertilization; see Fertilization in vitro

Incidence

Five-year incidence and remission rates of female urinary incontinence in a Swedish population less than 65 years old (Samuelsson et al). 2000;183:568-74

Incompatibility, blood group; see Blood group incompatibility

Indomethacin

Cyclooxygenase is involved in the effects of progesterone-induced blocking factor on the production of interleukin 12 (Par et al). 2000;183:126-30

Indomethacin blocks interleukin 1 β -induced myometrial contractions in pregnant rhesus monkeys (Sadowsky et al). 2000;183:173-80

Physiologic role of nitric oxide in the maintenance of uterine quiescence in nonpregnant and pregnant sheep (Mirabile et al). 2000;183:191-8

Induction of labor; see Labor, induced

Induction of ovulation; see Ovulation induction

Infant, newborn

Association of ABO incompatibility with elevation of nucleated red blood cell counts in term neonates (Hanlon-Lundberg and Kirby). 2000;183:1532-6

Association between level of delivery hospital and neonatal outcomes among South Carolina Medicaid recipients (Sanderson et al). 2000;183:1504-11

Association of severe placental insufficiency and systemic venous pressure rise in the fetus with increased neonatal cardiac troponin T levels (Mäkilä et al). 2000;183:726-31

Histologic chorioamnionitis is associated with fetal growth restriction in term and preterm infants (Williams et al). 2000;183:1094-9

Maternal and neonatal outcomes after induction of labor without an identified indication (Dublin et al). 2000;183:986-94

Timing of antenatal corticosteroids and neonatal pulmonary mechanics (McEvoy et al). 2000;183:895-9

Infant, newborn, diseases

An appraisal of screening for maternal type-specific herpes simplex

virus antibodies to prevent neonatal herpes (Rouse and Stringer). 2000;183:400-6

Cardiotoxic transplacental effect of idarubicin administered during the second trimester of pregnancy (Achtari and Hohlfeld). 2000;183:511-2

Group B streptococci causing neonatal bloodstream infection: antimicrobial susceptibility and serotyping results from SENTRY centers in the Western Hemisphere (Andrews et al). 2000;183:859-62

Neonatal sepsis and death after multiple courses of antenatal betamethasone therapy (Vermillion et al). 2000;183:810-4

The relationship among inflammatory lesions of the umbilical cord (funisitis), umbilical cord plasma interleukin 6 concentration, amniotic fluid infection, and neonatal sepsis (Yoon et al). 2000;183:1124-9

Vaginal delivery of twins and neonatal respiratory disorders (Suzuki). 2000;183:780 (Reply)

Infant, premature

Histologic chorioamnionitis is associated with fetal growth restriction in term and preterm infants (Williams et al). 2000;183:1094-9

The Preterm Prediction Study: prediction of preterm premature rupture of membranes through clinical findings and ancillary testing (Mercer et al). 2000;183:738-45

Timing of antenatal corticosteroids and neonatal pulmonary mechanics (McEvoy et al). 2000;183:895-9

Infant, premature, diseases

Magnesium sulfate for tocolysis and risk of spastic cerebral palsy in premature children born to women without preeclampsia (Grether et al). 2000;183:717-25

Infant, small for gestational age

Association of preeclampsia with high birth weight for gestational age (Xiong et al). 2000;183:148-55

Placental expression of syndecan 1 is diminished in preeclampsia (Jokimaa et al). 2000;183:1495-8

Infant death

Neonatal sepsis and death after multiple courses of antenatal betamethasone therapy (Vermillion et al). 2000;183:810-4

Infection

Amniotic fluid index values after preterm premature rupture of the membranes and subsequent perinatal infection (Vermillion et al). 2000;183:271-6

Cervical shedding of herpes simplex virus and cytomegalovirus throughout the menstrual cycle in women infected with human immunodeficiency virus type 1 (Mostad et al). 2000;183:948-55

Evidence of in vivo differential bioavailability of the active forms of matrix metalloproteinases 9 and 2 in parturition, spontaneous rupture of membranes, and intra-amniotic infection (Maymon et al). 2000;183:887-94

Genital human papillomavirus infection in women who have sex with women: a review (Marrazzo et al). 2000;183:770-4 (AJOG reviews)

Group B streptococci causing neonatal bloodstream infection: antimicrobial susceptibility and serotyping results from SENTRY centers in the Western Hemisphere (Andrews et al). 2000;183:859-62

Histologic inflammation in the maternal and fetal compartments in a rabbit model of acute intra-amniotic infection (Davies et al). 2000;183:1088-93

Human neutrophil collagenase (matrix metalloproteinase 8) in parturition, premature rupture of the membranes, and intrauterine infection (Maymon et al). 2000;183:94-9

Individual immunity and susceptibility to female genital tract infection (Witkin et al). 2000;183:252-6 (AJOG reviews)

Lactoferrin in intrauterine infection, human parturition, and rupture of fetal membranes (Pacora et al). 2000;183:904-10

Infection—cont'd

- Levels of vaginal secretory leukocyte protease inhibitor are decreased in women with lower reproductive tract infections (Draper et al). 2000;183:1243-8
- Participation of the novel cytokine interleukin 18 in the host response to intra-amniotic infection (Pacora et al). 2000;183:1138-43
- A population-based five-year follow-up study of cervical human papillomavirus infection (Elfgren et al). 2000;183:561-7
- Prenatal diagnosis of symptomatic congenital cytomegalovirus infection (Guerra et al). 2000;183:476-82
- The relationship among inflammatory lesions of the umbilical cord (funisitis), umbilical cord plasma interleukin 6 concentration, amniotic fluid infection, and neonatal sepsis (Yoon et al). 2000;183:1124-9
- Sexually transmitted infection and teenage sexuality (McIlhenny). 2000;183:334-9

Infertility, female

- Induction of ovulation in infertile women with hyperandrogenism and insulin resistance (Barbieri). 2000;183:1412-8 (Clin. opinion)

Inflammation

- Histologic inflammation in the maternal and fetal compartments in a rabbit model of acute intra-amniotic infection (Davies et al). 2000;183:1088-93
- The relationship among inflammatory lesions of the umbilical cord (funisitis), umbilical cord plasma interleukin 6 concentration, amniotic fluid infection, and neonatal sepsis (Yoon et al). 2000;183:1124-9

Infrared spectrophotometry; see Spectrophotometry, infrared**Infusions, intravenous**

- Methotrexate infusion in low-risk gestational trophoblastic disease (Wong et al). 2000;183:1579-82
- A randomized controlled trial of the effect of increased intravenous hydration on the course of labor in nulliparous women (Garite et al). 2000;183:1544-8

Instruments; see Equipment and supplies**Insulin**

- Is insulin lispro associated with the development or progression of diabetic retinopathy during pregnancy? (Buchbinder et al). 2000;183:1162-5
- Vanadate enhances but does not normalize glucose transport and insulin receptor phosphorylation in skeletal muscle from obese women with gestational diabetes mellitus (Shao et al). 2000;183:1263-70

Insulin-like growth factor; see Somatomedins**Insulin resistance**

- Induction of ovulation in infertile women with hyperandrogenism and insulin resistance (Barbieri). 2000;183:1412-8 (Clin. opinion)

Interleukin-1

- Indomethacin blocks interleukin 1 β -induced myometrial contractions in pregnant rhesus monkeys (Sadowsky et al). 2000;183:173-80

Interleukin-6

- Hypoperfusion causes increased production of interleukin 6 and tumor necrosis factor α in the isolated, dually perfused placental cotyledon (Pierce et al). 2000;183:863-7
- Interleukin 6 determinations in cervical fluid have diagnostic and prognostic value in preterm premature rupture of membranes (Jun et al). 2000;183:868-73
- The relationship among inflammatory lesions of the umbilical cord (funisitis), umbilical cord plasma interleukin 6 concentration, amniotic fluid infection, and neonatal sepsis (Yoon et al). 2000;183:1124-9

Interleukins

- Cyclooxygenase is involved in the effects of progesterone-induced

blocking factor on the production of interleukin 12 (Par et al). 2000;183:126-30

- Participation of the novel cytokine interleukin 18 in the host response to intra-amniotic infection (Pacora et al). 2000;183:1138-43

Intermediate care facilities

- Association between level of delivery hospital and neonatal outcomes among South Carolina Medicaid recipients (Sanderson et al). 2000;183:1504-11

Interpregnancy interval; see Birth intervals**Intra-aortic balloon pumping**

- Successful application of extracorporeal membrane oxygenation and intra-aortic balloon counterpulsation as lifesaving therapy for a patient with amniotic fluid embolism (Hsieh et al). 2000;183:496-7

Intracellular calcium; see Calcium**Intraoperative complications**

- Prevalence of perioperative complications among women undergoing reconstructive pelvic surgery (Lambrou et al). 2000;183:1355-60

Intrauterine growth restriction; see Fetal growth retardation**Intrinsic sphincter deficiency; see Urinary incontinence, stress****Isoenzymes**

- Expression of protein kinase C isozymes in nonpregnant and pregnant human myometrium (Hurd et al). 2000;183:1525-31
- Isolated elevation of serum alkaline phosphatase level in an uncomplicated pregnancy: a case report (Vongthavaravat et al). 2000;183:505-6

Isoprostaglandin F_{2 α} ; see Dinoprost**Items**

- Items. 2000;183:259-60, 521-2, 784-6, 1047-8, 1311-2, 1606

Itraconazole

- Pregnancy outcome after in utero exposure to itraconazole: a prospective cohort study (Bar-Oz et al). 2000;183:617-20

J

Jurisprudence

- Legal issues in the provision of medical abortion (Borgmann and Jones). 2000;183:S84-94 (Symposium)

L

Labor

- Epidural anesthesia in severe preeclampsia (Camann) (Letter); (Hogg and Hauth) (Reply). 2000;183:258
- Evidence of in vivo differential bioavailability of the active forms of matrix metalloproteinases 9 and 2 in parturition, spontaneous rupture of membranes, and intra-amniotic infection (Maymon et al). 2000;183:887-94
- Graphic analysis of actively managed labor: prospective computation of labor progress in 500 consecutive nulliparous women in spontaneous labor at term (Impey et al). 2000;183:438-43
- Human neutrophil collagenase (matrix metalloproteinase 8) in parturition, premature rupture of the membranes, and intrauterine infection (Maymon et al). 2000;183:94-9
- Lactoferrin in intrauterine infection, human parturition, and rupture of fetal membranes (Pacora et al). 2000;183:904-10
- Management of autonomic hyperreflexia with magnesium sulfate during labor in a woman with spinal cord injury (Maehama et al). 2000;183:492-3
- Myometrial contractile strain at uteroplacental separation during parturition (Deyer et al). 2000;183:156-9
- A new concept of the significance of regional distribution of prostaglandin H synthase 2 throughout the uterus during late pregnancy: investigations in a baboon model (Wu et al). 2000;183:1287-95

Participation of the novel cytokine interleukin 18 in the host response to intra-amniotic infection (Pacora et al). 2000;183:1138-43
A randomized controlled trial of the effect of increased intravenous hydration on the course of labor in nulliparous women (Garite et al). 2000;183:1544-8

Labor, induced

Cardiovascular effects of intravaginal misoprostol in the mid trimester of pregnancy (Ramsey et al). 2000;183:1100-2
Maternal and neonatal outcomes after induction of labor without an identified indication (Dublin et al). 2000;183:986-94
Uterine rupture during induced trial of labor among women with previous cesarean delivery (Ravasia et al). 2000;183:1176-9

Labor, injuries

Maternal and neonatal outcomes after induction of labor without an identified indication (Dublin et al). 2000;183:986-94
Troponin I measurement in the diagnosis of myocardial injury during pregnancy and delivery: two cases (Krähenmann et al) (Letter); (Ramin et al) (Reply). 2000;183:1308-10

Labor, premature

Cervical Incompetence Prevention Randomized Cerclage Trial (CIPRACT): study design and preliminary results (Althuisius et al). 2000;183:823-9
Corticotropin-releasing hormone, corticotropin-releasing hormone-binding protein, and activin A in maternal serum: prediction of preterm delivery and response to glucocorticoids in women with symptoms of preterm labor (Coleman et al). 2000;183:643-8
Elevations of group II phospholipase A₂ concentrations in serum and amniotic fluid in association with preterm labor (Koyama et al). 2000;183:1537-43
Further observations on the fetal inflammatory response syndrome: a potential homeostatic role for the soluble receptors of tumor necrosis factor α (Romero et al). 2000;183:1070-7
Indomethacin blocks interleukin 1 β -induced myometrial contractions in pregnant rhesus monkeys (Sadowsky et al). 2000;183:173-80
Inhibition of premature labor in sheep by a combined treatment of nimesulide, a prostaglandin synthase type 2 inhibitor, and atosiban, an oxytocin receptor antagonist (Grigsby et al). 2000;183:649-57
Magnesium sulfate therapy affects attention and working memory in patients undergoing preterm labor (Ghia et al). 2000;183:940-4
Nifedipine as a safe and effective tocolytic agent in the treatment of preterm labor (Papatonis et al) (Letter); (Carr and Clark) (Reply). 2000;183:513-4
Preterm delivery in women with pregestational diabetes mellitus or chronic hypertension relative to women with uncomplicated pregnancies (Sibai et al). 2000;183:1520-4
The Preterm Prediction Study: association of second-trimester genitourinary chlamydia infection with subsequent spontaneous preterm birth (Andrews et al). 2000;183:662-8
The Preterm Prediction Study: quantitative fetal fibronectin values and the prediction of spontaneous preterm birth (Goepfert et al). 2000;183:1480-3
Should intravenous tocolysis be considered beyond 34 weeks' gestation? (Jones et al). 2000;183:356-60
Twin birth weight discordance and risk of preterm birth (Cooperstock et al). 2000;183:63-7
Use of cervical ultrasonography in prediction of spontaneous preterm birth in triplet gestations (Guzman et al). 2000;183:1108-13
Use of cervical ultrasonography in prediction of spontaneous preterm birth in twin gestations (Guzman et al). 2000;183:1103-7
Vaginal fetal fibronectin measurements from 8 to 22 weeks' gestation and subsequent spontaneous preterm birth (Goldenberg et al). 2000;183:469-75

Labor complications

Association of interpregnancy interval with uterine scar failure in labor: a case-control study (Esposito et al). 2000;183:1180-3
Effect of previous vaginal delivery on the risk of uterine rupture during a subsequent trial of labor (Zelop et al). 2000;183:1184-6
Spontaneous rupture of the spleen in labor (Londero and Cociancich) (Letter); (Lang and Herbeck) (Reply). 2000;183:782-3
Uterine rupture during induced trial of labor among women with previous cesarean delivery (Ravasia et al). 2000;183:1176-9

Labor presentation

Cell-free fetal deoxyribonucleic acid in maternal circulation as a marker of fetal-maternal hemorrhage in patients undergoing external cephalic version near term (Lau et al). 2000;183:712-6

Labor stage, first

Nitric oxide synthases in the human cervix at term pregnancy and effects of nitric oxide on cervical smooth muscle contractility (Ekerhovd et al). 2000;183:610-6

Lactates

The association between meconium and the production and reabsorption of lung liquid and lactate loss by in vitro lungs from fetal guinea pigs (Chua et al). 2000;183:235-44
Fetal blood lactate concentration (Spencer et al) (Letter); (Kruger and Westren) (Reply). 2000;183:1308

Lactoferrin

Lactoferrin in intrauterine infection, human parturition, and rupture of fetal membranes (Pacora et al). 2000;183:904-10

Laparoscopic surgery; see Surgery, laparoscopic

Lasers

Regular disappearance of the human papillomavirus genome after conization of cervical dysplasia by carbon dioxide laser (Kjellberg et al). 2000;183:1238-42

Late pregnancy; see Pregnancy trimester, third

Leadership

Physicians should provide moral leadership to their communities (Gambrell). 2000;183:261-70 (Pres. address)

Leff forceps; see Obstetrical forceps

Left ventricular function; see Ventricular function, left

Legislation

Legal issues in the provision of medical abortion (Borgmann and Jones). 2000;183:S84-94 (Symposium)

Leiomyoma

Comparability of perioperative morbidity between abdominal myomectomy and hysterectomy for women with uterine leiomyomas (Sawin et al). 2000;183:1448-55
Treatment of uterine fibroid tumors in a nude mouse model using high-intensity focused ultrasound (Vaezy et al). 2000;183:6-11

Length of stay

Association between level of delivery hospital and neonatal outcomes among South Carolina Medicaid recipients (Sanderson et al). 2000;183:1504-11

Leptin

Increase in serum leptin concentrations among women with endometriosis during danazol and leuprolide depot treatments (Matalliotakis et al). 2000;183:58-62

Letters

Letters. 2000;183:257-8, 513-20, 775-83, 1045-6, 1308-10, 1587-93

Leucovorin

Methotrexate infusion in low-risk gestational trophoblastic disease (Wong et al). 2000;183:1579-82

Leukemia, lymphocytic, acute

Cardiotoxic transplacental effect of idarubicin administered during the second trimester of pregnancy (Achtari and Hohlfield). 2000;183:511-2

Leukocytes

Levels of vaginal secretory leukocyte protease inhibitor are decreased in women with lower reproductive tract infections (Draper et al). 2000;183:1243-8

Leuprolide

Increase in serum leptin concentrations among women with endometriosis during danazol and leuprolide depot treatments (Matalliotakis et al). 2000;183:58-62

Levator ani; see Pelvis**Ligaments**

A transvaginal approach to repair of apical and other associated sites of pelvic organ prolapse with uterosacral ligaments (Shull et al). 2000;183:1365-74

Lipid peroxidation

Increase of the isoprostane 8-isoprostaglandin $F_{2\alpha}$ in maternal and fetal blood of rats with streptozotocin-induced diabetes: evidence of lipid peroxidation (Gerber et al). 2000;183:1035-40

Lipids

Resistance of pelvic arteries and plasma lipids in postmenopausal women: comparative study of tibolone and continuous combined estradiol and norethindrone acetate replacement therapy (Dören et al). 2000;183:575-82

Lipopolysaccharides

Cyclooxygenase is involved in the effects of progesterone-induced blocking factor on the production of interleukin 12 (Par et al). 2000;183:126-30

Liver

Assessment of fetal lung volumes and liver herniation with magnetic resonance imaging in congenital diaphragmatic hernia (Walsh et al). 2000;183:1067-9

HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome versus severe preeclampsia: onset at ≤ 28.0 weeks' gestation (Haddad et al). 2000;183:1475-9

Impact of high-dose corticosteroid therapy for patients with HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome (O'Brien et al). 2000;183:921-4

Normal development of human fetal hematopoiesis between eight and seventeen weeks' gestation (Pahal et al). 2000;183:1029-34

Risk factors for adverse maternal outcomes among women with HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome (Haddad et al). 2000;183:444-8

Vascular reactivity in patients with preeclampsia and HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome (Fischer et al). 2000;183:1489-94

Were there any misdiagnoses? (Goodlin) (Letter); (Tompkins) (Reply). 2000;183:1046

Low platelet count; see Platelet count**Lower reproductive tract diseases; see Genital diseases, female****Lung**

The association between meconium and the production and reabsorption of lung liquid and lactate loss by in vitro lungs from fetal guinea pigs (Chua et al). 2000;183:235-44

Comparison of infrared spectroscopic and fluorescence depolarization assays for fetal lung maturity (Liu et al). 2000;183:181-7

Lung volume measurements

Assessment of fetal lung volumes and liver herniation with magnetic resonance imaging in congenital diaphragmatic hernia (Walsh et al). 2000;183:1067-9

Timing of antenatal corticosteroids and neonatal pulmonary mechanics (McEvoy et al). 2000;183:895-9

Lymph node excision

De novo adhesions with extraperitoneal endosurgical para-aortic lymphadenectomy versus transperitoneal laparoscopic para-aortic lymphadenectomy: a randomized experimental study (Ocelli et al). 2000;183:529-33

Lymphocytes

Complications according to mode of delivery among human immunodeficiency virus-infected women with CD4 lymphocyte counts of $\leq 500/\mu\text{L}$ (Watts et al). 2000;183:100-7

In vitro induction of tumor-specific human lymphocyte antigen class

I-restricted CD8⁺ cytotoxic T lymphocytes by ovarian tumor antigen-pulsed autologous dendritic cells from patients with advanced ovarian cancer (Santin et al). 2000;183:601-9

M**Magnesium**

Magnesium prevents seizure-induced reduction in excitatory amino acid receptor (kainate and α -amino-3-hydroxy-5-methyl-isoxazole-4-propionic acid) binding in pregnant rat brain (Hallak et al). 2000;183:793-8

Magnesium sulfate

Magnesium sulfate therapy affects attention and working memory in patients undergoing preterm labor (Ghia et al). 2000;183:940-4

Magnesium sulfate for tocolysis and risk of spastic cerebral palsy in premature children born to women without preeclampsia (Grether et al). 2000;183:717-25

Management of autonomic hyperreflexia with magnesium sulfate during labor in a woman with spinal cord injury (Machama et al). 2000;183:492-3

Magnetic resonance imaging

Assessment of fetal lung volumes and liver herniation with magnetic resonance imaging in congenital diaphragmatic hernia (Walsh et al). 2000;183:1067-9

Magnetic resonance imaging in an experimental model of human ovarian cancer demonstrating altered microvascular permeability after inhibition of vascular endothelial growth factor (Gossmann et al). 2000;183:956-63

Marijuana abuse

Substance use measures among women in early pregnancy (Markovic et al). 2000;183:627-32

Mass screening

An appraisal of screening for maternal type-specific herpes simplex virus antibodies to prevent neonatal herpes (Rouse and Stringer). 2000;183:400-6

First-trimester Down syndrome screening (Macri and Orlandi) (Letter); (Malone et al) (Reply). 2000;183:1591-2

First-trimester screening for aneuploidy by nuchal translucency (Zoppi et al) (Letter); (Malone et al) (Reply). 2000;183:1590-2

Identification of at-risk women for osteoporosis screening (Weinstein and Ullery). 2000;183:547-9

Two-stage cervical cancer screening: an alternative for resource-poor settings (Denny et al). 2000;183:383-8

Mast cells

Modulation of rat uterine contractility by mast cells and their mediators (Garfield et al). 2000;183:118-25

Maternal behavior

Cigarette smoking during pregnancy (Ek) (Letter); (Conde-Agudelo and Belizán) (Reply). 2000;183:1045-6

Effects of smoking on blood pressure during pregnancy on balance are negative (Friedman) (Letter); (Zhang et al) (Reply). 2000;183:776-7

End-tidal carbon monoxide measurements in women with pregnancy-induced hypertension and preeclampsia (Baum et al). 2000;183:900-3

Impact of maternal cigarette smoking on fetal growth and body composition (Bernstein et al). 2000;183:883-6

Nicotine transdermal patches and pregnancy (Serra et al) (Letter); (Schroeder et al) (Reply). 2000;183:778-9

The relationship of smoking, preeclampsia, and secretory component (North et al). 2000;183:136-9

Substance use measures among women in early pregnancy (Markovic et al). 2000;183:627-32

Maternal blood; see Blood**Maternal circulation; see Blood circulation**

Maternal-fetal exchange

- Absence of maternal-fetal transmission of human immunodeficiency virus type 1 to second-trimester fetuses (Pascual et al). 2000;183:638-42
- Cardiotoxic transplacental effect of idarubicin administered during the second trimester of pregnancy (Achtari and Hohlfeld). 2000;183:511-2
- Cell-free fetal deoxyribonucleic acid in maternal circulation as a marker of fetal-maternal hemorrhage in patients undergoing external cephalic version near term (Lau et al). 2000;183:712-6
- Fetal response to maternally administered morphine (Kopecky et al). 2000;183:424-30
- Neurobiology of behavioral changes after prenatal exposure to paroxetine (Paxil) (Friedman). 2000;183:518-9 (Letter)

Maternal mortality

- Maternal deaths in an urban perinatal network, 1992 through 1998 (Panting-Kemp et al). 2000;183:1207-12

Maternal outcome; see Pregnancy outcome

Meconium

- The association between meconium and the production and reabsorption of lung liquid and lactate loss by in vitro lungs from fetal guinea pigs (Chua et al). 2000;183:235-44
- Fetal erythropoietin levels in pregnancies complicated by meconium passage: does meconium suggest fetal hypoxia? (Jazayeri et al). 2000;183:188-90

Medicaid

- Association between level of delivery hospital and neonatal outcomes among South Carolina Medicaid recipients (Sanderson et al). 2000;183:1504-11

Memory

- Magnesium sulfate therapy affects attention and working memory in patients undergoing preterm labor (Ghia et al). 2000;183:940-4

Meningomyelocele

- Hindbrain herniation develops in surgically created myelomeningocele but is absent after repair in fetal lambs (Paek et al). 2000;183:1119-23

Menopause

- Complex ovarian cysts in postmenopausal women are not associated with ovarian cancer risk factors: preliminary data from the Prostate, Lung, Colon, and Ovarian Cancer Screening Trial (Hartge et al). 2000;183:1232-7
- Continuous combined hormone replacement therapy and risk of endometrial cancer (Hill et al). 2000;183:1456-61
- Effects of oral contraceptives on vascular endothelium in premenopausal women (John et al). 2000;183:28-33
- Estrogen replacement in perimenopause-related depression: a preliminary report (Schmidt et al). 2000;183:414-20
- Exacerbation of endometriosis as a result of premenopausal tamoxifen exposure (Rose et al). 2000;183:507-8
- Low-dose folic acid supplementation reduces plasma levels of the cardiovascular risk factor homocysteine in postmenopausal women (De Leo et al). 2000;183:945-7
- Low doses of estradiol in combination with gestodene to prevent early postmenopausal bone loss (Bjarnason et al). 2000;183:550-60
- Negative mood changes during hormone replacement therapy: a comparison between two progestogens (Björn et al). 2000;183:1419-26
- Premarin-induced increases in coronary and uterine blood flow in nonpregnant sheep (Clark et al). 2000;183:12-7
- Resistance of pelvic arteries and plasma lipids in postmenopausal women: comparative study of tibolone and continuous combined estradiol and norethindrone acetate replacement therapy (Dören et al). 2000;183:575-82

Menorrhagia

- In vitro studies of cryoablation of the endometrium (Kremer and Duffy). 2000;183:22-7

Menstrual cycle

- Cervical shedding of herpes simplex virus and cytomegalovirus throughout the menstrual cycle in women infected with human immunodeficiency virus type 1 (Mostad et al). 2000;183:948-55
- Epithelial cell layer thickness and immune cell populations in the normal human vagina at different stages of the menstrual cycle (Patton et al). 2000;183:967-73

Mental disorders

- Validity and utility of the PRIME-MD Patient Health Questionnaire in assessment of 3000 obstetric-gynecologic patients: The PRIME-MD Patient Health Questionnaire Obstetrics-Gynecology Study (Spitzer et al). 2000;183:759-69 (Education)

Mentors

- Where does the dwarf stand—and whom does he thank? (Gallup). 2000;183:1335-7 (Pres. address)

Messenger ribonucleic acid; see RNA, messenger

Meta-analysis

- The effect of a rapid change in availability of epidural analgesia on the cesarean delivery rate: a meta-analysis (Segal et al). 2000;183:974-8
- Elective repeat cesarean delivery versus trial of labor: a meta-analysis of the literature from 1989 to 1999 (Mozurkewich and Hutton). 2000;183:1187-97
- Questionable statistics in meta-analysis (Peleg) (Letter); (Sanchez-Ramos and Kaunitz) (Reply). 2000;183:257-8

Metabolism

- Consented testing of newborns and childbearing women for human immunodeficiency virus through a newborn metabolic screening program (Birkhead et al). 2000;183:245-51
- The effects of placental extracts from normotensive and preeclamptic women on vasoconstriction and oxidative metabolism (Thomson et al). 2000;183:206-10
- Oral contraceptive use and glucose metabolism in a national sample of women in the United States (Troisi et al). 2000;183:389-95

Metalloproteinases

- Evidence for the participation of interstitial collagenase (matrix metalloproteinase 1) in preterm premature rupture of membranes (Maymon et al). 2000;183:914-20
- Evidence of in vivo differential bioavailability of the active forms of matrix metalloproteinases 9 and 2 in parturition, spontaneous rupture of membranes, and intra-amniotic infection (Maymon et al). 2000;183:887-94
- Human neutrophil collagenase (matrix metalloproteinase 8) in parturition, premature rupture of the membranes, and intrauterine infection (Maymon et al). 2000;183:94-9

Methotrexate

- Alternatives to mifepristone regimens for medical abortion (Pymar and Creinin). 2000;183:S54-64 (Symposium)
- Counseling for medical abortion (Breitbart). 2000;183:S26-33 (Symposium)
- Management of side effects and complications in medical abortion (Kruse et al). 2000;183:S65-75 (Symposium)
- Medical abortion: public health and private lives (Grimes). 2000;183:S1-2 (Symposium)
- Medical abortion regimens: historical context and overview (Creinin). 2000;183:S3-9 (Symposium)
- Medical abortion service delivery (Breitbart et al). 2000;183:S16-25 (Symposium)
- Medical abortion in social context (Joffe). 2000;183:S10-5 (Symposium)
- Methotrexate infusion in low-risk gestational trophoblastic disease (Wong et al). 2000;183:1579-82

Metronidazole

- Asymptomatic bacterial vaginosis: response to therapy (Schwebke). 2000;183:1434-9

Microcirculation

Pregnancy-induced alterations of uterine arteriolar reactivity in the rat: observations with a new in vivo microcirculatory preparation (Alsip et al). 2000;183:621-6

Microvascular permeability; see Capillary permeability**Midtrimester of pregnancy; see Pregnancy trimester, second****Mifepristone**

Abortion with mifepristone and misoprostol: regimens, efficacy, acceptability and future directions (Newhall and Winikoff). 2000;183:S44-53 (Symposium)

Alternatives to mifepristone regimens for medical abortion (Pymar and Creinin). 2000;183:S54-64 (Symposium)

Counseling for medical abortion (Breitbart). 2000;183:S26-33 (Symposium)

Management of side effects and complications in medical abortion (Kruse et al). 2000;183:S65-75 (Symposium)

Medical abortion: public health and private lives (Grimes). 2000;183:S1-2 (Symposium)

Medical abortion regimens: historical context and overview (Creinin). 2000;183:S3-9 (Symposium)

Medical abortion service delivery (Breitbart et al). 2000;183:S16-25 (Symposium)

Medical abortion in social context (Joffe). 2000;183:S10-5 (Symposium)

Mifepristone versus vaginally administered misoprostol for cervical priming before first-trimester termination of pregnancy: a randomized, controlled study (Ashok et al). 2000;183:998-1002

The roles of clinical assessment, human chorionic gonadotropin assays, and ultrasonography in medical abortion practice (Paul et al). 2000;183:S34-43 (Symposium)

Misoprostol

Abortion with mifepristone and misoprostol: regimens, efficacy, acceptability and future directions (Newhall and Winikoff). 2000;183:S44-53 (Symposium)

Cardiovascular effects of intravaginal misoprostol in the mid trimester of pregnancy (Ramsey et al). 2000;183:1100-2

Medical abortion: public health and private lives (Grimes). 2000;183:S1-2 (Symposium)

Medical abortion regimens: historical context and overview (Creinin). 2000;183:S3-9 (Symposium)

Mifepristone versus vaginally administered misoprostol for cervical priming before first-trimester termination of pregnancy: a randomized, controlled study (Ashok et al). 2000;183:998-1002

Models, theoretical

Mathematic modeling to predict abruptio placentae (Baumann et al). 2000;183:815-22

Monoclonal antibodies; see Antibodies, monoclonal**Mood changes**

Negative mood changes during hormone replacement therapy: a comparison between two progestogens (Björn et al). 2000;183:1419-26

Morals

Physicians should provide moral leadership to their communities (Gambrell). 2000;183:261-70 (Pres. address)

Morbidity

Cervical cancer practice patterns and appropriateness of therapy (Howell et al). 2000;183:407-13

Comparability of perioperative morbidity between abdominal myomectomy and hysterectomy for women with uterine leiomyomas (Sawin et al). 2000;183:1448-55

Is human myometrial sampling at the time of cesarean delivery safe? (McElvy et al). 2000;183:1583-6

Morphine

Fetal response to maternally administered morphine (Kopecky et al). 2000;183:424-30

Multifetal pregnancy reduction; see Abortion**Multiple gestations; see Pregnancy, multiple****Muscle, smooth**

The mechanisms underlying the stimulatory effects of thrombin on myometrial smooth muscle (Elovitz et al). 2000;183:674-81

Nitric oxide synthases in the human cervix at term pregnancy and effects of nitric oxide on cervical smooth muscle contractility (Ekerhovd et al). 2000;183:610-6

Muscle contraction

Nitric oxide synthases in the human cervix at term pregnancy and effects of nitric oxide on cervical smooth muscle contractility (Ekerhovd et al). 2000;183:610-6

Muscles

Vanadate enhances but does not normalize glucose transport and insulin receptor phosphorylation in skeletal muscle from obese women with gestational diabetes mellitus (Shao et al). 2000;183:1263-70

Mycoplasma

Relationship of bacterial vaginosis and mycoplasmas to the risk of spontaneous abortion (Donders et al). 2000;183:431-7

Myocardial diseases

Cardiotoxic transplacental effect of idarubicin administered during the second trimester of pregnancy (Achtari and Hohlfeld). 2000;183:511-2

Myocardium, injuries

Delayed hypotension and subendocardial injury after repeated umbilical cord occlusion in near-term fetal lambs (Gunn et al). 2000;183:1564-72

Troponin I measurement in the diagnosis of myocardial injury during pregnancy and delivery: two cases (Krähenmann et al) (Letter); (Ramin et al) (Reply). 2000;183:1308-10

Myoma

Comparability of perioperative morbidity between abdominal myomectomy and hysterectomy for women with uterine leiomyomas (Sawin et al). 2000;183:1448-55

Myometrium

Differential alterations in responsiveness in particulate and soluble guanylate cyclases in pregnant guinea pig myometrium (Buhimschi et al). 2000;183:1512-9

Effects of thrombin on myometrial contractions in vitro and in vivo (Elovitz et al). 2000;183:799-804

Expression of protein kinase C isozymes in nonpregnant and pregnant human myometrium (Hurd et al). 2000;183:1525-31

Indomethacin blocks interleukin 1 β -induced myometrial contractions in pregnant rhesus monkeys (Sadovsky et al). 2000;183:173-80

Is human myometrial sampling at the time of cesarean delivery safe? (McElvy et al). 2000;183:1583-6

The mechanisms underlying the stimulatory effects of thrombin on myometrial smooth muscle (Elovitz et al). 2000;183:674-81

Myometrial contractile strain at uteroplacental separation during parturition (Deyer et al). 2000;183:156-9

N**National High Blood Pressure Education Program Working Group on High Blood Pressure in Pregnancy**

Report of the National High Blood Pressure Education Program Working Group on High Blood Pressure in Pregnancy (National High Blood Pressure Education Program Working Group on High Blood Pressure in Pregnancy). 2000;183(Jul):S1-22

National Institute of Child Health and Human Development

A comparison of visual analyses of intrapartum fetal heart rate tracings according to the new National Institute of Child Health and Human Development guidelines with computer analyses by an automated fetal heart rate monitoring system (Devoc et al). 2000;183:361-6

Natriuretic peptide; see Peptides

Neck

The effect of fetal neck position on nuchal fold thickness (Olson et al). 2000;183:995-7

First-trimester screening for aneuploidy by nuchal translucency (Zoppi et al) (Letter); (Malone et al) (Reply). 2000;183:1590-2

Neisseria gonorrhoeae

Detection of *Neisseria gonorrhoeae* and *Chlamydia trachomatis* colonization of the gravid cervix (Asbill et al). 2000;183:340-6

Neonatal outcome; see Pregnancy outcome

Neonatal screening

Consented testing of newborns and childbearing women for human immunodeficiency virus through a newborn metabolic screening program (Birkhead et al). 2000;183:245-51

Neonate; see Infant, newborn

Neurobiology

Neurobiology of behavioral changes after prenatal exposure to paroxetine (Paxil) (Friedman). 2000;183:518-9 (Letter)

Neutrophils

Human neutrophil collagenase (matrix metalloproteinase 8) in parturition, premature rupture of the membranes, and intrauterine infection (Maymon et al). 2000;183:94-9

Neutrophil activation in preeclampsia and isolated intrauterine growth restriction (Sabatier et al). 2000;183:1558-63

Nicotine

Cigarette smoking during pregnancy (Ek) (Letter); (Conde-Agudelo and Belizán) (Reply). 2000;183:1045-6

Effects of smoking on blood pressure during pregnancy on balance are negative (Friedman) (Letter); (Zhang et al) (Reply). 2000;183:776-7

End-tidal carbon monoxide measurements in women with pregnancy-induced hypertension and preeclampsia (Baum et al). 2000;183:900-3

Impact of maternal cigarette smoking on fetal growth and body composition (Bernstein et al). 2000;183:883-6

Nicotine transdermal patches and pregnancy (Serra et al) (Letter); (Schroeder et al) (Reply). 2000;183:778-9

The relationship of smoking, preeclampsia, and secretory component (North et al). 2000;183:136-9

Nifedipine

Nifedipine as a safe and effective tocolytic agent in the treatment of preterm labor (Papatonis et al) (Letter); (Carr and Clark) (Reply). 2000;183:513-4

Nimesulide

Inhibition of premature labor in sheep by a combined treatment of nimesulide, a prostaglandin synthase type 2 inhibitor, and atosiban, an oxytocin receptor antagonist (Grigsby et al). 2000;183:649-57

Nitric oxide

Effects of oral contraceptives on vascular endothelium in premenopausal women (John et al). 2000;183:28-33

Nitric oxide synthases in the human cervix at term pregnancy and effects of nitric oxide on cervical smooth muscle contractility (Ekerhovd et al). 2000;183:610-6

Physiologic role of nitric oxide in the maintenance of uterine quiescence in nonpregnant and pregnant sheep (Mirabile et al). 2000;183:191-8

Placental tissue and inhibition of uterine contraction by nitric oxide donors (Segal) (Letter); (Vedernikov et al) (Reply). 2000;183:514-5

Preeclampsia: evidence for impaired shear stress-mediated nitric oxide release in uterine circulation (Kublickiene et al). 2000;183:160-6

The role of nitric oxide in mediating adenosine-induced increases in uterine blood flow in the oophorectomized nonpregnant sheep (Carpenter et al). 2000;183:46-51

Value of inhaled nitric oxide in Eisenmenger syndrome during pregnancy (Rosenthal and Nelson-Piercy). 2000;183:781-2 (Letter)

Nonstress test; see Fetal monitoring

Norethindrone

Resistance of pelvic arteries and plasma lipids in postmenopausal women: comparative study of tibolone and continuous combined estradiol and norethindrone acetate replacement therapy (Dören et al). 2000;183:575-82

Nucleated red blood cells; see Erythrocytes

Nucleated stem cells; see Stem cells

Nulliparity; see Parity

Nutrition disorders

Effects of undernutrition in early pregnancy on systemic small artery function in late-gestation fetal sheep (Ozaki et al). 2000;183:1301-7

O

Obesity

Vanadate enhances but does not normalize glucose transport and insulin receptor phosphorylation in skeletal muscle from obese women with gestational diabetes mellitus (Shao et al). 2000;183:1263-70

Obstetric outcome; see Pregnancy outcome

Obstetrical forceps

Comments on sequential use of instruments at operative vaginal delivery (Escamilla) (Letter); (Bofill) (Reply). 2000;183:515-6

Posterior presentations: questions on forceps delivery with rotation (Escamilla) (Letter); (Feldman) (Reply). 2000;183:779-80

Rotational application of Leff forceps (Dyack) (Letter); (Feldman) (Reply). 2000;183:779-80

Obstetrics

A faculty development course in obstetrics and gynecology (Grimes et al). 2000;183:1041-4 (Education)

Validity and utility of the PRIME-MD Patient Health Questionnaire in assessment of 3000 obstetric-gynecologic patients: The PRIME-MD Patient Health Questionnaire Obstetrics-Gynecology Study (Spitzer et al). 2000;183:759-69 (Education)

Oligohydramnios

Acute maternal rehydration increases the urine production rate in the near-term human fetus (Oosterhof et al). 2000;183:226-9

Expectant management of severe preterm preeclampsia: is intrauterine growth restriction an indication for immediate delivery? (Chammas et al). 2000;183:853-8

Localization of messenger ribonucleic acid for adrenomedullin and adrenomedullin receptor in the human placenta in normal pregnancies and pregnancies complicated by oligohydramnios (Apodaca et al). 2000;183:1213-9

Role of amnioinfusion in the management of premature rupture of the membranes at <26 weeks' gestation (Locatelli et al). 2000;183:878-82

Oral contraceptives; see Contraceptives, oral

Osteoporosis

Identification of at-risk women for osteoporosis screening (Weinstein and Ullery). 2000;183:547-9

Low doses of estradiol in combination with gestodene to prevent early postmenopausal bone loss (Bjarnason et al). 2000;183:550-60

Outcome of pregnancy; see Pregnancy outcome

Ovarian cysts

Complex ovarian cysts in postmenopausal women are not associated with ovarian cancer risk factors: preliminary data from the Prostate, Lung, Colon, and Ovarian Cancer Screening Trial (Hartge et al). 2000;183:1232-7

Ovarian neoplasms

CA 125 measurement and ultrasonography in borderline tumors of the ovary (Gotlieb et al). 2000;183:541-6

Complex ovarian cysts in postmenopausal women are not associated with ovarian cancer risk factors: preliminary data from the Prostate, Lung, Colon, and Ovarian Cancer Screening Trial (Hartge et al). 2000;183:1232-7

Ovarian neoplasms—cont'd

In vitro induction of tumor-specific human lymphocyte antigen class I-restricted CD8⁺ cytotoxic T lymphocytes by ovarian tumor antigen-pulsed autologous dendritic cells from patients with advanced ovarian cancer (Santin et al). 2000;183:601-9

Magnetic resonance imaging in an experimental model of human ovarian cancer demonstrating altered microvascular permeability after inhibition of vascular endothelial growth factor (Gossmann et al). 2000;183:956-63

Postoperative administration of monophasic combined oral contraceptives after laparoscopic treatment of ovarian endometriomas: a prospective, randomized trial (Muzii et al). 2000;183:588-92

Preoperative diagnosis of ovarian carcinoma with a novel monoclonal antibody (Lieberman et al). 2000;183:534-40

Ovariectomy

Patients' outlook, experience, and satisfaction with hysterectomy, bilateral oophorectomy, and subsequent continuation of hormone replacement therapy (Khashtgir and Studd). 2000;183:1427-33

The role of nitric oxide in mediating adenosine-induced increases in uterine blood flow in the oophorectomized nonpregnant sheep (Carpenter et al). 2000;183:46-51

Ovary

Suppression by developing ovarian follicles of the low-dose endotoxin-induced glomerular inflammatory reaction in the pregnant rat (Schuiling et al). 2000;183:89-93

Ovulation induction

Induction of ovulation in infertile women with hyperandrogenism and insulin resistance (Barbieri). 2000;183:1412-8 (Clin. opinion)

Oxidative metabolism; see Metabolism**Oximetry**

Assessment of fetal scalp oxygen saturation determination in the sheep by transmission pulse oximetry (Nijland et al). 2000;183:1549-53

A multicenter controlled trial of fetal pulse oximetry in the intrapartum management of nonreassuring fetal heart rate patterns (Garite et al). 2000;183:1049-58

Oxygen

Assessment of fetal scalp oxygen saturation determination in the sheep by transmission pulse oximetry (Nijland et al). 2000;183:1549-53

Oxytocin

Effect of stimulatory and inhibitory drugs on uterine electrical activity measured noninvasively from the abdominal surface of pregnant rats (Buhimschi et al). 2000;183:68-75

Influence of oxytocin on prostaglandin E₂ intracellular calcium, and cyclic adenosine monophosphate in human amnion-derived (WISH) cells (Pavan et al). 2000;183:76-82

Inhibition of premature labor in sheep by a combined treatment of nimesulide, a prostaglandin synthase type 2 inhibitor, and atosiban, an oxytocin receptor antagonist (Grigsby et al). 2000;183:649-57

Physiologic role of nitric oxide in the maintenance of uterine quiescence in nonpregnant and pregnant sheep (Mirabile et al). 2000;183:191-8

P**Papanicolaou test; see Vaginal smears****Papillomaviruses**

Genital human papillomavirus infection in women who have sex with women: a review (Marrazzo et al). 2000;183:770-4 (AJOG reviews)

Molecular Papanicolaou tests in the twenty-first century: molecular analyses with fluid-based Papanicolaou technology (Lin et al). 2000;183:39-45

A population-based five-year follow-up study of cervical human papillomavirus infection (Elfgren et al). 2000;183:561-7

Regular disappearance of the human papillomavirus genome after conization of cervical dysplasia by carbon dioxide laser (Kjellberg et al). 2000;183:1238-42

Two-stage cervical cancer screening: an alternative for resource-poor settings (Denny et al). 2000;183:383-8

Parathyroid hormones

Preterm fetal growth restriction is associated with increased parathyroid hormone-related protein expression in the fetal membranes (Curtis et al). 2000;183:700-5

Parity

The effect of pregnancy on the compliance of large arteries and veins in healthy parous control subjects and women with a history of preeclampsia (Spaanderman et al). 2000;183:1278-86

Graphic analysis of actively managed labor: prospective computation of labor progress in 500 consecutive nulliparous women in spontaneous labor at term (Impey et al). 2000;183:438-43

Measurements of the pelvic floor in women and their relationship to genital prolapse (Rizk) (Letter); (Baessler and Schuessler) (Reply). 2000;183:1589-90

Pelvic muscle electromyography of levator ani and external anal sphincter in nulliparous women and women with pelvic floor dysfunction (Weidner et al). 2000;183:1390-401

Quantitative electromyographic analysis of levator ani and external anal sphincter muscles of nulliparous women (Weidner et al). 2000;183:1249-56

A randomized controlled trial of the effect of increased intravenous hydration on the course of labor in nulliparous women (Garite et al). 2000;183:1544-8

Paroxetine

Neurobiology of behavioral changes after prenatal exposure to paroxetine (Paxil) (Friedman). 2000;183:518-9 (Letter)

Parturition; see Labor**Patient readmission**

Patient satisfaction with results of hysterectomy (Kjerulff et al). 2000;183:1440-7

Patient satisfaction

Patient satisfaction with results of hysterectomy (Kjerulff et al). 2000;183:1440-7

Patients' outlook, experience, and satisfaction with hysterectomy, bilateral oophorectomy, and subsequent continuation of hormone replacement therapy (Khashtgir and Studd). 2000;183:1427-33

Pelvic floor dysfunction; see Urinary incontinence, stress; Uterine prolapse**Pelvic neoplasms**

Low colorectal anastomosis after radical pelvic surgery: a risk factor analysis (Mirhashemi et al). 2000;183:1375-80

Pelvic organ prolapse; see Uterine prolapse**Pelvis**

Abnormal spinal curvature and its relationship to pelvic organ prolapse (Mattox et al). 2000;183:1381-4

Clinical assessment of paravaginal defects (Huddleston and Dunnihoo) (Letter); (Barber) (Reply). 2000;183:519-20

The distribution of pelvic organ support in a population of female subjects seen for routine gynecologic health care (Swift). 2000;183:277-85

Gonadotropin-releasing hormone agonist treatment for endometriosis of the rectovaginal septum (Fedele et al). 2000;183:1462-7

Measurements of the pelvic floor in women and their relationship to genital prolapse (Rizk) (Letter); (Baessler and Schuessler) (Reply). 2000;183:1589-90

Pelvic muscle electromyography of levator ani and external anal sphincter in nulliparous women and women with pelvic floor dysfunction (Weidner et al). 2000;183:1390-401

Primary amenorrhea caused by crushing trauma of the pelvis (Donner et al). 2000;183:500-1

- Quantitative electromyographic analysis of levator ani and external anal sphincter muscles of nulliparous women (Weidner et al). 2000;183:1249-56
- Resistance of pelvic arteries and plasma lipids in postmenopausal women: comparative study of tibolone and continuous combined estradiol and norethindrone acetate replacement therapy (Dören et al). 2000;183:575-82
- Pelvis, surgery**
- Bilateral uterosacral ligament vaginal vault suspension with site-specific endopelvic fascia defect repair for treatment of pelvic organ prolapse (Barber et al). 2000;183:1402-11
- Cost-effectiveness of urodynamic testing before surgery for women with pelvic organ prolapse and stress urinary incontinence (Weber and Walters). 2000;183:1338-47
- Low colorectal anastomosis after radical pelvic surgery: a risk factor analysis (Mirhashemi et al). 2000;183:1375-80
- Postoperative resolution of urinary retention in patients with advanced pelvic organ prolapse (FitzGerald et al). 2000;183:1361-4
- Prevalence of perioperative complications among women undergoing reconstructive pelvic surgery (Lambrou et al). 2000;183:1355-60
- A transvaginal approach to repair of apical and other associated sites of pelvic organ prolapse with uterosacral ligaments (Shull et al). 2000;183:1365-74
- Pemphigoid gestationis; see Herpes gestationis**
- Penicillin G, benzathine**
- Late third-trimester treatment of rectovaginal group B streptococci with benzathine penicillin G (Bland et al). 2000;183:372-6
- Peptides**
- Relationship of systemic hemodynamics, left ventricular structure and function, and plasma natriuretic peptide concentrations during pregnancy complicated by preeclampsia (Borghi et al). 2000;183:140-7
- Perfusion**
- Hypoperfusion causes increased production of interleukin 6 and tumor necrosis factor α in the isolated, dually perfused placental cotyledon (Pierce et al). 2000;183:863-7
- Perimenopause; see Menopause**
- Perineum**
- Transperineal versus transvaginal ultrasonography during the second trimester (Zilanti) (Letter); (Owen) (Reply). 2000;183:1045
- Perioperative complications; see Intraoperative complications**
- Peritoneum**
- Assessment of 5-aminolevulinic acid-induced porphyrin fluorescence in patients with peritoneal endometriosis (Hillemanns et al). 2000;183:52-7
- De novo adhesions with extraperitoneal endoscopic para-aortic lymphadenectomy versus transperitoneal laparoscopic para-aortic lymphadenectomy: a randomized experimental study (Occelli et al). 2000;183:529-33
- Personnel staffing and scheduling**
- Medical abortion service delivery (Breitbart et al). 2000;183:S16-25 (Symposium)
- Phospholipases A**
- Elevations of group II phospholipase A₂ concentrations in serum and amniotic fluid in association with preterm labor (Koyama et al). 2000;183:1537-43
- Phosphorylation**
- Vanadate enhances but does not normalize glucose transport and insulin receptor phosphorylation in skeletal muscle from obese women with gestational diabetes mellitus (Shao et al). 2000;183:1263-70
- Physicians**
- Physicians should provide moral leadership to their communities (Gambrell). 2000;183:261-70 (Pres. address)
- Pituitary gland**
- Fetal hypothalamic-pituitary-adrenal axis (Chez). 2000;183:1310 (Letter)

Placenta

- Apoptosis is a rare event in first-trimester placental tissue (Smith et al). 2000;183:697-9
- Beginning regular exercise in early pregnancy: effect on fetoplacental growth (Clapp et al). 2000;183:1484-8
- Differential localization of placental extracellular superoxide dismutase as pregnancy progresses (Bogges et al). 2000;183:199-205
- The effects of placental extracts from normotensive and preeclamptic women on vasoconstriction and oxidative metabolism (Thomson et al). 2000;183:206-10
- Genetic expression by fetal chorionic villi during the first trimester of human gestation (Dizon-Townson et al). 2000;183:706-11
- Hypoperfusion causes increased production of interleukin 6 and tumor necrosis factor α in the isolated, dually perfused placental cotyledon (Pierce et al). 2000;183:863-7
- Localization of messenger ribonucleic acid for adrenomedullin and adrenomedullin receptor in the human placenta in normal pregnancies and pregnancies complicated by oligohydramnios (Apostolova et al). 2000;183:1213-9
- Myometrial contractile strain at uteroplacental separation during parturition (Deyer et al). 2000;183:156-9
- Placental expression of syndecan 1 is diminished in preeclampsia (Jokimaa et al). 2000;183:1495-8
- Placental tissue and inhibition of uterine contraction by nitric oxide donors (Segal) (Letter); (Vedemikov et al) (Reply). 2000;183:514-5
- Reductions of vascular endothelial growth factor and placental growth factor concentrations in severe preeclampsia (Livingston et al). 2000;183:1554-7
- Relation between damage to the placenta and the fetal brain after late-gestation placental embolization and fetal growth restriction in sheep (Duncan et al). 2000;183:1013-22
- Umbilical cord blood collection before placental delivery during cesarean delivery increases cord blood volume and nucleated cell number available for transplantation (Surbek et al). 2000;183:218-21
- Placental insufficiency**
- Association of severe placental insufficiency and systemic venous pressure rise in the fetus with increased neonatal cardiac troponin T levels (Mäkikallio et al). 2000;183:726-31
- Plasma**
- Low-dose folic acid supplementation reduces plasma levels of the cardiovascular risk factor homocysteine in postmenopausal women (De Leo et al). 2000;183:945-7
- Plasma, urinary, and salivary 8-epi-prostaglandin F_{2 α} levels in normotensive and preeclamptic pregnancies (McKinney et al). 2000;183:874-7
- The relationship among inflammatory lesions of the umbilical cord (funisitis), umbilical cord plasma interleukin 6 concentration, amniotic fluid infection, and neonatal sepsis (Yoon et al). 2000;183:1124-9
- Relationship of systemic hemodynamics, left ventricular structure and function, and plasma natriuretic peptide concentrations during pregnancy complicated by preeclampsia (Borghi et al). 2000;183:140-7
- Resistance of pelvic arteries and plasma lipids in postmenopausal women: comparative study of tibolone and continuous combined estradiol and norethindrone acetate replacement therapy (Dören et al). 2000;183:575-82
- Second-trimester plasma homocysteine levels and pregnancy-induced hypertension, preeclampsia, and intrauterine growth restriction (Hogg et al). 2000;183:805-9
- A simplified index of the plasma sodium threshold for arginine vasopressin secretion—morning fasting, euhydrated sodium levels (Mann et al). 2000;183:933-6
- Platelet activating factor**
- Elevated circulating concentrations of platelet activating factor in preeclampsia (Rowland et al). 2000;183:930-2

Platelet count

HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome versus severe preeclampsia: onset at ≤ 28.0 weeks' gestation (Haddad et al). 2000;183:1475-9

Impact of high-dose corticosteroid therapy for patients with HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome (O'Brien et al). 2000;183:921-4

Risk factors for adverse maternal outcomes among women with HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome (Haddad et al). 2000;183:444-8

Vascular reactivity in patients with preeclampsia and HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome (Fischer et al). 2000;183:1489-94

Were there any misdiagnoses? (Goodlin) (Letter); (Tompkins) (Reply). 2000;183:1046

Pneumonia

An appraisal of treatment guidelines for antepartum community-acquired pneumonia (Yost et al). 2000;183:131-5

Polycystic ovary syndrome

Induction of ovulation in infertile women with hyperandrogenism and insulin resistance (Barbieri). 2000;183:1412-8 (Clin. opinion)

Polydactyly; see Abnormalities**Polymerase chain reaction**

Clinical implications of detection of *Ureaplasma urealyticum* in the amniotic cavity with the polymerase chain reaction (Yoon et al). 2000;183:1130-7

Detection of *Neisseria gonorrhoeae* and *Chlamydia trachomatis* colonization of the gravid cervix (Asbill et al). 2000;183:340-6

Population

Population adjustment of the definition of the vaginal birth after cesarean rate (Reddy et al). 2000;183:1166-9

Porphyrins

Assessment of 5-aminolevulinic acid-induced porphyrin fluorescence in patients with peritoneal endometriosis (Hillemann et al). 2000;183:52-7

Portal vein

Portal vein blood flow—effects of pregnancy, gravity, and exercise (Clapp et al). 2000;183:167-72

Posthysterectomy; see Hysterectomy**Postmenopause; see Menopause****Postoperative care**

Postoperative administration of monophasic combined oral contraceptives after laparoscopic treatment of ovarian endometriomas: a prospective, randomized trial (Muzii et al). 2000;183:588-92

Postoperative resolution of urinary retention in patients with advanced pelvic organ prolapse (FitzGerald et al). 2000;183:1361-4

Postoperative tailored radiotherapy for locally advanced breast carcinoma during pregnancy: a therapeutic dilemma (Kouvaris et al). 2000;183:498-9

Postoperative complications

Management of side effects and complications in medical abortion (Kruse et al). 2000;183:565-75 (Symposium)

Pyoderma gangrenosum after cesarean delivery (Rönnau et al). 2000;183:502-4

Predictive value of tests

The Preterm Prediction Study: quantitative fetal fibronectin values and the prediction of spontaneous preterm birth (Goepfert et al). 2000;183:1480-3

Prednisolone

Pyoderma gangrenosum after cesarean delivery (Rönnau et al). 2000;183:502-4

Preeclampsia

Association of preeclampsia with high birth weight for gestational age (Xiong et al). 2000;183:148-55

Cigarette smoking during pregnancy (Ek) (Letter); (Conde-Agudelo and Belizán) (Reply). 2000;183:1045-6

A comparison of hemodynamic data derived by pulmonary artery flotation catheter and the esophageal Doppler monitor in preeclampsia (Penny et al). 2000;183:658-61

The effect of pregnancy on the compliance of large arteries and veins in healthy parous control subjects and women with a history of preeclampsia (Spaanderman et al). 2000;183:1278-86

The effects of placental extracts from normotensive and preeclamptic women on vasoconstriction and oxidative metabolism (Thomson et al). 2000;183:206-10

Elevated circulating concentrations of platelet activating factor in preeclampsia (Rowland et al). 2000;183:930-2

End-tidal carbon monoxide measurements in women with pregnancy-induced hypertension and preeclampsia (Baum et al). 2000;183:900-3

Epidural anesthesia in severe preeclampsia (Camann) (Letter); (Hogg and Hauth) (Reply). 2000;183:258

Expectant management of severe preterm preeclampsia: is intrauterine growth restriction an indication for immediate delivery? (Chammas et al). 2000;183:853-8

HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome versus severe preeclampsia: onset at ≤ 28.0 weeks' gestation (Haddad et al). 2000;183:1475-9

Magnesium sulfate for tocolysis and risk of spastic cerebral palsy in premature children born to women without preeclampsia (Grether et al). 2000;183:717-25

Neutrophil activation in preeclampsia and isolated intrauterine growth restriction (Sabatier et al). 2000;183:1558-63

Placental expression of syndecan 1 is diminished in preeclampsia (Jokimaa et al). 2000;183:1495-8

Plasma, urinary, and salivary 8-epi-prostaglandin $F_{2\alpha}$ levels in normotensive and preeclamptic pregnancies (McKinney et al). 2000;183:874-7

Preeclampsia: evidence for impaired shear stress-mediated nitric oxide release in uterine circulation (Kublickiene et al). 2000;183:160-6

Preeclampsia prevention: lessons from the low-dose aspirin therapy trials (Heyborne). 2000;183:523-8 (Clin. opinion)

Reductions of vascular endothelial growth factor and placental growth factor concentrations in severe preeclampsia (Livingston et al). 2000;183:1554-7

The relationship of smoking, preeclampsia, and secretory component (North et al). 2000;183:136-9

Relationship of systemic hemodynamics, left ventricular structure and function, and plasma natriuretic peptide concentrations during pregnancy complicated by preeclampsia (Borghi et al). 2000;183:140-7

Report of the National High Blood Pressure Education Program Working Group on High Blood Pressure in Pregnancy (National High Blood Pressure Education Program Working Group on High Blood Pressure in Pregnancy). 2000;183(Jul):S1-22

Second-trimester plasma homocysteine levels and pregnancy-induced hypertension, preeclampsia, and intrauterine growth restriction (Hogg et al). 2000;183:805-9

Should the definition of preeclampsia include a rise in diastolic blood pressure of ≥ 15 mm Hg to a level < 90 mm Hg in association with proteinuria? (Levine et al). 2000;183:787-92

Validation of bioimpedance estimates of cardiac output in preeclampsia (Scardo et al). 2000;183:911-3

Vascular reactivity in patients with preeclampsia and HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome (Fischer et al). 2000;183:1489-94

Pregnancy

Cauterization of hydrosalpinges before in vitro fertilization is an effective surgical treatment associated with improved pregnancy rates (Stadtmauer et al). 2000;183:367-71

- Effect of stimulatory and inhibitory drugs on uterine electrical activity measured noninvasively from the abdominal surface of pregnant rats (Buhimschi et al). 2000;183:68-75
- Nicotine transdermal patches and pregnancy (Serra et al) (Letter); (Schroeder et al) (Reply). 2000;183:778-9
- Pregnancies after reconstructive surgery for congenital cervicovaginal atresia (Chakravarty et al). 2000;183:421-3

Pregnancy, multiple

- Antenatal factors at diagnosis that predict outcome in twin-twin transfusion syndrome (Taylor et al). 2000;183:1023-8
- Blastocyst transfer: a useful tool for reduction of high-order multiple gestations in a human assisted reproduction program (Toledo et al). 2000;183:377-82
- Chorionic villus sampling before multifetal pregnancy reduction (Eddleman et al). 2000;183:1078-81
- Delayed-interval delivery: extended series from a single maternal-fetal medicine practice (Farkouh et al). 2000;183:1499-1503
- Ethical theory and principles: do they have any relevance to problems arising in everyday practice? (Finnerty et al). 2000;183:301-8
- Impact of head-to-abdominal circumference asymmetry on outcomes in growth-discordant twins (Dashe et al). 2000;183:1082-7
- Long-term outcome in twin-twin transfusion syndrome treated with serial aggressive amnioreduction (Mari et al). 2000;183:211-7
- Triplets: outcomes of expectant management versus multifetal reduction for 127 pregnancies (Leondires et al). 2000;183:454-9
- Twin birth weight discordance and risk of preterm birth (Cooperstock et al). 2000;183:63-7
- Use of cervical ultrasonography in prediction of spontaneous preterm birth in triplet gestations (Guzman et al). 2000;183:1108-13
- Use of cervical ultrasonography in prediction of spontaneous preterm birth in twin gestations (Guzman et al). 2000;183:1103-7
- Vaginal delivery of twins and neonatal respiratory disorders (Suzuki). 2000;183:780 (Reply)

Pregnancy, physiology

- Cyclooxygenase is involved in the effects of progesterone-induced blocking factor on the production of interleukin 12 (Par et al). 2000;183:126-30
- Differential alterations in responsiveness in particulate and soluble guanylate cyclases in pregnant guinea pig myometrium (Buhimschi et al). 2000;183:1512-9
- Differential localization of placental extracellular superoxide dismutase as pregnancy progresses (Bogges et al). 2000;183:199-205
- The effect of pregnancy on the compliance of large arteries and veins in healthy parous control subjects and women with a history of preeclampsia (Spaanderman et al). 2000;183:1278-86
- The effects of repeat doses of antenatal corticosteroids on maternal adrenal function (McKenna et al). 2000;183:669-73
- Expression of protein kinase C isozymes in nonpregnant and pregnant human myometrium (Hurd et al). 2000;183:1525-31
- Isolated elevation of serum alkaline phosphatase level in an uncomplicated pregnancy: a case report (Vongthavaravat et al). 2000;183:505-6
- Localization of messenger ribonucleic acid for adrenomedullin and adrenomedullin receptor in the human placenta in normal pregnancies and pregnancies complicated by oligohydramnios (Apodaca et al). 2000;183:1213-9
- Magnesium prevents seizure-induced reduction in excitatory amino acid receptor (kainate and α -amino-3-hydroxy-5-methyl-isoxazole-4-propionic acid) binding in pregnant rat brain (Hallak et al). 2000;183:793-8
- A new concept of the significance of regional distribution of prostaglandin H synthase 2 throughout the uterus during late pregnancy: investigations in a baboon model (Wu et al). 2000;183:1287-95

- Nitric oxide synthases in the human cervix at term pregnancy and effects of nitric oxide on cervical smooth muscle contractility (Ekerhovd et al). 2000;183:610-6
- Normal development of human fetal hematopoiesis between eight and seventeen weeks' gestation (Pahal et al). 2000;183:1029-34
- Plasma, urinary, and salivary 8-epi-prostaglandin $F_{2\alpha}$ levels in normotensive and preeclamptic pregnancies (McKinney et al). 2000;183:874-7
- Portal vein blood flow—effects of pregnancy, gravity, and exercise (Clapp et al). 2000;183:167-72
- Pregnancy-induced alterations of uterine arteriolar reactivity in the rat: observations with a new in vivo microcirculatory preparation (Alsip et al). 2000;183:621-6
- Premarin-induced increases in coronary and uterine blood flow in nonpregnant sheep (Clark et al). 2000;183:12-7
- Secretory component: a potential regulator of endometrial-decidual prostaglandin production in early human pregnancy (Norwitz and Wilson). 2000;183:108-17
- Soluble HLA-G circulates in maternal blood during pregnancy (Hunt et al). 2000;183:682-8
- Suppression by developing ovarian follicles of the low-dose endotoxin-induced glomerular inflammatory reaction in the pregnant rat (Schuiling et al). 2000;183:89-93

Pregnancy complications

- Ethical theory and principles: do they have any relevance to problems arising in everyday practice? (Finnerty et al). 2000;183:301-8
- Is insulin lispro associated with the development or progression of diabetic retinopathy during pregnancy? (Buchbinder et al). 2000;183:1162-5
- Localization of messenger ribonucleic acid for adrenomedullin and adrenomedullin receptor in the human placenta in normal pregnancies and pregnancies complicated by oligohydramnios (Apodaca et al). 2000;183:1213-9
- Outcome of pregnancies complicated by ruptured membranes after genetic amniocentesis (Borgida et al). 2000;183:937-9
- Preterm fetal growth restriction is associated with increased parathyroid hormone-related protein expression in the fetal membranes (Curtis et al). 2000;183:700-5
- Vanadate enhances but does not normalize glucose transport and insulin receptor phosphorylation in skeletal muscle from obese women with gestational diabetes mellitus (Shao et al). 2000;183:1263-70

Pregnancy complications, cardiovascular

- Postpartum stroke: a twenty-year experience (Witlin et al). 2000;183:83-8
- Preterm delivery in women with pregestational diabetes mellitus or chronic hypertension relative to women with uncomplicated pregnancies (Sibai et al). 2000;183:1520-4
- Troponin I measurement in the diagnosis of myocardial injury during pregnancy and delivery: two cases (Krähenmann et al) (Letter); (Ramin et al) (Reply). 2000;183:1308-10

Pregnancy complications, hematologic

- Genetic factors associated with thrombosis in pregnancy in a United States population (Dilley et al). 2000;183:1271-7
- Middle cerebral artery Doppler velocimetric deceleration angle as a predictor of fetal anemia in Rh-alloimmunized fetuses without hydrops (Bahado-Singh et al). 2000;183:746-51
- Splenic artery aneurysm (Lovšin et al) (Letter); (Lang and Herbeck) (Reply). 2000;183:781
- Successful application of extracorporeal membrane oxygenation and intra-aortic balloon counterpulsation as lifesaving therapy for a patient with amniotic fluid embolism (Hsieh et al). 2000;183:496-7

Pregnancy complications, hematologic—cont'd

Value of inhaled nitric oxide in Eisenmenger syndrome during pregnancy (Rosenthal and Nelson-Piercy). 2000;183:781-2 (Letter)

Pregnancy complications, infectious

Absence of maternal-fetal transmission of human immunodeficiency virus type 1 to second-trimester fetuses (Pascual et al). 2000;183:638-42

Amniotic fluid index values after preterm premature rupture of the membranes and subsequent perinatal infection (Vermillion et al). 2000;183:271-6

An appraisal of screening for maternal type-specific herpes simplex virus antibodies to prevent neonatal herpes (Rouse and Stringer). 2000;183:400-6

An appraisal of treatment guidelines for antepartum community-acquired pneumonia (Yost et al). 2000;183:131-5

Clinical implications of detection of *Ureaplasma urealyticum* in the amniotic cavity with the polymerase chain reaction (Yoon et al). 2000;183:1130-7

Detection of *Neisseria gonorrhoeae* and *Chlamydia trachomatis* colonization of the gravid cervix (Asbill et al). 2000;183:340-6

Elevations of group II phospholipase A₂ concentrations in serum and amniotic fluid in association with preterm labor (Koyama et al). 2000;183:1537-43

Evidence of in vivo differential bioavailability of the active forms of matrix metalloproteinases 9 and 2 in parturition, spontaneous rupture of membranes, and intra-amniotic infection (Maymon et al). 2000;183:887-94

Histologic chorioamnionitis is associated with fetal growth restriction in term and preterm infants (Williams et al). 2000;183:1094-9

Histologic inflammation in the maternal and fetal compartments in a rabbit model of acute intra-amniotic infection (Davies et al). 2000;183:1088-93

Human neutrophil collagenase (matrix metalloproteinase 8) in parturition, premature rupture of the membranes, and intrauterine infection (Maymon et al). 2000;183:94-9

Late third-trimester treatment of rectovaginal group B streptococci with benzathine penicillin G (Bland et al). 2000;183:372-6

Participation of the novel cytokine interleukin 18 in the host response to intra-amniotic infection (Pacora et al). 2000;183:1138-43

Pemphigoid gestationis: a review (Engineer et al). 2000;183:483-91 (AJOG reviews)

Prenatal diagnosis of symptomatic congenital cytomegalovirus infection (Guerra et al). 2000;183:476-82

The Preterm Prediction Study: association of second-trimester genitourinary chlamydia infection with subsequent spontaneous preterm birth (Andrews et al). 2000;183:662-8

The relationship among inflammatory lesions of the umbilical cord (funisitis), umbilical cord plasma interleukin 6 concentration, amniotic fluid infection, and neonatal sepsis (Yoon et al). 2000;183:1124-9

Relationship of bacterial vaginosis and mycoplasmas to the risk of spontaneous abortion (Donders et al). 2000;183:431-7

Pregnancy complications, neoplastic

Cardiotoxic transplacental effect of idarubicin administered during the second trimester of pregnancy (Achtari and Hohlfield). 2000;183:511-2

Choriocarcinoma after hydatidiform mole (Szulman). 2000;183:257 (Letter)

Postoperative tailored radiotherapy for locally advanced breast carcinoma during pregnancy: a therapeutic dilemma (Kouvaris et al). 2000;183:498-9

Pregnancy maintenance

Cervical Incompetence Prevention Randomized Cerclage Trial (CIPRACT): study design and preliminary results (Althuisius et al). 2000;183:823-9

Indomethacin blocks interleukin 1 β -induced myometrial contractions in pregnant rhesus monkeys (Sadovsky et al). 2000;183:173-80

Management of cervical cerclage and preterm premature rupture of the membranes: should the stitch be removed? (McElrath et al). 2000;183:840-6

Patients with a prior failed transvaginal cerclage: a comparison of obstetric outcomes with either transabdominal or transvaginal cerclage (Davis et al). 2000;183:836-9

A randomized trial of cerclage versus no cerclage among patients with ultrasonographically detected second-trimester preterm dilatation of the internal os (Rust et al). 2000;183:830-5

Timing of cerclage removal after preterm premature rupture of membranes: maternal and neonatal outcomes (Jenkins et al). 2000;183:847-52

Pregnancy outcome

Antenatal factors at diagnosis that predict outcome in twin-twin transfusion syndrome (Taylor et al). 2000;183:1023-8

Association between level of delivery hospital and neonatal outcomes among South Carolina Medicaid recipients (Sanderson et al). 2000;183:1504-11

Does aspirin have a role in improving pregnancy outcome for women with the antiphospholipid syndrome? A randomized controlled trial (Pattison et al). 2000;183:1008-12

Expectant management of severe preterm preeclampsia: is intrauterine growth restriction an indication for immediate delivery? (Chammas et al). 2000;183:853-8

The impact of digital cervical examination on expectantly managed preterm rupture of membranes (Alexander et al). 2000;183:1003-7

Initial development of a system-wide maternal-fetal outcomes assessment program (Novicoff et al). 2000;183:291-300

Long-term outcome in twin-twin transfusion syndrome treated with serial aggressive amnioreduction (Mari et al). 2000;183:211-7

Maternal deaths in an urban perinatal network, 1992 through 1998 (Panting-Kemp et al). 2000;183:1207-12

Maternal and neonatal outcomes after induction of labor without an identified indication (Dublin et al). 2000;183:986-94

Optimal pregnancy outcome in a minimal-stimulation in vitro fertilization program (DeVane et al). 2000;183:309-15

Outcome of pregnancies complicated by ruptured membranes after genetic amniocentesis (Borgida et al). 2000;183:937-9

Patients with a prior failed transvaginal cerclage: a comparison of obstetric outcomes with either transabdominal or transvaginal cerclage (Davis et al). 2000;183:836-9

Posterior presentations: questions on forceps delivery with rotation (Escamilla) (Letter); (Feldman) (Reply). 2000;183:779-80

Pregnancy outcome after in utero exposure to itraconazole: a prospective cohort study (Bar-Oz et al). 2000;183:617-20

Risk factors for adverse maternal outcomes among women with HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome (Haddad et al). 2000;183:444-8

Role of amnioinfusion in the management of premature rupture of the membranes at <26 weeks' gestation (Locatelli et al). 2000;183:878-82

Rotational application of Leff forceps (Dyack) (Letter); (Feldman) (Reply). 2000;183:779-80

Splenic artery aneurysm (Lovšin et al) (Letter); (Lang and Herbeck) (Reply). 2000;183:781

Timing of cerclage removal after preterm premature rupture of membranes: maternal and neonatal outcomes (Jenkins et al). 2000;183:847-52

Triplets: outcomes of expectant management versus multifetal reduction for 127 pregnancies (Leondires et al). 2000;183:454-9

Pregnancy trimester, first

Absence of maternal-fetal transmission of human immunodeficiency virus type 1 to second-trimester fetuses (Pascual et al). 2000;183:638-42

Apoptosis is a rare event in first-trimester placental tissue (Smith et al). 2000;183:697-9

Beginning regular exercise in early pregnancy: effect on fetoplacental growth (Clapp et al). 2000;183:1484-8

Early surgical abortion: an alternative to and backup for medical abortion (MacIsaac and Darney). 2000;183:S76-83 (Symposium)

Effects of undernutrition in early pregnancy on systemic small artery function in late-gestation fetal sheep (Ozaki et al). 2000;183:1301-7

Fetal polydactyly diagnosis during early pregnancy: clinical applications (Zimmer and Bronshtein). 2000;183:755-8

First-trimester Down syndrome screening (Macri and Orlandi) (Letter); (Malone et al) (Reply). 2000;183:1591-2

First-trimester screening for aneuploidy by nuchal translucency (Zoppi et al) (Letter); (Malone et al) (Reply). 2000;183:1590-2

Genetic expression by fetal chorionic villi during the first trimester of human gestation (Dizon-Townson et al). 2000;183:706-11

Mifepristone versus vaginally administered misoprostol for cervical priming before first-trimester termination of pregnancy: a randomized, controlled study (Ashok et al). 2000;183:998-1002

Normal development of human fetal hematopoiesis between eight and seventeen weeks' gestation (Pahal et al). 2000;183:1029-34

Pregnancy outcome after in utero exposure to itraconazole: a prospective cohort study (Bar-Oz et al). 2000;183:617-20

Secretory component: a potential regulator of endometrial-decidual prostaglandin production in early human pregnancy (Norwitz and Wilson). 2000;183:108-17

Substance use measures among women in early pregnancy (Markovic et al). 2000;183:627-32

Transcervical sampling as a means of detection of fetal cells during the first trimester of pregnancy (Daryani et al). 2000;183:752-4

Vaginal fetal fibronectin measurements from 8 to 22 weeks' gestation and subsequent spontaneous preterm birth (Goldenberg et al). 2000;183:469-75

Pregnancy trimester, second

Cardiotoxic transplacental effect of idarubicin administered during the second trimester of pregnancy (Achtari and Hohlfeld). 2000;183:511-2

Cardiovascular effects of intravaginal misoprostol in the mid trimester of pregnancy (Ramsey et al). 2000;183:1100-2

The effect of fetal neck position on nuchal fold thickness (Olson et al). 2000;183:995-7

Normal development of human fetal hematopoiesis between eight and seventeen weeks' gestation (Pahal et al). 2000;183:1029-34

The Preterm Prediction Study: association of second-trimester genitourinary chlamydia infection with subsequent spontaneous preterm birth (Andrews et al). 2000;183:662-8

A randomized trial of cerclage versus no cerclage among patients with ultrasonographically detected second-trimester preterm dilatation of the internal os (Rust et al). 2000;183:830-5

Second-trimester plasma homocysteine levels and pregnancy-induced hypertension, preeclampsia, and intrauterine growth restriction (Hogg et al). 2000;183:805-9

Transperineal versus transvaginal ultrasonography during the second trimester (Zilianti) (Letter); (Owen) (Reply). 2000;183:1045

Ultrasonographic ear length measurement in normal second- and third-trimester fetuses (Chitkara et al). 2000;183:230-4

Vaginal fetal fibronectin measurements from 8 to 22 weeks' gestation and subsequent spontaneous preterm birth (Goldenberg et al). 2000;183:469-75

Pregnancy trimester, third

Acute maternal rehydration increases the urine production rate in the near-term human fetus (Oosterhof et al). 2000;183:226-9

Cell-free fetal deoxyribonucleic acid in maternal circulation as a marker of fetal-maternal hemorrhage in patients undergoing external cephalic version near term (Lau et al). 2000;183:712-6

Late third-trimester treatment of rectovaginal group B streptococci with benzathine penicillin G (Bland et al). 2000;183:372-6

A new concept of the significance of regional distribution of prostaglandin H synthase 2 throughout the uterus during late pregnancy: investigations in a baboon model (Wu et al). 2000;183:1287-95

Should intravenous tocolysis be considered beyond 34 weeks' gestation? (Jones et al). 2000;183:356-60

Ultrasonographic ear length measurement in normal second- and third-trimester fetuses (Chitkara et al). 2000;183:230-4

Premarin

Premarin-induced increases in coronary and uterine blood flow in nonpregnant sheep (Clark et al). 2000;183:12-7

Premature infant; see Infant, premature

Premature rupture of fetal membranes; see Fetal membranes, premature rupture

Pre-menopause; see Menopause

Pre-menstrual syndrome

Negative mood changes during hormone replacement therapy: a comparison between two progestogens (Björn et al). 2000;183:1419-26

Prenatal care

The impact of digital cervical examination on expectantly managed preterm rupture of membranes (Alexander et al). 2000;183:1003-7

Prenatal diagnosis

The clinical utility of fetal cell sorting to determine prenatally fetal *E/e* or *e/e* Rh genotype from peripheral maternal blood (Geifman-Holtzman et al). 2000;183:462-8

Comparison of urinary hyperglycosylated human chorionic gonadotropin concentration with the serum triple screen for Down syndrome detection in high-risk pregnancies (Bahado-Singh et al). 2000;183:1114-8

Detection of fetal trisomy 18 by short-term culture of maternal peripheral blood (Valerio et al). 2000;183:222-5

The effect of fetal neck position on nuchal fold thickness (Olson et al). 2000;183:995-7

Fetal polydactyly diagnosis during early pregnancy: clinical applications (Zimmer and Bronshtein). 2000;183:755-8

First-trimester Down syndrome screening (Macri and Orlandi) (Letter); (Malone et al) (Reply). 2000;183:1591-2

First-trimester screening for aneuploidy by nuchal translucency (Zoppi et al) (Letter); (Malone et al) (Reply). 2000;183:1590-2

Highly efficient gene transfer into preterm CD34⁺ hematopoietic progenitor cells (Shields et al). 2000;183:732-7

Impact of head-to-abdominal circumference asymmetry on outcomes in growth-discordant twins (Dashe et al). 2000;183:1082-7

Mathematic modeling to predict abruptio placentae (Baumann et al). 2000;183:815-22

Prenatal diagnosis of symptomatic congenital cytomegalovirus infection (Guerra et al). 2000;183:476-82

Transcervical sampling as a means of detection of fetal cells during the first trimester of pregnancy (Daryani et al). 2000;183:752-4

Preoperative care

Preoperative diagnosis of ovarian carcinoma with a novel monoclonal antibody (Lieberman et al). 2000;183:534-40

Presidential address

Presidential address. 2000;183:261-70, 1335-7

Preterm birth; see Labor, premature

Preterm Prediction Study

The Preterm Prediction Study: association of second-trimester genitourinary chlamydia infection with subsequent spontaneous preterm birth (Andrews et al). 2000;183:662-8

The Preterm Prediction Study: prediction of preterm premature rupture of membranes through clinical findings and ancillary testing (Mercer et al). 2000;183:738-45

Preterm Prediction Study—cont'd

The Preterm Prediction Study: quantitative fetal fibronectin values and the prediction of spontaneous preterm birth (Goepfert et al). 2000;183:1480-3

PRIME-MD Patient Health Questionnaire Obstetrics-Gynecology Study

Validity and utility of the PRIME-MD Patient Health Questionnaire in assessment of 3000 obstetric-gynecologic patients: The PRIME-MD Patient Health Questionnaire Obstetrics-Gynecology Study (Spitzer et al). 2000;183:759-69 (Education)

Progenitor cells; see Stem cells**Progestational hormones**

Negative mood changes during hormone replacement therapy: a comparison between two progestogens (Björn et al). 2000;183:1419-26

Progestins abrogate estrogen-induced changes in the insulin-like growth factor axis (Heald et al). 2000;183:593-600

Progesterone

Cyclooxygenase is involved in the effects of progesterone-induced blocking factor on the production of interleukin 12 (Par et al). 2000;183:126-30

Prognosis

Interleukin 6 determinations in cervical fluid have diagnostic and prognostic value in preterm premature rupture of membranes (Jun et al). 2000;183:868-73

Prolapsed vagina; see Uterine prolapse

Propionic acids

Magnesium prevents seizure-induced reduction in excitatory amino acid receptor (kainate and α -amino-3-hydroxy-5-methyl-isoxazole-4-propionic acid) binding in pregnant rat brain (Hallak et al). 2000;183:793-8

Prostaglandin E₂; see Dinoprostone**Prostaglandin-endoperoxide synthase**

Cyclooxygenase is involved in the effects of progesterone-induced blocking factor on the production of interleukin 12 (Par et al). 2000;183:126-30

A new concept of the significance of regional distribution of prostaglandin H synthase 2 throughout the uterus during late pregnancy: investigations in a baboon model (Wu et al). 2000;183:1287-95

Prostaglandins

Alternatives to mifepristone regimens for medical abortion (Pymar and Creinin). 2000;183:S54-64 (Symposium)

Inhibition of premature labor in sheep by a combined treatment of nimesulide, a prostaglandin synthase type 2 inhibitor, and atosiban, an oxytocin receptor antagonist (Grigsby et al). 2000;183:649-57

Medical abortion: public health and private lives (Grimes). 2000;183:S1-2 (Symposium)

Medical abortion regimens: historical context and overview (Creinin). 2000;183:S3-9 (Symposium)

Secretory component: a potential regulator of endometrial-decidual prostaglandin production in early human pregnancy (Norwitz and Wilson). 2000;183:108-17

Prostate, Lung, Colon, and Ovarian Cancer Screening Trial

Complex ovarian cysts in postmenopausal women are not associated with ovarian cancer risk factors: preliminary data from the Prostate, Lung, Colon, and Ovarian Cancer Screening Trial (Harte et al). 2000;183:1232-7

Protease inhibitors

Levels of vaginal secretory leukocyte protease inhibitor are decreased in women with lower reproductive tract infections (Draper et al). 2000;183:1243-8

Protein kinase C

Expression of protein kinase C isozymes in nonpregnant and pregnant human myometrium (Hurd et al). 2000;183:1525-31

Proteins

Preterm fetal growth restriction is associated with increased parathyroid hormone-related protein expression in the fetal membranes (Curtis et al). 2000;183:700-5

Proteinuria

Should the definition of preeclampsia include a rise in diastolic blood pressure of ≥ 15 mm Hg to a level < 90 mm Hg in association with proteinuria? (Levine et al). 2000;183:787-92

Proteoglycans

Placental expression of syndecan 1 is diminished in preeclampsia (Jokimaa et al). 2000;183:1495-8

Protirelin

Influence of thyrotropin-releasing hormone administration at birth on thermoregulation in lambs delivered by cesarean (Heasman et al). 2000;183:1257-62

Puerperium

Complications according to mode of delivery among human immunodeficiency virus-infected women with CD4 lymphocyte counts of $\leq 500/\mu\text{L}$ (Watts et al). 2000;183:100-7

Postpartum stroke: a twenty-year experience (Witlin et al). 2000;183:83-8

Pulmonary artery

A comparison of hemodynamic data derived by pulmonary artery flotation catheter and the esophageal Doppler monitor in preeclampsia (Penny et al). 2000;183:658-61

Pulse oximetry; see Oximetry**Pyoderma gangrenosum**

Pyoderma gangrenosum after cesarean delivery (Rönnau et al). 2000;183:502-4

Q

Quality of health care

Initial development of a system-wide maternal-fetal outcomes assessment program (Novicoff et al). 2000;183:291-300

R

Radiotherapy

Postoperative tailored radiotherapy for locally advanced breast carcinoma during pregnancy: a therapeutic dilemma (Kouvaris et al). 2000;183:498-9

Receptors, amino acid

Magnesium prevents seizure-induced reduction in excitatory amino acid receptor (kainate and α -amino-3-hydroxy-5-methyl-isoxazole-4-propionic acid) binding in pregnant rat brain (Hallak et al). 2000;183:793-8

Reconstructive surgery; see Surgery, reconstructive**Rectum**

The fate of rectus fascia suburethral slings (FitzGerald et al). 2000;183:964-6

Gonadotropin-releasing hormone agonist treatment for endometriosis of the rectovaginal septum (Fedele et al). 2000;183:1462-7

Late third-trimester treatment of rectovaginal group B streptococci with benzathine penicillin G (Bland et al). 2000;183:372-6

Low colorectal anastomosis after radical pelvic surgery: a risk factor analysis (Mirhashemi et al). 2000;183:1375-80

Reduction, multifetal pregnancy; see Abortion**Rehydration; see Fluid therapy****Remission**

Five-year incidence and remission rates of female urinary incontinence in a Swedish population less than 65 years old (Samuelsson et al). 2000;183:568-74

Research

A faculty development course in obstetrics and gynecology (Grimes et al). 2000;183:1041-4 (Education)

Respiration disorders

Vaginal delivery of twins and neonatal respiratory disorders (Suzuki). 2000;183:780 (Reply)

Respiratory distress syndrome

Effectiveness of antenatal corticosteroid administration after preterm premature rupture of the membranes (Vermillion et al). 2000;183:925-9

Should intravenous tocolysis be considered beyond 34 weeks' gestation? (Jones et al). 2000;183:356-60

Rh isoimmunization

The clinical utility of fetal cell sorting to determine prenatally fetal *E/e* or *e/e* Rh genotype from peripheral maternal blood (Geifman-Holtzman et al). 2000;183:462-8

Middle cerebral artery Doppler velocimetric deceleration angle as a predictor of fetal anemia in Rh-alloimmunized fetuses without hydrops (Bahado-Singh et al). 2000;183:746-51

Rheology

Comparison of low- and high-altitude Doppler velocimetry in the peripheral and central circulations of normal fetuses (Galan et al). 2000;183:1158-61

Middle cerebral artery Doppler velocimetric deceleration angle as a predictor of fetal anemia in Rh-alloimmunized fetuses without hydrops (Bahado-Singh et al). 2000;183:746-51

Rhombencephalon

Hindbrain herniation develops in surgically created myelomeningocele but is absent after repair in fetal lambs (Paek et al). 2000;183:1119-23

Risk factors

Complex ovarian cysts in postmenopausal women are not associated with ovarian cancer risk factors: preliminary data from the Prostate, Lung, Colon, and Ovarian Cancer Screening Trial (Hartge et al). 2000;183:1232-7

Continuous combined hormone replacement therapy and risk of endometrial cancer (Hill et al). 2000;183:1456-61

Identification of at-risk women for osteoporosis screening (Weinstein and Ullery). 2000;183:547-9

Low colorectal anastomosis after radical pelvic surgery: a risk factor analysis (Mirhashemi et al). 2000;183:1375-80

Magnesium sulfate for tocolysis and risk of spastic cerebral palsy in premature children born to women without preeclampsia (Grether et al). 2000;183:717-25

RNA, messenger

Localization of messenger ribonucleic acid for adrenomedullin and adrenomedullin receptor in the human placenta in normal pregnancies and pregnancies complicated by oligohydramnios (Apo-daca et al). 2000;183:1213-9

Rupture

Spontaneous rupture of the spleen in labor (Londero and Cociancich) (Letter); (Lang and Herbeck) (Reply). 2000;183:782-3

Ruptured membranes, premature; see Fetal membranes, premature rupture

S

Sacrospinous colpopexy; see Vagina, surgery

Sacrum, surgery

Bilateral uterosacral ligament vaginal vault suspension with site-specific endopelvic fascia defect repair for treatment of pelvic organ prolapse (Barber et al). 2000;183:1402-11

A transvaginal approach to repair of apical and other associated sites of pelvic organ prolapse with uterosacral ligaments (Shull et al). 2000;183:1365-74

Saint John's wort

Effect of antenatal exposure to Saint John's wort (*Hypericum*) on neurobehavior of developing mice (Rayburn et al). 2000;183:1225-31

Saliva

Plasma, urinary, and salivary 8-epi-prostaglandin $F_{2\alpha}$ levels in normotensive and preeclamptic pregnancies (McKinney et al). 2000;183:874-7

Scalp

Assessment of fetal scalp oxygen saturation determination in the sheep by transmission pulse oximetry (Nijland et al). 2000;183:1549-53

Fetal blood lactate concentration (Spencer et al) (Letter); (Kruger and Westren) (Reply). 2000;183:1308

Scissors, surgical; see Surgical equipment

Screening; see Mass screening

Second trimester of pregnancy; see Pregnancy trimester, second

Secretory component

The relationship of smoking, preeclampsia, and secretory component (North et al). 2000;183:136-9

Secretory component: a potential regulator of endometrial-decidual prostaglandin production in early human pregnancy (Norwitz and Wilson). 2000;183:108-17

Seizures

Magnesium prevents seizure-induced reduction in excitatory amino acid receptor (kainate and α -amino-3-hydroxy-5-methyl-isoxazole-4-propionic acid) binding in pregnant rat brain (Hallak et al). 2000;183:793-8

SENTRY centers

Group B streptococci causing neonatal bloodstream infection: antimicrobial susceptibility and serotyping results from SENTRY centers in the Western Hemisphere (Andrews et al). 2000;183:859-62

Septicemia

Neonatal sepsis and death after multiple courses of antenatal betamethasone therapy (Vermillion et al). 2000;183:810-4

The relationship among inflammatory lesions of the umbilical cord (funisitis), umbilical cord plasma interleukin 6 concentration, amniotic fluid infection, and neonatal sepsis (Yoon et al). 2000;183:1124-9

Serotyping

Group B streptococci causing neonatal bloodstream infection: antimicrobial susceptibility and serotyping results from SENTRY centers in the Western Hemisphere (Andrews et al). 2000;183:859-62

Sex behavior

Adverse behavioral and sexual factors in chronic vulvar disease (Marin et al). 2000;183:34-8

Sexually transmitted infection and teenage sexuality (McIlhaney). 2000;183:334-9

Sexual intercourse; see Coitus

Sexually transmitted diseases

Asymptomatic bacterial vaginosis: response to therapy (Schwebke). 2000;183:1434-9

Levels of vaginal secretory leukocyte protease inhibitor are decreased in women with lower reproductive tract infections (Draper et al). 2000;183:1243-8

Sexually transmitted infection and teenage sexuality (McIlhaney). 2000;183:334-9

Sexually transmitted diseases, bacterial

Detection of *Neisseria gonorrhoeae* and *Chlamydia trachomatis* colonization of the gravid cervix (Asbill et al). 2000;183:340-6

Shoulder

Maternal and neonatal outcomes after induction of labor without an identified indication (Dublin et al). 2000;183:986-94

Side effects

Management of side effects and complications in medical abortion (Kruse et al). 2000;183:S65-75 (Symposium)

Skeletal muscles; see Muscles

Skin diseases

- Pemphigoid gestationis: a review (Engineer et al). 2000;183:483-91 (AJOG reviews)
- Pyoderma gangrenosum after cesarean delivery (Rönnau et al). 2000;183:502-4

Smoking

- Cigarette smoking during pregnancy (Ek) (Letter); (Conde-Agudelo and Belizán) (Reply). 2000;183:1045-6
- Effects of smoking on blood pressure during pregnancy on balance are negative (Friedman) (Letter); (Zhang et al) (Reply). 2000;183:776-7
- End-tidal carbon monoxide measurements in women with pregnancy-induced hypertension and preeclampsia (Baum et al). 2000;183:900-3
- Impact of maternal cigarette smoking on fetal growth and body composition (Bernstein et al). 2000;183:883-6
- The relationship of smoking, preeclampsia, and secretory component (North et al). 2000;183:136-9
- Substance use measures among women in early pregnancy (Markovic et al). 2000;183:627-32

Smoking cessation

- Nicotine transdermal patches and pregnancy (Serra et al) (Letter); (Schroeder et al) (Reply). 2000;183:778-9

Smooth muscle; see Muscle, smooth**Society of Gynecologic Surgeons**

- Transactions of the twenty-sixth scientific meeting of the Society for Gynecologic Surgeons. 2000;183:1335-411

Society for Maternal-Fetal Medicine

- Transactions of the twentieth annual meeting of the Society for Maternal-Fetal Medicine. 2000;183:787-944
- Transactions of the twentieth annual meeting of the Society for Maternal-Fetal Medicine—continued. 2000;183:1049-231

Sodium

- A simplified index of the plasma sodium threshold for arginine vasopressin secretion—morning fasting, euhydrated sodium levels (Mann et al). 2000;183:933-6

Somatomedins

- Progestins abrogate estrogen-induced changes in the insulin-like growth factor axis (Heald et al). 2000;183:593-600

The South Atlantic Association of Obstetricians and Gynecologists

- Transactions of the sixty-second annual meeting of The South Atlantic Association of Obstetricians and Gynecologists. 2000;183:261-382

Spectrophotometry, infrared

- Comparison of infrared spectroscopic and fluorescence depolarization assays for fetal lung maturity (Liu et al). 2000;183:181-7

Spinal cord injuries

- Management of autonomic hyperreflexia with magnesium sulfate during labor in a woman with spinal cord injury (Maehama et al). 2000;183:492-3

Spinal curvatures

- Abnormal spinal curvature and its relationship to pelvic organ prolapse (Mattox et al). 2000;183:1381-4

Spleen

- Spontaneous rupture of the spleen in labor (Londero and Cocianich) (Letter); (Lang and Herbeck) (Reply). 2000;183:782-3

Splenic artery

- Splenic artery aneurysm (Lovšin et al) (Letter); (Lang and Herbeck) (Reply). 2000;183:781

Spontaneous abortion; see Abortion, spontaneous**Statistics**

- Questionable statistics in meta-analysis (Peleg) (Letter); (Sanchez-Ramos and Kaunitz) (Reply). 2000;183:257-8

Stem cells

- Association of stress during delivery with increased numbers of nucleated cells and hematopoietic progenitor cells in umbilical cord blood (Lim et al). 2000;183:1144-51

- Detection of fetal trisomy 18 by short-term culture of maternal peripheral blood (Valerio et al). 2000;183:222-5

- Developmental changes in adhesion molecule expressions in umbilical cord blood CD34⁺ hematopoietic progenitor and stem cells (Surbek et al). 2000;183:1152-7

- Umbilical cord blood collection before placental delivery during cesarean delivery increases cord blood volume and nucleated cell number available for transplantation (Surbek et al). 2000;183:218-21

Streptococcus agalactiae

- Group B streptococci causing neonatal bloodstream infection: antimicrobial susceptibility and serotyping results from SENTRY centers in the Western Hemisphere (Andrews et al). 2000;183:859-62

- Late third-trimester treatment of rectovaginal group B streptococci with benzathine penicillin G (Bland et al). 2000;183:372-6

Streptozocin

- Increase of the isoprostane 8-isoprostaglandin F_{2α} in maternal and fetal blood of rats with streptozotocin-induced diabetes: evidence of lipid peroxidation (Gerber et al). 2000;183:1035-40

Stress

- Association of stress during delivery with increased numbers of nucleated cells and hematopoietic progenitor cells in umbilical cord blood (Lim et al). 2000;183:1144-51

Stress urinary incontinence; see Urinary incontinence, stress**Stroke; see Cerebrovascular disorders****Subendocardial injuries; see Myocardium, injuries****Substance abuse**

- Substance use measures among women in early pregnancy (Markovic et al). 2000;183:627-32

Superoxide dismutase

- Differential localization of placental extracellular superoxide dismutase as pregnancy progresses (Boggett et al). 2000;183:199-205

Surgery, gynecologic

- Cauterization of hydrosalpinges before in vitro fertilization is an effective surgical treatment associated with improved pregnancy rates (Stadtmauer et al). 2000;183:367-71

- Prevalence of perioperative complications among women undergoing reconstructive pelvic surgery (Lambrou et al). 2000;183:1355-60

Surgery, laparoscopic

- De novo adhesions with extraperitoneal endoscopic para-aortic lymphadenectomy versus transperitoneal laparoscopic para-aortic lymphadenectomy: a randomized experimental study (Occelli et al). 2000;183:529-33

- Fetal hydrolaparoscopy and endoscopic cystotomy in complicated cases of lower urinary tract obstruction (Quintero et al). 2000;183:324-33.

- The myths of laparoscopic surgery (Hopkins). 2000;183:1-5 (Clin. opinion)

- Postoperative administration of monophasic combined oral contraceptives after laparoscopic treatment of ovarian endometriomas: a prospective, randomized trial (Muzii et al). 2000;183:588-92

Surgery, reconstructive

- Pregnancies after reconstructive surgery for congenital cervicovaginal atresia (Chakravarty et al). 2000;183:421-3

Surgical equipment

- Utility of bipolar electrocautery scissors for abdominal hysterectomy (Dessole et al). 2000;183:396-9

Surgical flaps

- Accurate repair of the prolapsed vagina by use of measured lateral flaps (Hoffman et al). 2000;183:286-90

Surgical techniques

- Early surgical abortion: an alternative to and backup for medical abortion (MacIsaac and Darney). 2000;183:S76-83 (Symposium)

Susceptibility to disease; see Disease susceptibility**Suture techniques**

- A randomized clinical trial comparing primary overlap with approximation repair of third-degree obstetric tears (Fitzpatrick et al). 2000;183:1220-4

Sweden

Five-year incidence and remission rates of female urinary incontinence in a Swedish population less than 65 years old (Samuelsson et al). 2000;183:568-74

Sympathomimetics

Vasodilatory response of fetoplacental vasculature to adrenomedullin after constriction with the thromboxane sympathomimetic U46619 (Hoeldtke et al). 2000;183:1573-8

Symposium

- Abortion with mifepristone and misoprostol: regimens, efficacy, acceptability and future directions (Newhall and Winikoff). 2000;183:S44-53
- Alternatives to mifepristone regimens for medical abortion (Pymar and Creinin). 2000;183:S54-64
- Counseling for medical abortion (Breitbart). 2000;183:S26-33
- Early surgical abortion: an alternative to and backup for medical abortion (MacIsaac and Darney). 2000;183:S76-83
- Legal issues in the provision of medical abortion (Borgmann and Jones). 2000;183:S84-94
- Management of side effects and complications in medical abortion (Kruse et al). 2000;183:S65-75
- Medical abortion: public health and private lives (Grimes). 2000;183:S1-2
- Medical abortion regimens: historical context and overview (Creinin). 2000;183:S3-9
- Medical abortion service delivery (Breitbart et al). 2000;183:S16-25
- Medical abortion in social context (Joffe). 2000;183:S10-5
- The roles of clinical assessment, human chorionic gonadotropin assays, and ultrasonography in medical abortion practice (Paul et al). 2000;183:S34-43

Syndecan 1; see Proteoglycans

T

T lymphocytes, cytotoxic

In vitro induction of tumor-specific human lymphocyte antigen class I-restricted CD8⁺ cytotoxic T lymphocytes by ovarian tumor antigen-pulsed autologous dendritic cells from patients with advanced ovarian cancer (Santin et al). 2000;183:601-9

Tamoxifen

Exacerbation of endometriosis as a result of premenopausal tamoxifen exposure (Rose et al). 2000;183:507-8

Technology

- Molecular Papanicolaou tests in the twenty-first century: molecular analyses with fluid-based Papanicolaou technology (Lin et al). 2000;183:39-45
- The myths of laparoscopic surgery (Hopkins). 2000;183:1-5 (Clin. opinion)

Teenagers; see Adolescence

Terbutaline

Effect of stimulatory and inhibitory drugs on uterine electrical activity measured noninvasively from the abdominal surface of pregnant rats (Buhimschi et al). 2000;183:68-75

Termination of pregnancy; see Abortion

Testing of newborns; see Neonatal screening

Thermoregulation; see Body temperature regulation

Third-degree obstetric tears; see Delivery, injuries

Third trimester of pregnancy; see Pregnancy trimester, third

Thrombin

- Effects of thrombin on myometrial contractions in vitro and in vivo (Elovitz et al). 2000;183:799-804
- The mechanisms underlying the stimulatory effects of thrombin on myometrial smooth muscle (Elovitz et al). 2000;183:674-81

Thrombosis

Genetic factors associated with thrombosis in pregnancy in a United States population (Dilley et al). 2000;183:1271-7

Thromboxanes

Vasodilatory response of fetoplacental vasculature to adrenomedullin after constriction with the thromboxane sympathomimetic U46619 (Hoeldtke et al). 2000;183:1573-8

Thyrotropin-releasing hormone; see Protirelin

Tibolone

Resistance of pelvic arteries and plasma lipids in postmenopausal women: comparative study of tibolone and continuous combined estradiol and norethindrone acetate replacement therapy (Dören et al). 2000;183:575-82

Tocolysis

- Magnesium sulfate for tocolysis and risk of spastic cerebral palsy in premature children born to women without preeclampsia (Grether et al). 2000;183:717-25
- Nifedipine as a safe and effective tocolytic agent in the treatment of preterm labor (Papatsonis et al) (Letter); (Carr and Clark) (Reply). 2000;183:513-4
- Questionable statistics in meta-analysis (Peleg) (Letter); (Sanchez-Ramos and Kaunitz) (Reply). 2000;183:257-8
- Should intravenous tocolysis be considered beyond 34 weeks' gestation? (Jones et al). 2000;183:356-60

Trachea

Treatment of severe congenital diaphragmatic hernia by fetal tracheal occlusion: clinical experience with fifteen cases (Flake et al). 2000;183:1059-66

Transactions

- Transactions of the sixty-second annual meeting of The South Atlantic Association of Obstetricians and Gynecologists. 2000;183:261-382
- Transactions of the twentieth annual meeting of the Society for Maternal-Fetal Medicine. 2000;183:787-944
- Transactions of the twentieth annual meeting of the Society for Maternal-Fetal Medicine—continued. 2000;183:1049-231
- Transactions of the twenty-sixth scientific meeting of the Society for Gynecologic Surgeons. 2000;183:1335-411

Transfection

Highly efficient gene transfer into preterm CD34⁺ hematopoietic progenitor cells (Shields et al). 2000;183:732-7

Transplacental exchange; see Maternal-fetal exchange

Trauma; see Wounds and injuries

Treatment

- An appraisal of treatment guidelines for antepartum community-acquired pneumonia (Yost et al). 2000;183:131-5
- Treatment threshold probability for vaginitis (Harper) (Letter); (Wiesenfeld and Macio) (Reply). 2000;183:517-8

Trial of labor

- Effect of previous vaginal delivery on the risk of uterine rupture during a subsequent trial of labor (Zelop et al). 2000;183:1184-6
- Elective repeat cesarean delivery versus trial of labor: a meta-analysis of the literature from 1989 to 1999 (Mozurkewich and Hutton). 2000;183:1187-97
- Population adjustment of the definition of the vaginal birth after cesarean rate (Reddy et al). 2000;183:1166-9
- Uterine rupture during induced trial of labor among women with previous cesarean delivery (Ravasia et al). 2000;183:1176-9

Triplets

- Delayed-interval delivery: extended series from a single maternal-fetal medicine practice (Farkouh et al). 2000;183:1499-1503
- Triplets: outcomes of expectant management versus multifetal reduction for 127 pregnancies (Leondires et al). 2000;183:454-9
- Use of cervical ultrasonography in prediction of spontaneous preterm birth in triplet gestations (Guzman et al). 2000;183:1108-13

Trisomy

Detection of fetal trisomy 18 by short-term culture of maternal peripheral blood (Valerio et al). 2000;183:222-5

Trophoblast

Methotrexate infusion in low-risk gestational trophoblastic disease (Wong et al). 2000;183:1579-82

Troponin

Association of severe placental insufficiency and systemic venous pressure rise in the fetus with increased neonatal cardiac troponin T levels (Mäkilä et al). 2000;183:726-31

Troponin I

Troponin I measurement in the diagnosis of myocardial injury during pregnancy and delivery: two cases (Krähenmann et al) (Letter); (Ramin et al) (Reply). 2000;183:1308-10

Tumor antigens; see Antigens, neoplasm**Tumor necrosis factor**

Further observations on the fetal inflammatory response syndrome: a potential homeostatic role for the soluble receptors of tumor necrosis factor α (Romero et al). 2000;183:1070-7

Hypoperfusion causes increased production of interleukin 6 and tumor necrosis factor α in the isolated, dually perfused placental cotyledon (Pierce et al). 2000;183:863-7

Tumors, ovarian; see Ovarian neoplasms**Twin-twin transfusion syndrome; see Fetofetal transfusion****Twins**

Antenatal factors at diagnosis that predict outcome in twin-twin transfusion syndrome (Taylor et al). 2000;183:1023-8

Delayed-interval delivery: extended series from a single maternal-fetal medicine practice (Farkouh et al). 2000;183:1499-1503

Impact of head-to-abdominal circumference asymmetry on outcomes in growth-discordant twins (Dashe et al). 2000;183:1082-7

Long-term outcome in twin-twin transfusion syndrome treated with serial aggressive amnioreduction (Mari et al). 2000;183:211-7

Twin birth weight discordance and risk of preterm birth (Cooperstock et al). 2000;183:63-7

Use of cervical ultrasonography in prediction of spontaneous preterm birth in twin gestations (Guzman et al). 2000;183:1103-7

Vaginal delivery of twins and neonatal respiratory disorders (Suzuki). 2000;183:780 (Reply)

U**Ultrasonography**

CA 125 measurement and ultrasonography in borderline tumors of the ovary (Gottlieb et al). 2000;183:541-6

Increased endometrial thickness in women with hypertension (Bornstein et al). 2000;183:583-7

Treatment of uterine fibroid tumors in a nude mouse model using high-intensity focused ultrasound (Vaezy et al). 2000;183:6-11

Ultrasonography, prenatal

Comparison of low- and high-altitude Doppler velocimetry in the peripheral and central circulations of normal fetuses (Galan et al). 2000;183:1158-61

The effect of fetal neck position on nuchal fold thickness (Olson et al). 2000;183:995-7

A randomized trial of cerclage versus no cerclage among patients with ultrasonographically detected second-trimester preterm dilatation of the internal os (Rust et al). 2000;183:830-5

The roles of clinical assessment, human chorionic gonadotropin assays, and ultrasonography in medical abortion practice (Paul et al). 2000;183:534-43 (Symposium)

Transperineal versus transvaginal ultrasonography during the second trimester (Ziliani) (Letter); (Owen) (Reply). 2000;183:1045

Ultrasonographic ear length measurement in normal second- and third-trimester fetuses (Chitkara et al). 2000;183:230-4

Use of cervical ultrasonography in prediction of spontaneous preterm birth in triplet gestations (Guzman et al). 2000;183:1108-13

Use of cervical ultrasonography in prediction of spontaneous preterm birth in twin gestations (Guzman et al). 2000;183:1103-7

Umbilical cord

Delayed hypotension and subendocardial injury after repeated umbilical cord occlusion in near-term fetal lambs (Gunn et al). 2000;183:1564-72

The relationship among inflammatory lesions of the umbilical cord (funisitis), umbilical cord plasma interleukin 6 concentration, amniotic fluid infection, and neonatal sepsis (Yoon et al). 2000;183:1124-9

Umbilical cord blood collection before placental delivery during cesarean delivery increases cord blood volume and nucleated cell number available for transplantation (Surbek et al). 2000;183:218-21

Umbilical cord blood collection for transplantation: which technique should be preferred? (Surbek et al) (Letter); (Elchalal and Nagler) (Reply). 2000;183:1587-8

Umbilical cord blood; see Fetal blood**Undernutrition; see Nutrition disorders****University hospitals; see Hospitals, university****Urban population**

Maternal deaths in an urban perinatal network, 1992 through 1998 (Panting-Kemp et al). 2000;183:1207-12

Ureaplasma urealyticum

Clinical implications of detection of *Ureaplasma urealyticum* in the amniotic cavity with the polymerase chain reaction (Yoon et al). 2000;183:1130-7

Urethra, surgery

Ball urethroplasty combined with Marshall-Marchetti-Krantz urethropexy versus suburethral sling in patients with intrinsic sphincter deficiency and urethral hypermobility (Alcalay et al). 2000;183:1348-54

Urinalysis

Comparison of urinary hyperglycosylated human chorionic gonadotropin concentration with the serum triple screen for Down syndrome detection in high-risk pregnancies (Bahado-Singh et al). 2000;183:1114-8

Plasma, urinary, and salivary 8-epi-prostaglandin $F_{2\alpha}$ levels in normotensive and preeclamptic pregnancies (McKinney et al). 2000;183:874-7

Urinary incontinence

Five-year incidence and remission rates of female urinary incontinence in a Swedish population less than 65 years old (Samuelsson et al). 2000;183:568-74

Urinary incontinence, stress

Ball urethroplasty combined with Marshall-Marchetti-Krantz urethropexy versus suburethral sling in patients with intrinsic sphincter deficiency and urethral hypermobility (Alcalay et al). 2000;183:1348-54

Cost-effectiveness of urodynamic testing before surgery for women with pelvic organ prolapse and stress urinary incontinence (Weber and Walters). 2000;183:1338-47

The fate of rectus fascia suburethral slings (FitzGerald et al). 2000;183:964-6

Pelvic muscle electromyography of levator ani and external anal sphincter in nulliparous women and women with pelvic floor dysfunction (Weidner et al). 2000;183:1390-401

Urinary retention

Postoperative resolution of urinary retention in patients with advanced pelvic organ prolapse (FitzGerald et al). 2000;183:1361-4

Urinary tract, abnormalities

Fetal hydrolaparoscopy and endoscopic cystotomy in complicated cases of lower urinary tract obstruction (Quintero et al). 2000;183:324-33

Urine

Acute maternal rehydration increases the urine production rate in the near-term human fetus (Oosterhof et al). 2000;183:226-9

Urodynamics

Cost-effectiveness of urodynamic testing before surgery for women with pelvic organ prolapse and stress urinary incontinence (Weber and Walters). 2000;183:1338-47

Urogenital diseases

The Preterm Prediction Study: association of second-trimester genitourinary chlamydia infection with subsequent spontaneous preterm birth (Andrews et al). 2000;183:662-8

Urologic diseases

Fetal hydrolaparoscopy and endoscopic cystotomy in complicated cases of lower urinary tract obstruction (Quintero et al). 2000;183:324-33

Uterine contraction

Effect of stimulatory and inhibitory drugs on uterine electrical activity measured noninvasively from the abdominal surface of pregnant rats (Buhimschi et al). 2000;183:68-75

Indomethacin blocks interleukin 1 β -induced myometrial contractions in pregnant rhesus monkeys (Sadowsky et al). 2000;183:173-80

Modulation of rat uterine contractility by mast cells and their mediators (Garfield et al). 2000;183:118-25

Physiologic role of nitric oxide in the maintenance of uterine quiescence in nonpregnant and pregnant sheep (Mirabile et al). 2000;183:191-8

Placental tissue and inhibition of uterine contraction by nitric oxide donors (Segal) (Letter); (Vedernikov et al) (Reply). 2000;183:514-5

Uterine hemorrhage

Effects of thrombin on myometrial contractions in vitro and in vivo (Elovitz et al). 2000;183:799-804

Uterine neoplasms

Comparability of perioperative morbidity between abdominal myomectomy and hysterectomy for women with uterine leiomyomas (Sawin et al). 2000;183:1448-55

Treatment of uterine fibroid tumors in a nude mouse model using high-intensity focused ultrasound (Vaezy et al). 2000;183:6-11

Uterine prolapse

Abnormal spinal curvature and its relationship to pelvic organ prolapse (Mattox et al). 2000;183:1381-4

Accurate repair of the prolapsed vagina by use of measured lateral flaps (Hoffman et al). 2000;183:286-90

Bilateral uterosacral ligament vaginal vault suspension with site-specific endopelvic fascia defect repair for treatment of pelvic organ prolapse (Barber et al). 2000;183:1402-11

Clinical assessment of paravaginal defects (Huddleston and Dunning) (Letter); (Barber) (Reply). 2000;183:519-20

Cost-effectiveness of urodynamic testing before surgery for women with pelvic organ prolapse and stress urinary incontinence (Weber and Walters). 2000;183:1338-47

The distribution of pelvic organ support in a population of female subjects seen for routine gynecologic health care (Swift). 2000;183:277-85

Measurements of the pelvic floor in women and their relationship to genital prolapse (Rizk) (Letter); (Baessler and Schuessler) (Reply). 2000;183:1589-90

Pelvic muscle electromyography of levator ani and external anal sphincter in nulliparous women and women with pelvic floor dysfunction (Weidner et al). 2000;183:1390-401

Postoperative resolution of urinary retention in patients with advanced pelvic organ prolapse (FitzGerald et al). 2000;183:1361-4

A transvaginal approach to repair of apical and other associated sites of pelvic organ prolapse with uterosacral ligaments (Shull et al). 2000;183:1365-74

Vaginal subtotal hysterectomy and sacrospinous colpopexy: an option in the management of uterine prolapse (Hefni and El-Toukhy). 2000;183:494-5

Uterine rupture

Association of interpregnancy interval with uterine scar failure in labor: a case-control study (Esposito et al). 2000;183:1180-3

Effect of previous vaginal delivery on the risk of uterine rupture during a subsequent trial of labor (Zelop et al). 2000;183:1184-6

Uterine rupture during induced trial of labor among women with previous cesarean delivery (Ravasia et al). 2000;183:1176-9

Uterus

Myometrial contractile strain at uteroplacental separation during parturition (Deyer et al). 2000;183:156-9

A new concept of the significance of regional distribution of prostaglandin H synthase 2 throughout the uterus during late pregnancy: investigations in a baboon model (Wu et al). 2000;183:1287-95

Uterus, blood supply

Estrogen augments the vasodilatory effects of vascular endothelial growth factor in the uterine circulation of the rat (Storment et al). 2000;183:449-53

Preeclampsia: evidence for impaired shear stress-mediated nitric oxide release in uterine circulation (Kublickiene et al). 2000;183:160-6

Pregnancy-induced alterations of uterine arteriolar reactivity in the rat: observations with a new in vivo microcirculatory preparation (Alsip et al). 2000;183:621-6

Premarin-induced increases in coronary and uterine blood flow in nonpregnant sheep (Clark et al). 2000;183:12-7

The role of nitric oxide in mediating adenosine-induced increases in uterine blood flow in the oophorectomized nonpregnant sheep (Carpenter et al). 2000;183:46-51

Uterus, surgery

Bilateral uterosacral ligament vaginal vault suspension with site-specific endopelvic fascia defect repair for treatment of pelvic organ prolapse (Barber et al). 2000;183:1402-11

A transvaginal approach to repair of apical and other associated sites of pelvic organ prolapse with uterosacral ligaments (Shull et al). 2000;183:1365-74

V

Vagina

Epithelial cell layer thickness and immune cell populations in the normal human vagina at different stages of the menstrual cycle (Patton et al). 2000;183:967-73

Gonadotropin-releasing hormone agonist treatment for endometriosis of the rectovaginal septum (Fedele et al). 2000;183:1462-7

Late third-trimester treatment of rectovaginal group B streptococci with benzathine penicillin G (Bland et al). 2000;183:372-6

Levels of vaginal secretory leukocyte protease inhibitor are decreased in women with lower reproductive tract infections (Draper et al). 2000;183:1243-8

Transperineal versus transvaginal ultrasonography during the second trimester (Zilanti) (Letter); (Owen) (Reply). 2000;183:1045

Vaginal fetal fibronectin measurements from 8 to 22 weeks' gestation and subsequent spontaneous preterm birth (Goldenberg et al). 2000;183:469-75

Vagina, abnormalities

Clinical assessment of paravaginal defects (Huddleston and Dunning) (Letter); (Barber) (Reply). 2000;183:519-20

Pregnancies after reconstructive surgery for congenital cervicovaginal atresia (Chakravarty et al). 2000;183:421-3

Vagina, surgery

Ball urethroplasty combined with Marshall-Marchetti-Krantz urethropexy versus suburethral sling in patients with intrinsic sphincter deficiency and urethral hypermobility (Alcalay et al). 2000;183:1348-54

Vagina, surgery—cont'd

Bilateral uterosacral ligament vaginal vault suspension with site-specific endopelvic fascia defect repair for treatment of pelvic organ prolapse (Barber et al). 2000;183:1402-11

The role of vaginal apex excision in the management of persistent posthysterectomy dyspareunia (Sharp et al). 2000;183:1385-9

A transvaginal approach to repair of apical and other associated sites of pelvic organ prolapse with uterosacral ligaments (Shull et al). 2000;183:1365-74

Vaginal subtotal hysterectomy and sacrospinous colpopexy: an option in the management of uterine prolapse (Hefni and El-Toukhy). 2000;183:494-5

Vaginal administration; see Administration, intravaginal**Vaginal birth after cesarean**

Association of interpregnancy interval with uterine scar failure in labor: a case-control study (Esposito et al). 2000;183:1180-3

Effect of previous vaginal delivery on the risk of uterine rupture during a subsequent trial of labor (Zelop et al). 2000;183:1184-6

Elective repeat cesarean delivery versus trial of labor: a meta-analysis of the literature from 1989 to 1999 (Mozurkewich and Hutton). 2000;183:1187-97

Population adjustment of the definition of the vaginal birth after cesarean rate (Reddy et al). 2000;183:1166-9

Vaginal diseases

Questions about case report on vaginal dysplasia (Fanning) (Letter); (Powell) (Reply). 2000;183:1592-3

Vaginal hysterectomy; see Hysterectomy, vaginal**Vaginal smears**

Molecular Papanicolaou tests in the twenty-first century: molecular analyses with fluid-based Papanicolaou technology (Lin et al). 2000;183:39-45

Two-stage cervical cancer screening: an alternative for resource-poor settings (Denny et al). 2000;183:383-8

Vaginitis

Treatment threshold probability for vaginitis (Harper) (Letter); (Wiesenfeld and Macio) (Reply). 2000;183:517-8

Vaginal infections in human immunodeficiency virus-infected women (Helfgott et al). 2000;183:347-55

Vaginosis, bacterial

Asymptomatic bacterial vaginosis: response to therapy (Schwebke). 2000;183:1434-9

Relationship of bacterial vaginosis and mycoplasmas to the risk of spontaneous abortion (Donders et al). 2000;183:431-7

Vanadates

Vanadate enhances but does not normalize glucose transport and insulin receptor phosphorylation in skeletal muscle from obese

women with gestational diabetes mellitus (Shao et al). 2000;183:1263-70

Vascular endothelium; see Endothelium, vascular**Vasoconstriction**

The effects of placental extracts from normotensive and preeclamptic women on vasoconstriction and oxidative metabolism (Thomson et al). 2000;183:206-10

Vasodilation

Estrogen augments the vasodilatory effects of vascular endothelial growth factor in the uterine circulation of the rat (Storment et al). 2000;183:449-53

Vascular reactivity in patients with preeclampsia and HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome (Fischer et al). 2000;183:1489-94

Vasodilatory response of fetoplacental vasculature to adrenomedullin after constriction with the thromboxane sympathomimetic U46619 (Hoeldtke et al). 2000;183:1573-8

Veins

The effect of pregnancy on the compliance of large arteries and veins in healthy parous control subjects and women with a history of preeclampsia (Spaanderman et al). 2000;183:1278-86

Venous pressure

Association of severe placental insufficiency and systemic venous pressure rise in the fetus with increased neonatal cardiac troponin T levels (Mäkitallio et al). 2000;183:726-31

Ventricular function, left

Relationship of systemic hemodynamics, left ventricular structure and function, and plasma natriuretic peptide concentrations during pregnancy complicated by preeclampsia (Borghi et al). 2000;183:140-7

Vitamin C; see Ascorbic acid**Vitamin E**

Pretreatment of human amnion-chorion with vitamins C and E prevents hypochlorous acid-induced damage (Plessinger et al). 2000;183:979-85

Vulvar diseases

Adverse behavioral and sexual factors in chronic vulvar disease (Marin et al). 2000;183:34-8

Vulvar epithelial inclusion cyst as a late complication of childhood female traditional genital surgery (Kroll and Miller). 2000;183:509-10

W**WISH cells; see Cells****Wounds and injuries**

Primary amenorrhea caused by crushing trauma of the pelvis (Donner et al). 2000;183:500-1

